

```
strace -e open ls "/opt/zimbra/zdesktop/linux/prism/zdclient" -webapp "/home/hw/zdesktop/zdesktop.webapp" -  
override "/home/hw/zdesktop/zdesktop.webapp/override.ini" -profile "/home/hw/zdesktop/profile"  
open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 3  
open("/lib64/libcap.so.2", 0_RDONLY|0_CLOEXEC) = 3  
open("/lib64/libacl.so.1", 0_RDONLY|0_CLOEXEC) = 3  
open("/lib64/libc.so.6", 0_RDONLY|0_CLOEXEC) = 3  
open("/lib64/libattr.so.1", 0_RDONLY|0_CLOEXEC) = 3  
open("/usr/share/locale/locale-archive", 0_RDONLY|0_CLOEXEC) = 3  
open("/usr/share/locale/locale.alias", 0_RDONLY|0_CLOEXEC) = 3  
open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/coreutils.mo", 0_RDONLY) = -1 ENOENT (No such file or  
directory)  
open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/coreutils.mo", 0_RDONLY) = -1 ENOENT (No such file or  
directory)  
open("/usr/share/locale/de_DE/LC_MESSAGES/coreutils.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)  
open("/usr/share/locale/de.UTF-8/LC_MESSAGES/coreutils.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)  
open("/usr/share/locale/de.utf8/LC_MESSAGES/coreutils.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)  
open("/usr/share/locale/de/LC_MESSAGES/coreutils.mo", 0_RDONLY) = 3  
open("/usr/lib64/gconv/gconv-modules.cache", 0_RDONLY) = 3  
ls: ungültige Zeilenbreite: ebapp  
+++ exited with 2 +++
```

```
strace ls "/opt/zimbra/zdesktop/linux/prism/zdclient" -webapp "/home/hw/zdesktop/zdesktop.webapp" -override  
"/home/hw/zdesktop/zdesktop.webapp/override.ini" -profile "/home/hw/zdesktop/profile"  
execve("/usr/bin/ls", ["ls", "/opt/zimbra/zdesktop/linux/prism...", "-webapp",  
"/home/hw/zdesktop/zdesktop.webapp...", "-override", "/home/hw/zdesktop/zdesktop.webapp...", "-profile",  
"/home/hw/zdesktop/profile"], [/* 88 vars */]) = 0  
brk(0) = 0x207b000  
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7fcf04050000  
access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)  
open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 3  
fstat(3, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0  
mmap(NULL, 167553, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7fcf04027000  
close(3) = 0  
open("/lib64/libcap.so.2", 0_RDONLY|0_CLOEXEC) = 3  
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\26\0\0\0\0\0"... , 832) = 832  
fstat(3, {st_mode=S_IFREG|0644, st_size=65997, ...}) = 0  
mmap(NULL, 2114144, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7fcf03c2e000  
mprotect(0x7fcf03c2000, 2093056, PROT_NONE) = 0  
mmap(0x7fcf03e31000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x3000) =  
0x7fcf03e31000  
close(3) = 0  
open("/lib64/libacl.so.1", 0_RDONLY|0_CLOEXEC) = 3  
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300 \0\0\0\0\0"... , 832) = 832  
fstat(3, {st_mode=S_IFREG|0644, st_size=193343, ...}) = 0  
mmap(NULL, 2130592, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7fcf03a25000  
mprotect(0x7fcf03a2d000, 2093056, PROT_NONE) = 0  
mmap(0x7fcf03c2c000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x7000) =  
0x7fcf03c2c000  
close(3) = 0  
open("/lib64/libc.so.6", 0_RDONLY|0_CLOEXEC) = 3  
read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\220\35\2\0\0\0\0\0"... , 832) = 832  
fstat(3, {st_mode=S_IFREG|0755, st_size=2065064, ...}) = 0  
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7fcf04026000  
mmap(NULL, 3885568, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7fcf03670000  
mprotect(0x7fcf0381c000, 2093056, PROT_NONE) = 0  
mmap(0x7fcf03a1b000, 24576, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1ab000) =  
0x7fcf03a1b000  
mmap(0x7fcf03a21000, 14848, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =  
0x7fcf03a21000  
close(3) = 0  
open("/lib64/libattr.so.1", 0_RDONLY|0_CLOEXEC) = 3  
read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\24\0\0\0\0\0"... , 832) = 832  
fstat(3, {st_mode=S_IFREG|0644, st_size=74495, ...}) = 0  
mmap(NULL, 2113912, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7fcf0346b000  
mprotect(0x7fcf0346f000, 2093056, PROT_NONE) = 0  
mmap(0x7fcf0366e000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x3000) =  
0x7fcf0366e000  
close(3) = 0  
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7fcf04025000  
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7fcf04024000  
mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7fcf04023000  
arch_prctl(ARCH_SET_FS, 0x7fcf04024700) = 0
```

```

open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css", 0_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css",
{st_mode=S_IFREG|0664, st_size=159, ...}) = 0
futex(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 26) = 1
futex(0xa1284e0, FUTEX_WAKE_PRIVATE, 1) = 1
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/libimgicon.so", 0_RDONLY|O_CLOEXEC) = 27
read(27, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\0\0\0\0004\0\0\0"... , 512) = 512
fstat64(27, {st_mode=S_IFREG|0664, st_size=41568, ...}) = 0
mmap2(NULL, 39628, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 27, 0) = 0xfffffffff2126000
mmap2(0xf212f000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 27, 0x9000) =
0xfffffffff212f000
close(27) = 0
gettimeofday({1417185155, 726148}, NULL) = 0
gettimeofday({1417185155, 728736}, NULL) = 0
gettimeofday({1417185155, 729249}, NULL) = 0
gettimeofday({1417185155, 729329}, NULL) = 0
gettimeofday({1417185155, 729392}, NULL) = 0
gettimeofday({1417185155, 729458}, NULL) = 0
gettimeofday({1417185155, 729520}, NULL) = 0
gettimeofday({1417185155, 730101}, NULL) = 0
gettimeofday({1417185155, 730199}, NULL) = 0
gettimeofday({1417185155, 730268}, NULL) = 0
gettimeofday({1417185155, 730331}, NULL) = 0
gettimeofday({1417185155, 730450}, NULL) = 0
gettimeofday({1417185155, 730529}, NULL) = 0

```

/home/hw/Zimbra

```
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css", 0_RDONLY|
0_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css",
{st_mode=S_IFREG|0664, st_size=2629, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK *****", 8192) = 2629
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 749673}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
0_RDONLY|0_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 19459
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version='1.0'?>\n\n<bindings"... , 19459) = 19459
brk(0xa186000) = 0xa186000
gettimeofday({1417185155, 758914}, NULL) = 0
gettimeofday({1417185155, 760685}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 19459
lseek(27, 0, SEEK_END) = 19459
lseek(27, 19459, SEEK_SET) = 19459
gettimeofday({1417185155, 760961}, NULL) = 0
gettimeofday({1417185155, 761032}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
{st_mode=S_IFREG|0664, st_size=4005, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css", 0_RDONLY|
0_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
{st_mode=S_IFREG|0664, st_size=4005, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK *****", 8192) = 4005
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 765419}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
0_RDONLY|0_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 65241
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version='1.0'?>\n\n<!-- *****"... , 65241) = 65241
brk(0xa1c2000) = 0xa1c2000
gettimeofday({1417185155, 768875}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd", 0_RDONLY|
0_LARGEFILE) = 28
open("/home/hw/.mime.types", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mime.types", 0_RDONLY|0_LARGEFILE) = 29
read(29, "# $Id: mime.types 145791 2008-01"... , 4096) = 4096
read(29, "ion/rss+xml\t\t\t\t\ttrss\napplication/r"... , 4096) = 4096
read(29, "lication/vnd.framemaker\t\t\t\t\tfm fra"... , 4096) = 4096
read(29, "bk\t\t\t\t\tmbk\napplication/vnd.mobius"... , 4096) = 4096
read(29, "on/vnd.oma.xcap-directory+xml\nap"... , 4096) = 4096
read(29, "ation/vnd.xara\t\t\t\t\ttxar\napplicatio"... , 4096) = 4096
close(29) = 0
open("/home/hw/.mailcap", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", 0_RDONLY|0_LARGEFILE) = 29
```

```
read(29, "# Copyright (c) 1991 Bell Commun...", 4096) = 4096
read(29, "commented out if you do NOT have...", 4096) = 4096
read(29, "tion/x-inventor; examine %s; des...", 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
read(29, "# Copyright (c) 1991 Bell Commun...", 4096) = 4096
read(29, "commented out if you do NOT have...", 4096) = 4096
read(29, "tion/x-inventor; examine %s; des...", 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
read(28, "<!-- LOCALIZATION NOTE : FILE Th...", 8192) = 735
read(28, "", 8192) = 0
close(28) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/editor.xpt", {st_mode=S_IFREG|0664,
st_size=11483, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/editor.xpt", O_RDONLY|O_LARGEFILE) = 28
read(28, "XPCOM\nTypeLib\r\n32\1\2\0)\0\0,\333\0\0\0"\0\0\4\235"...", 11483) = 11483
close(28) = 0
gettimeofday({1417185155, 783693}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 65241
lseek(27, 0, SEEK_END) = 65241
lseek(27, 65241, SEEK_SET) = 65241
gettimeofday({1417185155, 783964}, NULL) = 0
gettimeofday({1417185155, 784035}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
{st_mode=S_IFREG|0664, st_size=2318, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
{st_mode=S_IFREG|0664, st_size=2318, ...}) = 0
read(27, "@namespace url(\"http://www.mozil...", 8192) = 2318
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 790567}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 57037
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n\n<binding"...", 57037) = 57037
gettimeofday({1417185155, 806768}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/autocomplete.xpt", {st_mode=S_IFREG|0664,
st_size=3601, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/autocomplete.xpt", O_RDONLY|O_LARGEFILE) = 28
read(28, "XPCOM\nTypeLib\r\n32\1\2\0\20\0\0\16\21\0\0\0"\0\0\1\341"...", 3601) = 3601
close(28) = 0
brk(0xale3000) = 0xale3000
gettimeofday({1417185155, 814508}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 57037
lseek(27, 0, SEEK_END) = 57037
lseek(27, 57037, SEEK_SET) = 57037
gettimeofday({1417185155, 814802}, NULL) = 0
gettimeofday({1417185155, 814893}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
{st_mode=S_IFREG|0664, st_size=10627, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
{st_mode=S_IFREG|0664, st_size=10627, ...}) = 0
```

/home/hw/Zimbra

```

{st_mode=S_IFREG|0664, st_size=55, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/tree.dtd", O_RDONLY|
O_LARGEFILE) = 28
open("/home/hw/.mime.types", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mime.types", O_RDONLY|O_LARGEFILE) = 29
read(29, "# $Id: mime.types 145791_2008-01"... , 4096) = 4096
read(29, "ion/rss+xml\t\t\t\t\ttrss\application/r"... , 4096) = 4096
read(29, "lication/vnd.framemaker\t\t\t\t\tfm fra"... , 4096) = 4096
read(29, "bk\t\t\t\t\tmbk\application/vnd.mobius."... , 4096) = 4096
read(29, "on/vnd.oma.xcap-directory+xml\tnap"... , 4096) = 4096
read(29, "ation/vnd.xara\t\t\t\t\ttxar\napplicatio"... , 4096) = 4096
close(29) = 0
open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
read(29, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
read(29, "commented out if you do NOT have"... , 4096) = 4096
read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
read(29, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
read(29, "commented out if you do NOT have"... , 4096) = 4096
read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/tree.dtd",
{st_mode=S_IFREG|0664, st_size=55, ...}) = 0
read(28, "<!ENTITY restoreNaturalOrder.lab"... , 8192) = 55
read(28, "", 8192) = 0
close(28) = 0
gettimeofday({1417185155, 858634}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 51599
lseek(27, 0, SEEK_END) = 51599
lseek(27, 51599, SEEK_SET) = 51599
gettimeofday({1417185155, 859503}, NULL) = 0
gettimeofday({1417185155, 859709}, NULL) = 0
close(27) = 0
gettimeofday({1417185155, 860720}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 13912
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings"... , 13912) = 13912
gettimeofday({1417185155, 874038}, NULL) = 0
gettimeofday({1417185155, 874886}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 13912
lseek(27, 0, SEEK_END) = 13912
lseek(27, 13912, SEEK_SET) = 13912
gettimeofday({1417185155, 875141}, NULL) = 0
gettimeofday({1417185155, 875210}, NULL) = 0
close(27) = 0
gettimeofday({1417185155, 875462}, NULL) = 0
gettimeofday({1417185155, 886107}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 10033

```

```
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"...\", 10033) = 10033
gettimeofday({1417185155, 890467}, NULL) = 0
gettimeofday({1417185155, 892373}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 10033
lseek(27, 0, SEEK_END) = 10033
lseek(27, 10033, SEEK_SET) = 10033
gettimeofday({1417185155, 893177}, NULL) = 0
gettimeofday({1417185155, 893380}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css",
{st_mode=S_IFREG|0664, st_size=6048, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css",
{st_mode=S_IFREG|0664, st_size=6048, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK ***\"...\", 8192) = 6048
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 897957}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", {st_mode=S_IFREG|0664, st_size=333, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", {st_mode=S_IFREG|0664, st_size=333, ...}) = 0
read(27, "#default\n#this file defines the \"...\", 8192) = 333
read(27, "", 8192) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 3588
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"...\", 3588) = 3588
gettimeofday({1417185155, 906899}, NULL) = 0
gettimeofday({1417185155, 909098}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 3588
lseek(27, 0, SEEK_END) = 3588
lseek(27, 3588, SEEK_SET) = 3588
gettimeofday({1417185155, 909387}, NULL) = 0
gettimeofday({1417185155, 909458}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
{st_mode=S_IFREG|0664, st_size=5327, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
{st_mode=S_IFREG|0664, st_size=5327, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK ***\"...\", 8192) = 5327
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
{st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
{st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
{st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
```



```
lseek(27, 0, SEEK_END) = 14087
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"..., 14087) = 14087
gettimeofday({1417185155, 914801}, NULL) = 0
brk(0xa22b000) = 0xa22b000
gettimeofday({1417185155, 916739}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 14087
lseek(27, 0, SEEK_END) = 14087
lseek(27, 14087, SEEK_SET) = 14087
gettimeofday({1417185155, 917590}, NULL) = 0
gettimeofday({1417185155, 917766}, NULL) = 0
close(27) = 0
gettimeofday({1417185155, 918202}, NULL) = 0
gettimeofday({1417185155, 920588}, NULL) = 0
gettimeofday({1417185155, 923315}, NULL) = 0
gettimeofday({1417185155, 923686}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/toolbar.png", {st_mode=S_IFREG|0664,
st_size=11257, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/toolbar.png", O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/toolbar.png", {st_mode=S_IFREG|0664,
st_size=11257, ...}) = 0
futext(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 28) = 1
futext(0xa1fef30, FUTEX_WAKE_PRIVATE, 1) = 1
gettimeofday({1417185155, 926250}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/textbox.xml",
{st_mode=S_IFREG|0664, st_size=28588, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/textbox.xml",
{st_mode=S_IFREG|0664, st_size=28588, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/textbox.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/textbox.xml",
{st_mode=S_IFREG|0664, st_size=28588, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 28588
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<!DOCTYPE\"..., 28588) = 28588
gettimeofday({1417185155, 933201}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/textcontext.dtd",
{st_mode=S_IFREG|0664, st_size=745, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/textcontext.dtd", O_RDONLY|
O_LARGEFILE) = 28
open("/home/hw/.mime.types", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mime.types", O_RDONLY|O_LARGEFILE) = 29
read(29, "# $Id: mime.types 145791 2008-01\"..., 4096) = 4096
read(29, "ion/rss+xml\t\t\t\ttrss\napplication/r\"..., 4096) = 4096
read(29, "lication/vnd.framemaker\t\t\t\ttfm fra\"..., 4096) = 4096
read(29, "bk\t\t\t\tmbk\napplication/vnd.mobius.\"..., 4096) = 4096
read(29, "on/vnd.oma.xcap-directory+xml\nap\"..., 4096) = 4096
read(29, "ation/vnd.xara\t\t\t\ttxar\napplicatio\"..., 4096) = 4096
close(29) = 0
open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
read(29, "# Copyright (c) 1991 Bell Commun\"..., 4096) = 4096
read(29, "commented out if you do NOT have\"..., 4096) = 4096
read(29, "tion/x-inventor; examine %s; des\"..., 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
read(29, "# Copyright (c) 1991 Bell Commun\"..., 4096) = 4096
read(29, "commented out if you do NOT have\"..., 4096) = 4096
read(29, "tion/x-inventor; examine %s; des\"..., 4096) = 2704
read(29, "", 4096) = 0
close(29) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/textcontext.dtd",
{st_mode=S_IFREG|0664, st_size=745, ...}) = 0
brk(0xa24c000) = 0xa24c000
read(28, "<!ENTITY cutCmd.label \"Cut\">\n\n<!E\"..., 8192) = 745
read(28, "", 8192) = 0
close(28) = 0
gettimeofday({1417185155, 947032}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 28588
lseek(27, 0, SEEK_END) = 28588
```

```
lseek(27, 28588, SEEK_SET) = 28588
gettimeofday({1417185155, 947679}, NULL) = 0
gettimeofday({1417185155, 947754}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=962, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=962, ...}) = 0
read(27, "@namespace url(\"http://www.mozilla\"...", 8192) = 962
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=5371, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=5371, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK ***", 8192) = 5371
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 952671}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 6205
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"...", 6205) = 6205
gettimeofday({1417185155, 959647}, NULL) = 0
gettimeofday({1417185155, 961246}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 6205
lseek(27, 0, SEEK_END) = 6205
lseek(27, 6205, SEEK_SET) = 6205
gettimeofday({1417185155, 962038}, NULL) = 0
gettimeofday({1417185155, 962249}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 906
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"...", 906) = 906
gettimeofday({1417185155, 966622}, NULL) = 0
gettimeofday({1417185155, 967011}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 906
lseek(27, 0, SEEK_END) = 906
lseek(27, 906, SEEK_SET) = 906
gettimeofday({1417185155, 967964}, NULL) = 0
gettimeofday({1417185155, 968175}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
{st_mode=S_IFREG|0664, st_size=2502, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
{st_mode=S_IFREG|0664, st_size=2502, ...}) = 0
```

```
read(27, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 2502
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 971289}, NULL) = 0
gettimeofday({1417185155, 972345}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 5249
lseek(27, 0, SEEK_SET) = 0
read(27, "<?xml version='1.0'?'>\n\n<bindings"... , 5249) = 5249
gettimeofday({1417185155, 975765}, NULL) = 0
gettimeofday({1417185155, 976537}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 5249
lseek(27, 0, SEEK_END) = 5249
lseek(27, 5249, SEEK_SET) = 5249
gettimeofday({1417185155, 977333}, NULL) = 0
gettimeofday({1417185155, 977541}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
{st_mode=S_IFREG|0664, st_size=2885, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
{st_mode=S_IFREG|0664, st_size=2885, ...}) = 0
read(27, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 2885
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 980374}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
{st_mode=S_IFREG|0664, st_size=51, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
{st_mode=S_IFREG|0664, st_size=51, ...}) = 0
read(27, "dropmarker {\n -moz-appearance: "... , 8192) = 51
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
gettimeofday({1417185155, 990102}, NULL) = 0
gettimeofday({1417185155, 990219}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", {st_mode=S_IFREG|0664, st_size=874,
...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", {st_mode=S_IFREG|0664, st_size=874,
...}) = 0
futext(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 30) = 1
futext(0xa239e90, FUTEX_WAKE_PRIVATE, 1) = 1
gettimeofday({1417185155, 990841}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
lseek(27, 0, SEEK_CUR) = 0
lseek(27, 0, SEEK_END) = 237
lseek(27, 0, SEEK_SET) = 0
```

```
read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"...\", 237) = 237
gettimeofday({1417185155, 992417}, NULL) = 0
gettimeofday({1417185155, 992599}, NULL) = 0
lseek(27, 0, SEEK_CUR) = 237
lseek(27, 0, SEEK_END) = 237
lseek(27, 237, SEEK_SET) = 237
gettimeofday({1417185155, 992843}, NULL) = 0
gettimeofday({1417185155, 992909}, NULL) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css",
{st_mode=S_IFREG|0664, st_size=622, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css", O_RDONLY|
O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css",
{st_mode=S_IFREG|0664, st_size=622, ...}) = 0
read(27, "@namespace url(\"http://www.mozil\"...", 8192) = 622
read(27, "", 8192) = 0
read(27, "", 8192) = 0
read(27, "", 8192) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/docshell.xpt", {st_mode=S_IFREG|0664,
st_size=10910, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/docshell.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\0*\236\0\0\0\0\0\0\0\0\5E"..., 10910) = 10910
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/shistory.xpt", {st_mode=S_IFREG|0664,
st_size=2989, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/shistory.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\0\0\0\0\0\255\0\0\0\0\0\0\0\0\1\341"..., 2989) = 2989
close(27) = 0
brk(0xa26e000) = 0xa26e000
mmap2(NULL, 65536, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2116000
mprotect(0xf2116000, 65536, PROT_READ|PROT_WRITE|PROT_EXEC) = 0
mmap2(NULL, 65536, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2106000
mprotect(0xf2106000, 65536, PROT_READ|PROT_WRITE|PROT_EXEC) = 0
gettimeofday({1417185156, 13965}, NULL) = 0
gettimeofday({1417185156, 14046}, NULL) = 0
gettimeofday({1417185156, 14115}, NULL) = 0
futex(0x9cc41b0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x9cc41ac, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}) = 1
gettimeofday({1417185156, 16023}, NULL) = 0
gettimeofday({1417185156, 16156}, NULL) = 0
futex(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 32) = 1
futex(0x9f36500, FUTEX_WAKE_PRIVATE, 1) = 1
stat64("/home/hw/zdesktop/zdesktop.webapp/splash.html", {st_mode=S_IFREG|0664, st_size=432, ...}) = 0
open("/home/hw/zdesktop/zdesktop.webapp/splash.html", O_RDONLY|O_LARGEFILE) = 27
stat64("/home/hw/zdesktop/zdesktop.webapp/splash.html", {st_mode=S_IFREG|0664, st_size=432, ...}) = 0
futex(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 34) = 1
futex(0x9f36a70, FUTEX_WAKE_PRIVATE, 1) = 1
gettimeofday({1417185156, 18620}, NULL) = 0
gettimeofday({1417185156, 18980}, NULL) = 0
poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|POLLPRI},
{fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=9, events=POLLIN|POLLPRI}, {fd=20, events=POLLIN}], 8, 0)
= 2 ([{fd=4, revents=POLLIN}, {fd=20, revents=POLLIN}])
read(4, "\2\0\0\0\0\0\0", 16) = 8
poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
writev(3, [{"\22\0\7\0\351\0@\6\233\1\0\0\6\0\0\0 \0\0\0\1\0\0\0\1\0\0\0\22\0\7\0"..., 2584}, {NULL, 0}, {"",
0}], 3) = 2584
recvmsg(3, 0xff86d494, 0) = -1 EAGAIN (Resource temporarily unavailable)
write(4, "\1\0\0\0\0\0\0", 8) = 8
read(20, "\372", 1) = 1
write(4, "\1\0\0\0\0\0\0", 8) = 8
gettimeofday({1417185156, 21239}, NULL) = 0
gettimeofday({1417185156, 21366}, NULL) = 0
gettimeofday({1417185156, 21432}, NULL) = 0
gettimeofday({1417185156, 21498}, NULL) = 0
gettimeofday({1417185156, 21560}, NULL) = 0
gettimeofday({1417185156, 21624}, NULL) = 0
gettimeofday({1417185156, 21685}, NULL) = 0
gettimeofday({1417185156, 21749}, NULL) = 0
gettimeofday({1417185156, 21810}, NULL) = 0
gettimeofday({1417185156, 21874}, NULL) = 0
gettimeofday({1417185156, 21935}, NULL) = 0
gettimeofday({1417185156, 22354}, NULL) = 0
gettimeofday({1417185156, 22419}, NULL) = 0
gettimeofday({1417185156, 22683}, NULL) = 0
```





/home/hw/Zimbra





```
read(4, "\2\0\0\0\0\0\0", 16) = 8
write(4, "\1\0\0\0\0\0\0", 8) = 8
read(20, "\372", 1) = 1
write(4, "\1\0\0\0\0\0\0", 8) = 8
gettimeofday({1417185156, 160110}, NULL) = 0
gettimeofday({1417185156, 160320}, NULL) = 0
gettimeofday({1417185156, 160397}, NULL) = 0
gettimeofday({1417185156, 160454}, NULL) = 0
futex(0x9cc41b0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x9cc41ac, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}) = 1
gettimeofday({1417185156, 160604}, NULL) = 0
gettimeofday({1417185156, 160677}, NULL) = 0
gettimeofday({1417185156, 160754}, NULL) = 0
gettimeofday({1417185156, 160828}, NULL) = 0
gettimeofday({1417185156, 160900}, NULL) = 0
brk(0xa2f5000) = 0xa2f5000
gettimeofday({1417185156, 161040}, NULL) = 0
gettimeofday({1417185156, 161125}, NULL) = 0
gettimeofday({1417185156, 161860}, NULL) = 0
gettimeofday({1417185156, 161962}, NULL) = 0
gettimeofday({1417185156, 162045}, NULL) = 0
gettimeofday({1417185156, 162154}, NULL) = 0
write(21, "\372", 1) = 1
gettimeofday({1417185156, 162343}, NULL) = 0
gettimeofday({1417185156, 163097}, NULL) = 0
gettimeofday({1417185156, 163175}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/loading-image.png", {st_mode=S_IFREG|0664,
st_size=268, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/loading-image.png", O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/loading-image.png", {st_mode=S_IFREG|0664,
st_size=268, ...}) = 0
futex(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 38) = 1
futex(0xa2cc6e0, FUTEX_WAKE_PRIVATE, 1) = 1
gettimeofday({1417185156, 164100}, NULL) = 0
gettimeofday({1417185156, 164224}, NULL) = 0
gettimeofday({1417185156, 165136}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", {st_mode=S_IFREG|0664, st_size=253,
...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", O_RDONLY|O_LARGEFILE) = 27
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", {st_mode=S_IFREG|0664, st_size=253,
...}) = 0
futex(0x9f1c398, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x9f1c3d4, 40) = 1
futex(0xa2cd0d8, FUTEX_WAKE_PRIVATE, 1) = 1
gettimeofday({1417185156, 165674}, NULL) = 0
gettimeofday({1417185156, 165823}, NULL) = 0
gettimeofday({1417185156, 165890}, NULL) = 0
gettimeofday({1417185156, 165995}, NULL) = 0
gettimeofday({1417185156, 167096}, NULL) = 0
gettimeofday({1417185156, 167173}, NULL) = 0
gettimeofday({1417185156, 167238}, NULL) = 0
gettimeofday({1417185156, 167319}, NULL) = 0
gettimeofday({1417185156, 167380}, NULL) = 0
gettimeofday({1417185156, 167480}, NULL) = 0
gettimeofday({1417185156, 167772}, NULL) = 0
gettimeofday({1417185156, 167854}, NULL) = 0
gettimeofday({1417185156, 168028}, NULL) = 0
gettimeofday({1417185156, 168168}, NULL) = 0
gettimeofday({1417185156, 169273}, NULL) = 0
gettimeofday({1417185156, 169338}, NULL) = 0
gettimeofday({1417185156, 169423}, NULL) = 0
gettimeofday({1417185156, 169577}, NULL) = 0
gettimeofday({1417185156, 169692}, NULL) = 0
gettimeofday({1417185156, 169804}, NULL) = 0
gettimeofday({1417185156, 169863}, NULL) = 0
gettimeofday({1417185156, 169979}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/satchel.xpt", {st_mode=S_IFREG|0664,
st_size=978, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/satchel.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\v\0\0\3\322\0\0\0\0\0\1U"... , 978) = 978
close(27) = 0
futex(0x9cc41b0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x9cc41ac, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}) = 1
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_dns.xpt", {st_mode=S_IFREG|0664,
st_size=1171, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_dns.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\n\0\0\4\223\0\0\0\0\0\0019"... , 1171) = 1171
close(27) = 0
```

```
gettimeofday({1417185156, 182175}, NULL) = 0
uname({sys="Linux", node="localhost", ...}) = 0
uname({sys="Linux", node="localhost", ...}) = 0
uname({sys="Linux", node="localhost", ...}) = 0
uname({sys="Linux", node="localhost", ...}) = 0
gettimeofday({1417185156, 182865}, NULL) = 0
gettimeofday({1417185156, 182954}, NULL) = 0
gettimeofday({1417185156, 183011}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/uriloader.xpt", {st_mode=S_IFREG|0664,
st_size=2713, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/uriloader.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\25\0\0\n\231\0\0\0\0\0\2m"... , 2713) = 2713
close(27) = 0
gettimeofday({1417185156, 185178}, NULL) = 0
gettimeofday({1417185156, 185243}, NULL) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", {st_mode=S_IFREG|0664,
st_size=51240, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", O_RDONLY|O_LARGEFILE) = 27
fstat64(27, {st_mode=S_IFREG|0664, st_size=51240, ...}) = 0
mmap2(NULL, 51240, PROT_READ, MAP_PRIVATE, 27, 0) = 0xfffffffffef45d000
brk(0xa32e000) = 0xa32e000
brk(0xa34f000) = 0xa34f000
munmap(0xef45d000, 51240) = 0
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", {st_mode=S_IFREG|0664,
st_size=51240, ...}) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/loginmgr.xpt", {st_mode=S_IFREG|0664,
st_size=2107, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/loginmgr.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\16\0\0\10;\0\0\0\0\0\1\251"... , 2107) = 2107
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.xpt", {st_mode=S_IFREG|0664,
st_size=700, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\t\0\0\2\274\0\0\0\0\0\1\35"... , 700) = 700
close(27) = 0
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/embed_base.xpt", {st_mode=S_IFREG|0664,
st_size=530, ...}) = 0
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/embed_base.xpt", O_RDONLY|O_LARGEFILE) = 27
read(27, "XPCOM\nTypeLib\r\n32\1\2\0\7\0\0\2\22\0\0\0\0\0\0\345"... , 530) = 530
close(27) = 0
gettimeofday({1417185156, 212301}, NULL) = 0
gettimeofday({1417185156, 212371}, NULL) = 0
gettimeofday({1417185156, 212429}, NULL) = 0
futex(0x9cc41b0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x9cc41ac, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}) = 1
gettimeofday({1417185156, 212725}, NULL) = 0
futex(0x9cc41b0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x9cc41ac, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}) = 1
gettimeofday({1417185156, 214046}, NULL) = 0
access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher.png", R_OK) = 0
access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher16.png", R_OK) = -1 ENOENT (No such file or
directory)
access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher16.png", R_OK) = -1 ENOENT (No such
file or directory)
access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher32.png", R_OK) = -1 ENOENT (No such file or
directory)
access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher32.png", R_OK) = -1 ENOENT (No such
file or directory)
access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher48.png", R_OK) = -1 ENOENT (No such file or
directory)
access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher48.png", R_OK) = -1 ENOENT (No such
file or directory)
open("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher.png", O_RDONLY|O_LARGEFILE) = 27
fstat64(27, {st_mode=S_IFREG|0664, st_size=2286, ...}) = 0
mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2105000
read(27, "\211PNG\r\n32\n\0\0\0\rIHDR\0\0\0000\0\0\0000\10\6\0\0\0W\2\371"... , 4096) = 2286
read(27, "", 4096) = 0
stat64("/usr/lib/gdk-pixbuf-2.0/2.10.0/loaders/libpixbufloader-png.so", {st_mode=S_IFREG|0755, st_size=19144,
...}) = 0
open("/usr/lib/gdk-pixbuf-2.0/2.10.0/loaders/libpixbufloader-png.so", O_RDONLY|O_CLOEXEC) = 28
read(28, "\177ELF1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\24\0\0004\0\0\0"... , 512) = 512
fstat64(28, {st_mode=S_IFREG|0755, st_size=19144, ...}) = 0
mmap2(NULL, 20824, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 28, 0) = 0xfffffffff1702000
mmap2(0xf1706000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 28, 0x3000) =
0xfffffffff1706000
close(28) = 0
```

```
mprotect(0xf1706000, 4096, PROT_READ)    = 0
_llseek(27, 0, [0], SEEK_SET)             = 0
--- SIGSEGV {si_signo=SIGSEGV, si_code=SEGV_MAPERR, si_addr=0xff074fbc} ---
--- SIGSEGV {si_signo=SIGSEGV, si_code=SI_KERNEL, si_addr=0} ---
+++ killed by SIGSEGV +++
Speicherzugriffsfehler
```