

```
15601 execve("/opt/zimbra/zdesktop/linux/prism/zdclient", ["/opt/zimbra/zdesktop/linux/prism"... , "-webapp",  
"/home/hw/zdesktop/zdesktop.webap"... , "-override", "/home/hw/zdesktop/zdesktop.webap"... , "-profile",  
"/home/hw/zdesktop/profile"], [/ * 88 vars */]) = 0  
15601 brk(0) = 0x8b6b000  
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771b000  
15601 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)  
15601 open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 3  
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0  
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 3, 0) = 0xffffffff76f2000  
15601 close(3) = 0  
15601 open("/lib/libpthread.so.0", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P[\0\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=132100, ...}) = 0  
15601 mmap2(NULL, 107180, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff76d7000  
15601 mmap2(0xf76ee000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x16000) =  
0xffffffff76ee000  
15601 mmap2(0xf76f0000, 4780, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =  
0xffffffff76f0000  
15601 close(3) = 0  
15601 open("/opt/libs32/libasound.so.2", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\364\1H4\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=969140, ...}) = 0  
15601 mmap2(0x486b1000, 966516, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x486b1000  
15601 mmap2(0x48799000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xe8000) =  
0x48799000  
15601 close(3) = 0  
15601 open("/lib/libdl.so.2", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\320\n\0\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=15072, ...}) = 0  
15601 mmap2(NULL, 16512, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff76d2000  
15601 mmap2(0xf76d5000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2000) =  
0xffffffff76d5000  
15601 close(3) = 0  
15601 open("/lib/libstdc++.so.6", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\3\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\20f\4\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=928364, ...}) = 0  
15601 mmap2(NULL, 951840, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff75e9000  
15601 mmap2(0xf76c6000, 20480, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xdc000) =  
0xffffffff76c6000  
15601 mmap2(0xf76cb000, 26144, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =  
0xffffffff76cb000  
15601 close(3) = 0  
15601 open("/lib/libm.so.6", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\3\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\300E\0\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=289636, ...}) = 0  
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff75e8000  
15601 mmap2(NULL, 282784, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff75a2000  
15601 mmap2(0xf75e6000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x44000) =  
0xffffffff75e6000  
15601 close(3) = 0  
15601 open("/lib/libgcc_s.so.1", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220 \0\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=105416, ...}) = 0  
15601 mmap2(NULL, 107060, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff7587000  
15601 mmap2(0xf75a0000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x18000) =  
0xffffffff75a0000  
15601 close(3) = 0  
15601 open("/lib/libc.so.6", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\3\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220\234\1\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=2031588, ...}) = 0  
15601 mmap2(NULL, 1800796, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff73cf000  
15601 mmap2(0xf7581000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1b2000) =  
0xffffffff7581000  
15601 mmap2(0xf7584000, 10844, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =  
0xffffffff7584000  
15601 close(3) = 0  
15601 open("/lib/librt.so.1", O_RDONLY|O_CLOEXEC) = 3  
15601 read(3, "\177ELF\1\1\1\3\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0@31\0\0004\0\0\0"... , 512) = 512  
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=32332, ...}) = 0  
15601 mmap2(NULL, 33348, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xffffffff73c6000  
15601 mmap2(0xf73cd000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x6000) =  
0xffffffff73cd000  
15601 close(3) = 0  
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff73c5000  
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff73c4000
```

```
15601 set_thread_area(0xffa93ac0) = 0
15601 mprotect(0xf7581000, 8192, PROT_READ) = 0
15601 mprotect(0xf76ee000, 4096, PROT_READ) = 0
15601 mprotect(0xf73cd000, 4096, PROT_READ) = 0
15601 mprotect(0xf75a0000, 4096, PROT_READ) = 0
15601 mprotect(0xf75e6000, 4096, PROT_READ) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff73c3000
15601 mprotect(0xf76c6000, 16384, PROT_READ) = 0
15601 mprotect(0xf76d5000, 4096, PROT_READ) = 0
15601 mprotect(0xf773b000, 4096, PROT_READ) = 0
15601 munmap(0xf76f2000, 167553) = 0
15601 set_tid_address(0xf73c4768) = 15601
15601 set_robust_list(0xf73c4770, 12) = 0
15601 rt_sigaction(SIGRTMIN, {0xf76dc5d0, [], SA_SIGINFO}, NULL, 8) = 0
15601 rt_sigaction(SIGRT_1, {0xf76dc650, [], SA_RESTART|SA_SIGINFO}, NULL, 8) = 0
15601 rt_sigprocmask(SIG_UNBLOCK, [RTMIN RT 1], NULL, 8) = 0
15601 getrlimit(RLIMIT_STACK, {rlim_cur=8192*1024, rlim_max=RLIM_INFINITY}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 brk(0) = 0x8b6b000
15601 brk(0x8b8c000) = 0x8b8c000
15601 lstat64("/opt", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism/zdclient", {st_mode=S_IFREG|0775, st_size=29316, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/zdclient", {st_mode=S_IFREG|0775, st_size=29316, ...}) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/xulrunner/libxpcom.so", R_OK) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/application.ini", O_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=164, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=164, ...}) = 0
15601 _llseek(3, 0, [0], SEEK_SET) = 0
15601 read(3, "[App]\nName=Prism\nVersion=1.0b8\nB"..., 164) = 164
15601 _llseek(3, 164, [164], SEEK_SET) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 lstat64("/opt", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism/xulrunner", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/libxpcom.so", {st_mode=S_IFREG|0664, st_size=11608, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/dependentlibs.list", O_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=136, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(3, "libspr4.so\nlibplc4.so\nlibplds4."..., 4096) = 136
15601 futex(0xf76d6058, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libnspr4.so", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220\206\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=204788, ...}) = 0
15601 mmap2(NULL, 208320, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff7390000
15601 mmap2(0xf73c0000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x30000) = 0xfffffffff73c0000
15601 mmap2(0xf73c1000, 7616, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xfffffffff73c1000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libplc4.so", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\320\r\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=13104, ...}) = 0
15601 mmap2(NULL, 15208, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff7716000
15601 mmap2(0xf7719000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2000) = 0xfffffffff7719000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libplds4.so", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260L\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=8928, ...}) = 0
15601 mmap2(NULL, 11552, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff7713000
15601 mmap2(0xf7715000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) = 0xfffffffff7715000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libsqlite3.so", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260L\0\0004\0\0\0"..., 512) = 512
```

```
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=536564, ...}) = 0
15601 mmap2(NULL, 540172, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff730c000
15601 mmap2(0xf738e000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x81000) =
0xfffffffff738e000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libnssutil3.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0PK\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=81788, ...}) = 0
15601 mmap2(NULL, 80672, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff76ff000
15601 mmap2(0xf7710000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x11000) =
0xfffffffff7710000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libsoftokn3.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0p\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=181688, ...}) = 0
15601 mmap2(NULL, 183772, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff72df000
15601 mmap2(0xf730b000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2b000) =
0xfffffffff730b000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libnss3.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0360\16\1\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=873300, ...}) = 0
15601 mmap2(NULL, 868164, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff720b000
15601 mmap2(0xf72db000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xd0000) =
0xfffffffff72db000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libssl3.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0220R\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=164620, ...}) = 0
15601 mmap2(NULL, 167600, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff71e2000
15601 mmap2(0xf7209000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x26000) =
0xfffffffff7209000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libsmime3.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0p\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=120988, ...}) = 0
15601 mmap2(NULL, 118048, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff71c5000
15601 mmap2(0xf71e0000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1b000) =
0xfffffffff71e0000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libmozjs.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@362\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=1378980, ...}) = 0
15601 mmap2(NULL, 1382308, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff7073000
15601 mmap2(0xf71bd000, 28672, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x149000) =
0xfffffffff71bd000
15601 mmap2(0xf71c4000, 1956, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0xfffffffff71c4000
15601 close(4) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libxul.so", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0260\320\31\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0664, st_size=14609956, ...}) = 0
15601 mmap2(NULL, 14591732, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff6288000
15601 mmap2(0xf6f8c000, 860160, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xd04000) =
0xfffffffff6f8c000
15601 mmap2(0xf705e000, 83700, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0xfffffffff705e000
15601 close(4) = 0
15601 open("/etc/ld.so.cache", 0_RDONLY|O_CLOEXEC) = 4
15601 fstat64(4, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 4, 0) = 0xfffffffff625f000
15601 close(4) = 0
15601 open("/opt/libs32/libXrender.so.1", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P24\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=38508, ...}) = 0
15601 mmap2(NULL, 41420, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff76f4000
15601 mmap2(0xf76fd000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x8000) =
0xfffffffff76fd000
15601 close(4) = 0
15601 open("/opt/libs32/libfreetype.so.6", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0240\222\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=596216, ...}) = 0
15601 mmap2(NULL, 599048, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff61cc000
15601 mprotect(0xf6259000, 4096, PROT_NONE) = 0
15601 mmap2(0xf625a000, 20480, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x8d000) =
```

```
0xffffffff625a000
15601 close(4) = 0
15601 open("/opt/libs32/libfontconfig.so.1", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\H\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=243424, ...}) = 0
15601 mmap2(NULL, 242688, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff6190000
15601 mmap2(0xf61ca000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x3a000) = 0xffffffff61ca000
15601 close(4) = 0
15601 open("/opt/libs32/libdbus-1.so.3", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\Y\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=303120, ...}) = 0
15601 mmap2(NULL, 306340, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff6145000
15601 mmap2(0xf618f000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x49000) = 0xffffffff618f000
15601 close(4) = 0
15601 open("/opt/libs32/libX11.so.6", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0000D\1\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=1270668, ...}) = 0
15601 mmap2(NULL, 1270648, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff600e000
15601 mmap2(0xf6141000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x133000) = 0xffffffff6141000
15601 mmap2(0xf6144000, 888, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xffffffff6144000
15601 close(4) = 0
15601 open("/opt/libs32/libXext.so.6", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0p(\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=68472, ...}) = 0
15601 mmap2(NULL, 67592, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5ffd000
15601 mmap2(0xf600d000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x10000) = 0xffffffff600d000
15601 close(4) = 0
15601 open("/lib/libpangoft2-1.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\3000\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=78096, ...}) = 0
15601 mmap2(NULL, 78928, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5fe9000
15601 mmap2(0xf5ffb000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x11000) = 0xffffffff5ffb000
15601 close(4) = 0
15601 open("/lib/libpango-1.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\227\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=304940, ...}) = 0
15601 mmap2(NULL, 304300, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5f9e000
15601 mmap2(0xf5fe7000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x48000) = 0xffffffff5fe7000
15601 close(4) = 0
15601 open("/opt/libs32/libgobject-2.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\300\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=314952, ...}) = 0
15601 mmap2(NULL, 315200, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5f51000
15601 mmap2(0xf5f9d000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x4c000) = 0xffffffff5f9d000
15601 close(4) = 0
15601 open("/opt/libs32/libgmodule-2.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\240\v\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=9972, ...}) = 0
15601 mmap2(NULL, 12956, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5f4d000
15601 mmap2(0xf5f50000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2000) = 0xffffffff5f50000
15601 close(4) = 0
15601 open("/opt/libs32/libglib-2.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260N\1\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=1031472, ...}) = 0
15601 mmap2(NULL, 1031856, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5e51000
15601 mmap2(0xf5f4c000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xfb000) = 0xffffffff5f4c000
15601 close(4) = 0
15601 open("/lib/libgtk-x11-2.0.so.0", O_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340\5\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=4723688, ...}) = 0
15601 mmap2(NULL, 4622200, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff59e8000
15601 mprotect(0xf5e48000, 4096, PROT_NONE) = 0
15601 mmap2(0xf5e49000, 24576, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x460000) = 0xffffffff5e49000
15601 mmap2(0xf5e4f000, 6008, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
```

```
0xffffffff5e4f000
15601 close(4) = 0
15601 open("/lib/libatk-1.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0pp\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=135152, ...}) = 0
15601 mmap2(NULL, 136720, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff59c6000
15601 mmap2(0xf59e5000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1e000) = 0xffffffff59e5000
15601 close(4) = 0
15601 open("/lib/libgdk-x11-2.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@s\1\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=735952, ...}) = 0
15601 mmap2(NULL, 720336, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5916000
15601 mprotect(0xf59c2000, 4096, PROT_NONE) = 0
15601 mmap2(0xf59c3000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xac000) = 0xffffffff59c3000
15601 close(4) = 0
15601 open("/lib/libgdk_pixbuf-2.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0pF\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=139984, ...}) = 0
15601 mmap2(NULL, 140128, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff58f3000
15601 mmap2(0xf5914000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x20000) = 0xffffffff5914000
15601 close(4) = 0
15601 open("/lib/libpangocairo-1.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@6\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=48784, ...}) = 0
15601 mmap2(NULL, 49928, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff58e6000
15601 mmap2(0xf58f1000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xa000) = 0xffffffff58f1000
15601 close(4) = 0
15601 open("/lib/libcairo.so.2", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P\330\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0644, st_size=1303456, ...}) = 0
15601 mmap2(NULL, 1275644, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff57ae000
15601 mmap2(0xf58e2000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x134000) = 0xffffffff58e2000
15601 mmap2(0xf58e5000, 1788, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xffffffff58e5000
15601 close(4) = 0
15601 open("/opt/libs32/libXt.so.6", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\272\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=373728, ...}) = 0
15601 mmap2(NULL, 374228, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5752000
15601 mmap2(0xf57aa000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x58000) = 0xffffffff57aa000
15601 mmap2(0xf57ad000, 1492, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xffffffff57ad000
15601 close(4) = 0
15601 open("/opt/libs32/libgthread-2.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\220\276qF4\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=16336, ...}) = 0
15601 mmap2(0x4671b000, 17828, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x4671b000
15601 mmap2(0x4671f000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x3000) = 0x4671f000
15601 close(4) = 0
15601 open("/lib/libz.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\32\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=89080, ...}) = 0
15601 mmap2(NULL, 90376, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff573b000
15601 mmap2(0xf5750000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x14000) = 0xffffffff5750000
15601 close(4) = 0
15601 open("/opt/libs32/libbz2.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0000\17\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=66256, ...}) = 0
15601 mmap2(NULL, 65064, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff572b000
15601 mmap2(0xf573a000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xf000) = 0xffffffff573a000
15601 close(4) = 0
15601 open("/opt/libs32/libpng12.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0;\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=277308, ...}) = 0
15601 mmap2(NULL, 280208, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff56e6000
15601 mmap2(0xf572a000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x43000) =
```

```
0xfffffffff572a000
15601 close(4) = 0
15601 open("/opt/libs32/libharfbuzz.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0pR\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=387136, ...}) = 0
15601 mmap2(NULL, 386212, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5687000
15601 mmap2(0xf56e4000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x5d000) = 0xfffffffff56e4000
15601 close(4) = 0
15601 open("/opt/libs32/libxml2.so.2", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\320\\333sF4\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=1352868, ...}) = 0
15601 mmap2(0x46722000, 1353908, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x46722000
15601 mmap2(0x46867000, 20480, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x145000) = 0x46867000
15601 mmap2(0x4686c000, 2228, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x4686c000
15601 close(4) = 0
15601 open("/opt/libs32/libxcb.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\220\\201\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=136848, ...}) = 0
15601 mmap2(NULL, 139740, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5664000
15601 mmap2(0xf5685000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x20000) = 0xfffffffff5685000
15601 close(4) = 0
15601 open("/opt/libs32/libffi.so.5", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0000\\21\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=22176, ...}) = 0
15601 mmap2(NULL, 21600, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff565e000
15601 mmap2(0xf5663000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x5000) = 0xfffffffff5663000
15601 close(4) = 0
15601 open("/opt/libs32/libpcre.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\220\\21\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=257180, ...}) = 0
15601 mmap2(NULL, 260028, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff561e000
15601 mmap2(0xf565d000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x3e000) = 0xfffffffff565d000
15601 close(4) = 0
15601 open("/opt/libs32/libXfixes.so.3", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\200\\17\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=16896, ...}) = 0
15601 mmap2(NULL, 19852, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5619000
15601 mmap2(0xf561d000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x3000) = 0xfffffffff561d000
15601 close(4) = 0
15601 open("/opt/libs32/libgio-2.0.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\240B\\2\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=1425364, ...}) = 0
15601 mmap2(NULL, 1427340, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff54bc000
15601 mmap2(0xf5615000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x159000) = 0xfffffffff5615000
15601 mmap2(0xf5618000, 1932, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xfffffffff5618000
15601 close(4) = 0
15601 open("/opt/libs32/libXinerama.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\360\\7\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=7172, ...}) = 0
15601 mmap2(NULL, 10080, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff54b9000
15601 mmap2(0xf54bb000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) = 0xfffffffff54bb000
15601 close(4) = 0
15601 open("/opt/libs32/libXi.so.6", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\320\\30\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=57400, ...}) = 0
15601 mmap2(NULL, 60416, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff54aa000
15601 mmap2(0xf54b8000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xd000) = 0xfffffffff54b8000
15601 close(4) = 0
15601 open("/opt/libs32/libXrandr.so.2", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\\177ELF\\1\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0\\3\\0\\1\\0\\0\\0\\240\\24\\0\\0004\\0\\0\\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=34980, ...}) = 0
15601 mmap2(NULL, 37888, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff54a0000
15601 mmap2(0xf54a9000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x8000) = 0xfffffffff54a9000
15601 close(4) = 0
```

```
15601 open("/lib/libXcursor.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=43896, ...}) = 0
15601 mmap2(NULL, 41372, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5495000
15601 mmap2(0xf549e000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x9000) = 0xfffffffff549e000
15601 close(4) = 0
15601 open("/lib/libXcomposite.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 @\t\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=10384, ...}) = 0
15601 mmap2(NULL, 12364, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5491000
15601 mmap2(0xf5493000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) = 0xfffffffff5493000
15601 close(4) = 0
15601 open("/opt/libs32/libXdamage.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \10\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=6864, ...}) = 0
15601 mmap2(NULL, 9772, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff548e000
15601 mmap2(0xf5490000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) = 0xfffffffff5490000
15601 close(4) = 0
15601 open("/lib/libpixmap-1.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \0000S\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=735160, ...}) = 0
15601 mmap2(NULL, 725668, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff53dc000
15601 mmap2(0xf5488000, 24576, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xac000) = 0xfffffffff5488000
15601 close(4) = 0
15601 open("/opt/libs32/libEGL.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 @\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=138080, ...}) = 0
15601 mmap2(NULL, 142040, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff53b9000
15601 mmap2(0xf53da000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x20000) = 0xfffffffff53da000
15601 close(4) = 0
15601 open("/lib/libpng16.so.16", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \0px\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=368944, ...}) = 0
15601 mmap2(NULL, 369856, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff535e000
15601 mmap2(0xf53b7000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x58000) = 0xfffffffff53b7000
15601 close(4) = 0
15601 open("/lib/libxcb-shm.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \n\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=10420, ...}) = 0
15601 mmap2(NULL, 12340, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff535a000
15601 mmap2(0xf535c000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) = 0xfffffffff535c000
15601 close(4) = 0
15601 open("/lib/libxcb-render.so.0", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 @,\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=39148, ...}) = 0
15601 mmap2(NULL, 41048, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff534f000
15601 mmap2(0xf5358000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x8000) = 0xfffffffff5358000
15601 close(4) = 0
15601 open("/usr/lib/nvidia304/libGL.so.1", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \0000L\3\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=833444, ...}) = 0
15601 mmap2(NULL, 899136, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff5273000
15601 mmap2(0xf5320000, 131072, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xac000) = 0xfffffffff5320000
15601 mmap2(0xf5340000, 59456, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xfffffffff5340000
15601 close(4) = 0
15601 open("/opt/libs32/libSM.so.6", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \340\25\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=29752, ...}) = 0
15601 mmap2(NULL, 32668, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff526b000
15601 mmap2(0xf5272000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x6000) = 0xfffffffff5272000
15601 close(4) = 0
15601 open("/opt/libs32/libICE.so.6", 0_RDONLY|0_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \3005\0\0004\0\0\0"..., 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=92520, ...}) = 0
```

```
15601 mmap2(NULL, 102704, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5251000
15601 mmap2(0xf5267000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x15000) =
0xffffffff5267000
15601 mmap2(0xf5269000, 4400, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0xffffffff5269000
15601 close(4) = 0
15601 open("/opt/libs32/libgraphite2.so.3", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P\31\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=123472, ...}) = 0
15601 mmap2(NULL, 122220, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5233000
15601 mmap2(0xf5250000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1d000) =
0xffffffff5250000
15601 close(4) = 0
15601 open("/opt/libs32/libXau.so.6", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P\n\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=9104, ...}) = 0
15601 mmap2(NULL, 12012, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5230000
15601 mmap2(0xf5232000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1000) =
0xffffffff5232000
15601 close(4) = 0
15601 open("/opt/libs32/libXdmcp.so.6", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P\200\16\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=19240, ...}) = 0
15601 mmap2(NULL, 22136, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff522a000
15601 mmap2(0xf522f000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x4000) =
0xffffffff522f000
15601 close(4) = 0
15601 open("/lib/libresolv.so.2", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340&\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=89804, ...}) = 0
15601 mmap2(NULL, 100360, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5211000
15601 mmap2(0xf5226000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x14000) =
0xffffffff5226000
15601 mmap2(0xf5228000, 6152, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0xffffffff5228000
15601 close(4) = 0
15601 open("/opt/libs32/libX11-xcb.so.1", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340\3\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=3012, ...}) = 0
15601 mmap2(NULL, 5956, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff76f2000
15601 mmap2(0xf76f3000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0) =
0xffffffff76f3000
15601 close(4) = 0
15601 open("/opt/libs32/libxcb-dri2.so.0", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340\22\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=17700, ...}) = 0
15601 mmap2(NULL, 20532, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff520b000
15601 mmap2(0xf520f000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x3000) =
0xffffffff520f000
15601 close(4) = 0
15601 open("/opt/libs32/libxcb-xfixes.so.0", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\36\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=25888, ...}) = 0
15601 mmap2(NULL, 28720, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff5203000
15601 mmap2(0xf5209000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x5000) =
0xffffffff5209000
15601 close(4) = 0
15601 open("/opt/libs32/libgbm.so.1", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0P\25\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=26360, ...}) = 0
15601 mmap2(NULL, 29320, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff51fb000
15601 mmap2(0xf5201000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x5000) =
0xffffffff5201000
15601 close(4) = 0
15601 open("/opt/libs32/libwayland-client.so.0", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\`+\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=42964, ...}) = 0
15601 mmap2(NULL, 41716, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff51f0000
15601 mmap2(0xf51f9000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x9000) =
0xffffffff51f9000
15601 close(4) = 0
15601 open("/opt/libs32/libwayland-server.so.0", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 9\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=55404, ...}) = 0
15601 mmap2(NULL, 58460, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xffffffff51e1000
```



```
15601 mmap2(0xf51ee000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xc000) = 0xfffffffff51ee000
15601 close(4) = 0
15601 open("/opt/libs32/libdrm.so.2", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\320&\0\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=46544, ...}) = 0
15601 mmap2(NULL, 50788, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff51d4000
15601 mmap2(0xf51df000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0xa000) = 0xfffffffff51df000
15601 close(4) = 0
15601 open("/usr/lib/nvidia304/tls/libnvidia-tls.so.304.121", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 \v\0\0004\0\0\0"... , 512) = 512
15601 lseek(4, 9048, SEEK_SET) = 9048
15601 read(4, "\4\0\0\0\20\0\0\0\1\0\0\0GNU\0\0\0\0\2\0\0\0\3\0\0\0c\0\0\0", 32) = 32
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=10048, ...}) = 0
15601 mmap2(NULL, 13648, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff51d0000
15601 mmap2(0xf51d3000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2000) = 0xfffffffff51d3000
15601 close(4) = 0
15601 open("/usr/lib/nvidia304/libnvidia-glc0re.so.304.121", 0_RDONLY|O_CLOEXEC) = 4
15601 read(4, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@\34F\0004\0\0\0"... , 512) = 512
15601 fstat64(4, {st_mode=S_IFREG|0755, st_size=30350292, ...}) = 0
15601 mmap2(NULL, 30432224, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0xfffffffff34ca000
15601 mmap2(0xf5158000, 413696, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1c8d000) = 0xfffffffff5158000
15601 mmap2(0xf51bd000, 76768, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xfffffffff51bd000
15601 close(4) = 0
15601 mprotect(0xf34ca000, 29941760, PROT_READ|PROT_WRITE) = 0
15601 mprotect(0xf34ca000, 29941760, PROT_READ|PROT_EXEC) = 0
15601 mprotect(0xf51d0000, 12288, PROT_READ|PROT_WRITE) = 0
15601 mprotect(0xf51d0000, 12288, PROT_READ|PROT_EXEC) = 0
15601 mprotect(0xf51df000, 4096, PROT_READ) = 0
15601 mprotect(0xf51ee000, 4096, PROT_READ) = 0
15601 mprotect(0xf51f9000, 4096, PROT_READ) = 0
15601 mprotect(0xf5201000, 4096, PROT_READ) = 0
15601 mprotect(0xf5685000, 4096, PROT_READ) = 0
15601 mprotect(0xf5209000, 4096, PROT_READ) = 0
15601 mprotect(0xf520f000, 4096, PROT_READ) = 0
15601 mprotect(0xf5226000, 4096, PROT_READ) = 0
15601 mprotect(0xf5267000, 4096, PROT_READ) = 0
15601 mprotect(0xf5273000, 708608, PROT_READ|PROT_WRITE) = 0
15601 mprotect(0xf5273000, 708608, PROT_READ|PROT_EXEC) = 0
15601 mprotect(0xf5358000, 4096, PROT_READ) = 0
15601 mprotect(0xf535c000, 4096, PROT_READ) = 0
15601 mprotect(0xf5750000, 4096, PROT_READ) = 0
15601 mprotect(0xf53b7000, 4096, PROT_READ) = 0
15601 mprotect(0xf53da000, 4096, PROT_READ) = 0
15601 mprotect(0xf5488000, 20480, PROT_READ) = 0
15601 mprotect(0xf5493000, 4096, PROT_READ) = 0
15601 mprotect(0xf76fd000, 4096, PROT_READ) = 0
15601 mprotect(0xf549e000, 4096, PROT_READ) = 0
15601 mprotect(0xf625a000, 16384, PROT_READ) = 0
15601 mprotect(0xf56e4000, 4096, PROT_READ) = 0
15601 mprotect(0xf61ca000, 4096, PROT_READ) = 0
15601 mprotect(0xf58e2000, 8192, PROT_READ) = 0
15601 mprotect(0xf5fe7000, 4096, PROT_READ) = 0
15601 mprotect(0xf5ffb000, 4096, PROT_READ) = 0
15601 mprotect(0xf58f1000, 4096, PROT_READ) = 0
15601 mprotect(0xf5914000, 4096, PROT_READ) = 0
15601 mprotect(0xf59c3000, 8192, PROT_READ) = 0
15601 mprotect(0xf59e5000, 8192, PROT_READ) = 0
15601 mprotect(0xf5e49000, 16384, PROT_READ) = 0
15601 munmap(0xf625f000, 167553) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29644, 624046833}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29644, 624115159}) = 0
15601 brk(0x8bbb000) = 0x8bbb000
15601 open("/etc/ld.so.cache", 0_RDONLY|O_CLOEXEC) = 4
15601 fstat64(4, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 4, 0) = 0xfffffffff625f000
15601 close(4) = 0
15601 open("/lib/tls/i686/sse2/libselinux.so.1", 0_RDONLY|O_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/tls/i686/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/tls/i686/libselinux.so.1", 0_RDONLY|O_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/tls/i686", 0xffa8ac20) = -1 ENOENT (No such file or directory)
```

```
15601 open("/lib/tls/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/tls/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/tls/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/tls", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/i686/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/i686/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/i686/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/i686", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/lib/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/lib", {st_mode=S_IFDIR|0755, st_size=36864, ...}) = 0
15601 open("/usr/lib/tls/i686/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/tls/i686/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/tls/i686/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/tls/i686", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/tls/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/tls/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/tls/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/tls", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/i686/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/i686/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/i686/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/i686", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/sse2/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/sse2", 0xffa8ac20) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/libselinux.so.1", 0_RDONLY|0_CLOEXEC) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib", {st_mode=S_IFDIR|0755, st_size=36864, ...}) = 0
15601 mmap(0xf625f000, 167553) = 0
15601 getpid() = 15601
15601 getpid() = 15601
15601 getpid() = 15601
15601 futex(0xf533ffbc, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29644, 627442808}) = 0
15601 open("/proc/self/status", 0_RDONLY) = 4
15601 lseek(4, 0, SEEK_SET) = 0
15601 read(4, "Name:\tzdclient\nState:\tR (running"..., 256) = 256
15601 close(4) = 0
15601 open("/proc/self/status", 0_RDONLY) = 4
15601 lseek(4, 0, SEEK_SET) = 0
15601 read(4, "Name:\tzdclient\nState:\tR (running"..., 256) = 256
15601 close(4) = 0
15601 readlink("/proc/15601/exe", "/opt/zimbra/zdesktop/linux/prism"..., 4096) = 41
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 sched_getparam(15601, { 0 }) = 0
15601 sched_getscheduler(15601) = 0 (SCHED_OTHER)
15601 sched_setscheduler(15601, SCHED_OTHER, { 0 }) = 0
15601 rt_sigaction(SIGPIPE, {SIG_IGN, [], 0}, NULL, 8) = 0
15601 futex(0xf76d02b4, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 futex(0xf76d02bc, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 gettimeofday({1417188438, 534226}, NULL) = 0
15601 read(3, "", 4096) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/libxpcom.so", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\34\0\0004\0\0\0"..., 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=11608, ...}) = 0
15601 mmap2(NULL, 14384, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff6284000
15601 mmap2(0xf6287000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2000) = 0xfffffffff6287000
15601 close(3) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/application.ini", 0_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=164, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=164, ...}) = 0
15601 _llseek(3, 0, [0], SEEK_SET) = 0
15601 read(3, "[App]\nName=Prism\nVersion=1.0b8\nB"..., 164) = 164
15601 _llseek(3, 164, [164], SEEK_SET) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 rt_sigaction(SIGFPE, {0xf6437c5c, [], SA_STACK|SA_RESTART|SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 lstat64("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```

```
15601 lstat64("/home/hw/zdesktop", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15601 lstat64("/home/hw/zdesktop/zdesktop.webapp", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/home/hw/zdesktop/zdesktop.webapp/override.ini", {st_mode=S_IFREG|0664, st_size=40, ...}) = 0
15601 open("/home/hw/zdesktop/zdesktop.webapp/override.ini", O_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=40, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=40, ...}) = 0
15601 _llseek(3, 0, [0], SEEK_SET) = 0
15601 read(3, "[App]\nVendor=Zimbra\nName=Zimbra "..., 40) = 40
15601 _llseek(3, 40, [40], SEEK_SET) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/platform.ini", O_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=140, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 fstat64(3, {st_mode=S_IFREG|0664, st_size=140, ...}) = 0
15601 _llseek(3, 0, [0], SEEK_SET) = 0
15601 read(3, "[Build]\nBuildID=20110201172716\nM"... , 140) = 140
15601 _llseek(3, 140, [140], SEEK_SET) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 lstat64("/opt", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 lstat64("/opt/zimbra/zdesktop/linux/prism/zdclient", {st_mode=S_IFREG|0775, st_size=29316, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/zdclient", {st_mode=S_IFREG|0775, st_size=29316, ...}) = 0
15601 clock_getres(CLOCK_MONOTONIC, {0, 1}) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 open("/usr/share/locale/locale-archive", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 3
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=5021040, ...}) = 0
15601 mmap2(NULL, 2097152, PROT_READ, MAP_PRIVATE, 3, 0) = 0xffffffff32ca000
15601 mmap2(NULL, 1253376, PROT_READ, MAP_PRIVATE, 3, 0x1ce000) = 0xffffffff3198000
15601 close(3) = 0
15601 getresuid32([500], [500], [500]) = 0
15601 getresgid32([500], [500], [500]) = 0
15601 gettimeofday({1417188438, 538858}, NULL) = 0
15601 open("/usr/share/locale/locale.alias", O_RDONLY|O_CLOEXEC) = 3
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=2492, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 read(3, "# Locale name alias data base.\n#"..., 4096) = 2492
15601 read(3, "", 4096) = 0
15601 close(3) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.UTF-8/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.utf8/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de/LC_MESSAGES/messages.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/gtk20.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/gtk20.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE/LC_MESSAGES/gtk20.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.UTF-8/LC_MESSAGES/gtk20.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.utf8/LC_MESSAGES/gtk20.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de/LC_MESSAGES/gtk20.mo", O_RDONLY) = 3
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=58667, ...}) = 0
15601 mmap2(NULL, 58667, PROT_READ, MAP_PRIVATE, 3, 0) = 0xffffffff6275000
15601 close(3) = 0
15601 open("/usr/lib/gconv/gconv-modules.cache", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/gconv/gconv-modules", O_RDONLY|O_CLOEXEC) = 3
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=56284, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
```

```
/home/hw/ergebnisdatei.txt
```



```
ENOENT (No such file or directory)
15601 access("/home/hw/.gtk-2.0/2.10.0/modules/libcanberra-gtk-module.so", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/home/hw/.gtk-2.0/2.10.0/modules/libcanberra-gtk-module.la", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/home/hw/.gtk-2.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.so", F_OK) = -1 ENOENT
(No such file or directory)
15601 access("/home/hw/.gtk-2.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.la", F_OK) = -1 ENOENT
(No such file or directory)
15601 access("/home/hw/.gtk-2.0/modules/libcanberra-gtk-module.so", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/home/hw/.gtk-2.0/modules/libcanberra-gtk-module.la", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/usr/lib/gtk-2.0/2.10.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.so", F_OK) = -1
ENOENT (No such file or directory)
15601 access("/usr/lib/gtk-2.0/2.10.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.la", F_OK) = -1
ENOENT (No such file or directory)
15601 access("/usr/lib/gtk-2.0/2.10.0/modules/libcanberra-gtk-module.so", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/usr/lib/gtk-2.0/2.10.0/modules/libcanberra-gtk-module.la", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/usr/lib/gtk-2.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.so", F_OK) = -1 ENOENT
(No such file or directory)
15601 access("/usr/lib/gtk-2.0/i586-mageia-linux-gnu/modules/libcanberra-gtk-module.la", F_OK) = -1 ENOENT
(No such file or directory)
15601 access("/usr/lib/gtk-2.0/modules/libcanberra-gtk-module.so", F_OK) = 0
15601 stat64("/usr/lib/gtk-2.0/modules/libcanberra-gtk-module.so", {st_mode=S_IFREG|0755, st_size=23148,
...}) = 0
15601 open("/usr/lib/gtk-2.0/modules/libcanberra-gtk-module.so", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@27\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=23148, ...}) = 0
15601 mmap2(NULL, 25008, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff6261000
15601 mmap2(0xf6266000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x4000) =
0xfffffffff6266000
15601 close(3) = 0
15601 open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 3
15601 fstat64(3, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 3, 0) = 0xfffffffff311c000
15601 close(3) = 0
15601 open("/lib/libcanberra-gtk.so.0", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340\24\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=18844, ...}) = 0
15601 mmap2(NULL, 20760, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff3116000
15601 mmap2(0xf311a000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x3000) =
0xfffffffff311a000
15601 close(3) = 0
15601 open("/lib/libcanberra.so.0", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\200%\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=68896, ...}) = 0
15601 mmap2(NULL, 70248, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff3104000
15601 mmap2(0xf3114000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xf000) =
0xfffffffff3114000
15601 close(3) = 0
15601 open("/usr/lib/libvorbisfile.so.3", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\300\27\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=35480, ...}) = 0
15601 mmap2(NULL, 37152, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff30fa000
15601 mmap2(0xf3102000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x7000) =
0xfffffffff3102000
15601 close(3) = 0
15601 open("/usr/lib/libtdb.so.1", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\360\34\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=77556, ...}) = 0
15601 mmap2(NULL, 78084, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff30e6000
15601 mmap2(0xf30f8000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x11000) =
0xfffffffff30f8000
15601 close(3) = 0
15601 open("/usr/lib/libltdl.so.7", 0_RDONLY|0_CLOEXEC) = 3
15601 read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\240\33\0\0004\0\0\0"... , 512) = 512
15601 fstat64(3, {st_mode=S_IFREG|0755, st_size=39748, ...}) = 0
15601 mmap2(NULL, 41320, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0xfffffffff30db000
15601 mmap2(0xf30e4000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x8000) =
0xfffffffff30e4000
15601 close(3) = 0
15601 open("/opt/libs32/libvorbis.so.0", 0_RDONLY|0_CLOEXEC) = 3
```



```
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\16\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e284, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e284, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\20\0\6\0\20\0\0\0_MOZILLA_VERSION\20\0\6\0\r\0\0\0"... , 216}, {NULL, 0}, {"", 0}], 3) =
216
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\7\0\0\0\0\0\0\0\2\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 288
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e324, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\0\2\0d\2\0\0", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\20\0\253\0\0\0d\2\0\0\0\0\0\0\0\253\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 716
15601 recvmsg(3, 0xffa8e254, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e254, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\0\6\0005\0\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\21\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\0\2\0005\0\200\6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\22\0\2\0\0\0d\2\0\0d\2\0\0\2\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 40
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\0\6\0D\1\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\23\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\0\6\0006\0\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\24\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\0\2\0D\1\200\6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\25\0\1\0\0\0d\2\0\0005\0\200\6\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
```



```
/home/hw/ergebnisdatei.txt
```

```
15601 recvmsg(3, 0xffa8e0b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e0b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0347H\200\0065\1\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0>\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e084, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e084, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\17\02\0347H\200\6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0>\0\0\0\0d\2\0\0\345H\200\6\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e044, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e044, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\17\02\0\336H\200\6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0>\0\1\0\0\0d\2\0\0\335H\200\6\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}],
msg_controllen=0, msg_flags=0}, 0) = 36
15601 recvmsg(3, 0xffa8e124, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e124, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0\1\0\0\0055\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1 ?
\0\0\0\0\0005\1\0\0\10\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0, msg_flags=0}, 0) =
32
15601 recvmsg(3, 0xffa8e0f4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e0f4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0\1\0\0\05G\2\0\0\037\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0@ \0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0f\235\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0A\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\17\02\0f\235\200\6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0B\0\2\0\0\0d\2\0\0d\2\0\0\2\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 40
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0h\235\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0C\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\06\0g\235\200\0065\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0D\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```

```
/home/hw/ergebnisdatei.txt
```



```
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\02\04\03403", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0243\0\0\0d\2\0\0d\2\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\06\04\03403G\2\0\037\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0244\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\06\023\0340\0005\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0245\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\02\023\0340\0", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0246\0\0\0\0d\2\0\0d\2\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\06\023\0340\0G\2\0\037\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0247\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\02\02\03003", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0251\0\0\0\0d\2\0\0d\2\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\06\02\03003G\2\0\037\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0252\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\06\04\0300\0035\1\0\0\0\0\0\0\0\0\0\0\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0253\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\02\04\03003", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```

```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```

```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
/home/hw/ergebnisdatei.txt
```



```
msg_iov(1)=[{"\1\0\0\0\0\0\1215Y\223\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\10\0\27\0\0\0", 8}, {"Generic Event Extension", 23}, {"", 1}], 3) = 32
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0*\0\0\0\0\0\1200\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e154, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e154, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"200\0\2\0\1\0\0\0", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0+\0\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\0\3\0\1\0\0\0\4\0\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1\0-\0P\1\0\0\367\246\252\0UG\0\0\2\0\4\0!
\0\5\1\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0, msg_flags=0}, 0) = 1376
15601 recvmsg(3, 0xffa8e1b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\t\3\0;\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1\0.
\0\5\0\0\367\246\252\0\0\0\0\0\0\0\0\0\0\0\0\1\0\2\0\0\0\0\0"... , 4096}], msg_controllen=0, msg_flags=0},
0) = 52
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\t\3\0<\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0/\0\5\0\0\0\367\246\252\0\0\0\0\0\0\0\0\0\0\0\0\1\0\2\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 52
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\t\3\0=\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0000\0"\0\0\0\367\246\252\0009\2\0\0V\2\0\0P\1\0\0\0\0\2\0\35\0\1\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 168
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\24\3\0009\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0001\0\5\0\0\0\367\246\252\0\0\0\0\0\200\0078\4>\2\0\0\1\0?\0\1\0\4\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 52
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\t\3\0[\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1\0002\0\34\0\0\0\367\246\252\0:
\2\0\0\336\1\0\0\r\1\0\0\0\0\2\0\27\0\1\0"... , 4096}], msg_controllen=0, msg_flags=0}, 0) = 144
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"215\24\3\0:\2\0\0UG\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
```



```
15601 recvmsg(3, 0xffa8e004, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\1\30\r\0\1\0@\6d\2\0\0\n\0\n\0\n\0\n\0\0\0\1\0!\0\0\0\32(\0\0"... , 536}, {NULL, 0}, {"", 0}], 3) = 536
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0F\0\1\0@\6R\1\0\0\232X\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 384
15601 recvmsg(3, 0xffa8e0d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\22\0\7\0\1\0@\6a\1\0\0!\0\0\0 \0\n\0\1\0\0\0\2\0@\6b(\4\0"... , 36}, {"XFIXES", 6}, {"\0\0", 2}], 3) = 44
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0T\0\1\0@\6a\1\0\0\233X\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 64
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\212\0\3\0\5\0\0\0\0\0\0\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\0\0\0\0\0\0\5\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2a4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2a4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\5\0\t\0\0\0", 8}, {"Composite", 9}, {"\0\0\0", 3}], 3) = 20
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\0\0\0\0\0\0\1\217\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\217\0\3\0\0\0\0\0\4\0\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\0\0\0\0\0\0\0\4\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\4\0\6\0\0\0", 8}, {"DAMAGE", 6}, {"\0\0", 2}], 3) = 16
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\Y\0\0\0\0\0\1\220\227\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\220\0\3\0\1\0\0\0\1\0\0\0", 12}, {NULL, 0}, {"", 0}], 3) = 12
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0Z\0\0\0\0\0\1\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2a4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2a4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\4\0\5\0\0\0", 8}, {"SHAPE", 5}, {"\0\0\0", 3}], 3) = 16
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\[\0\0\0\0\0\1\201@\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e204, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\201\0\1\0", 4}, {NULL, 0}, {"", 0}], 3) = 4
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\[\0\0\0\0\0\1\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
```

```
15601 writev(3, [{"&\0\2\0d\2\0\0", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\1\0\0\0\0d\2\0\0f\235\200\6\347\t\316\2\347\t\316\2\20\0\0\0\0\0\0", 4096}],
msg_controllen=0, msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"+\0\1\0", 4}, {NULL, 0}, {"", 0}], 3) = 4
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\1\0\0\0\0\0\27\0\240\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2c4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2c4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\22\0\t\0\1\0@6"\0\0\0\37\0\0\0\10\0\n\0\t\0\0\0zdclient"... , 244}, {NULL, 0}, {"", 0}],
3) = 244
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\0\1\0@6"\0\0\0\236X\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 192
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\3\0\4\0@6", 8}, {"SYNC", 4}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0g\0\0\0\0\0\1\206S\206\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e264, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e264, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\206\0\2\0\3\1@6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0h\0\0\0\0\0\3\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\3\0\4\0@6", 8}, {"SYNC", 4}, {"", 0}], 3) = 12
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0i\0\0\0\0\0\1\206S\206\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\4\0\7\0@6", 8}, {"MIT-SHM", 7}, {"\0", 1}], 3) = 16
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0j\0\0\0\0\0\1\202A\200\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e1d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\202\0\1\0", 4}, {NULL, 0}, {"", 0}], 3) = 4
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0k\0\0\0\0\0\1\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 eventfd2(0, 0_NONBLOCK|O_CLOEXEC) = 4
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"b\0\6\0\17\0@6", 8}, {"XInputExtension", 15}, {"\0", 1}], 3) = 24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0l\0\0\0\0\0\1\203B\201\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e244, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e244, 0) = -1 EAGAIN (Resource temporarily unavailable)
```

```
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"b\0\6\0\17\0@6", 8}, {"XInputExtension", 15}, {"\0", 1}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0m\0\0\0\0\1\203B\201\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\203\1\6\0\17\0@6", 8}, {"XInputExtension", 15}, {"\0", 1}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\1n\0\0\0\0\2\0\3\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e164, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"b\1\6\0\17\0@6", 8}, {"XInputExtension", 15}, {"\0", 1}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0o\0\0\0\0\1\203B\201\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e0d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e0d4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\203\1\6\0\17\0@6", 8}, {"XInputExtension", 15}, {"\0", 1}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\1p\0\0\0\0\2\0\3\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e194, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\203\2\1\0", 4}, {NULL, 0}, {"", 0}], 3) = 4
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\2q\0t\0\0\10\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 496
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e214, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\203\3\2\0\4\0@6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\3r\0\2\0\0\0\4\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 40
15601 recvmsg(3, 0xffa8e234, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e234, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\203\3\2\0\t\0@6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\3s\0\3\0\0\0\6\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 44
15601 recvmsg(3, 0xffa8e234, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e234, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\212\2\4\0\1\0@6w\1\0\0\7\0\0\0\27\0\2\0w\1\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0u\0\0\0\0\0&\1\200\6\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2b4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 lstat64("/etc/gtk-2.0/gtkrc", {st_mode=S_IFREG|0644, st_size=137, ...}) = 0
15601 open("/etc/gtk-2.0/gtkrc", O_RDONLY|O_LARGEFILE) = 5
15601 brk(0x8c12000) = 0x8c12000
15601 read(5, "gtk-theme-name = \"oxygen-gtk\"\nngt"... , 4000) = 137
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"b\2\4\0\6\0@6", 8}, {"RENDER", 6}, {"\0\0", 2}], 3) = 16
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0v\0\0\0\0\0\1\214\0\216\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8d574, 0) = -1 EAGAIN (Resource temporarily unavailable)
```



```
15601 read(8, "# argb-apps.conf\n# Put your user"... , 8191) = 66
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 close(7) = 0
15601 pipe([7, 8]) = 0
15601 pipe([9, 10]) = 0
15601 clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD, child_tidptr=0) = 15605
15601 close(8) = 0
15601 close(10) = 0
15601 read(7, <unfinished ...>
15605 set_robust_list(0xf73c4770, 12) = 0
15605 getpid() = 15605
15605 getppid() = 15601
15605 clock_gettime(CLOCK_MONOTONIC, {29644, 985563638}) = 0
15605 brk(0x8c44000) = 0x8c44000
15605 getpid() = 15605
15605 getpid() = 15605
15605 clock_gettime(CLOCK_MONOTONIC, {29644, 986824176}) = 0
15605 rt_sigaction(SIGCHLD, {SIG_DFL, [CHLD], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15605 rt_sigaction(SIGINT, {SIG_DFL, [INT], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15605 rt_sigaction(SIGTERM, {SIG_DFL, [TERM], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15605 rt_sigaction(SIGHUP, {SIG_DFL, [HUP], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15605 rt_sigaction(SIGPIPE, {SIG_DFL, [PIPE], SA_RESTART}, {SIG_IGN, [PIPE], SA_RESTART}, 8) = 0
15605 close(7) = 0
15605 close(9) = 0
15605 openat(AT_FDCWD, "/proc/self/fd", 0_RDONLY|0_NONBLOCK|0_LARGEFILE|0_DIRECTORY|0_CLOEXEC) = 7
15605 getdents64(7, /* 12 entries */, 32768) = 288
15605 fcntl64(3, F_SETFD, FD_CLOEXEC) = 0
15605 fcntl64(4, F_SETFD, FD_CLOEXEC) = 0
15605 fcntl64(5, F_SETFD, FD_CLOEXEC) = 0
15605 fcntl64(6, F_SETFD, FD_CLOEXEC) = 0
15605 fcntl64(8, F_SETFD, FD_CLOEXEC) = 0
15605 fcntl64(10, F_SETFD, FD_CLOEXEC) = 0
15605 getdents64(7, /* 0 entries */, 32768) = 0
15605 close(7) = 0
15605 open("/dev/null", 0_RDONLY|0_LARGEFILE) = 7
15605 dup2(7, 0) = 0
15605 close(7) = 0
15605 dup2(10, 1) = 1
15605 close(10) = 0
15605 execve("/usr/local/bin/kde4-config", ["kde4-config", "--path", "config"], [/ * 60 vars */]) = -1 ENOENT
(No such file or directory)
15605 execve("/usr/bin/kde4-config", ["kde4-config", "--path", "config"], [/ * 60 vars */] <unfinished ...>
15601 <... read resumed> "", 8) = 0
15601 close(7) = 0
15601 select(10, [9], NULL, NULL, NULL <unfinished ...>
15605 <... execve resumed> ) = 0
15605 brk(0) = 0x1c0c000
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f0b1000
15605 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
15605 open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 3
15605 fstat(3, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15605 mmap(NULL, 167553, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7f233f088000
15605 close(3) = 0
15605 open("/lib64/libkdecore.so.5", 0_RDONLY|0_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\340*\n\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=2994328, ...}) = 0
15605 mmap(NULL, 5055048, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233e9c1000
15605 mprotect(0x7f233ec7a000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233ee79000, 102400, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2b8000) = 0x7f233ee79000
15605 mmap(0x7f233ee92000, 4680, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f233ee92000
15605 close(3) = 0
15605 open("/lib64/libQtCore.so.4", 0_RDONLY|0_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240$\7\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=3064712, ...}) = 0
15605 mmap(NULL, 5127336, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233e4dd000
15605 mprotect(0x7f233e7b4000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233e9b4000, 49152, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2d7000) = 0x7f233e9b4000
15605 mmap(0x7f233e9c0000, 3240, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f233e9c0000
15605 close(3) = 0
15605 open("/lib64/libc.so.6", 0_RDONLY|0_CLOEXEC) = 3
```

```
15605 read(3, "\\177ELF\\2\\1\\1\\3\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\220\\35\\2\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=2065064, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f087000
15605 mmap(NULL, 3885568, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233e128000
15605 mprotect(0x7f233e2d4000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233e4d3000, 24576, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1ab000) =
0x7f233e4d3000
15605 mmap(0x7f233e4d9000, 14848, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f233e4d9000
15605 close(3) = 0
15605 open("/lib64/libpthread.so.0", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\3\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\200m\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=144176, ...}) = 0
15605 mmap(NULL, 2213008, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233df0b000
15605 mprotect(0x7f233df23000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233e122000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x17000) =
0x7f233e122000
15605 mmap(0x7f233e124000, 13456, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f233e124000
15605 close(3) = 0
15605 open("/lib64/libQtNetwork.so.4", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\3\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0000K\\3\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=1343520, ...}) = 0
15605 mmap(NULL, 3410240, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233dbca000
15605 mprotect(0x7f233dd04000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233df03000, 32768, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x139000) =
0x7f233df03000
15605 close(3) = 0
15605 open("/lib64/libQtDBus.so.4", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\3\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0@A\\1\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=514696, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f086000
15605 mmap(NULL, 2600600, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233d94f000
15605 mprotect(0x7f233d9c8000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233dbc8000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x79000) =
0x7f233dbc8000
15605 close(3) = 0
15605 open("/lib64/libz.so.1", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0\\220#\\0\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=106296, ...}) = 0
15605 mmap(NULL, 2200104, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233d735000
15605 mprotect(0x7f233d74d000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233d94d000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x18000) =
0x7f233d94d000
15605 close(3) = 0
15605 open("/lib64/libbz2.so.1", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0\\260\\27\\0\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=67936, ...}) = 0
15605 mmap(NULL, 2162056, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233d525000
15605 mprotect(0x7f233d534000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233d733000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xe000) =
0x7f233d733000
15605 close(3) = 0
15605 open("/lib64/liblzma.so.5", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0\\2000\\0\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=202000, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f085000
15605 mmap(NULL, 2294400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233d2f4000
15605 mprotect(0x7f233d324000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233d523000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2f000) =
0x7f233d523000
15605 close(3) = 0
15605 open("/lib64/libfam.so.0", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0000\\31\\0\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=32536, ...}) = 0
15605 mmap(NULL, 2126856, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233d0ec000
15605 mprotect(0x7f233d0f3000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233d2f2000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x6000) =
0x7f233d2f2000
15605 close(3) = 0
15605 open("/lib64/libstdc++.so.6", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\\177ELF\\2\\1\\1\\3\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\0\\220\\265\\5\\0\\0\\0\\0\\0\\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=985272, ...}) = 0
15605 mmap(NULL, 3159072, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233cde8000
15605 mprotect(0x7f233cece000, 2093056, PROT_NONE) = 0
```

```
15605 mmap(0x7f233d0cd000, 40960, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xe5000) = 0x7f233d0cd000
15605 mmap(0x7f233d0d7000, 82976, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f233d0d7000
15605 close(3) = 0
15605 open("/lib64/libm.so.6", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0000U\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=1065328, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f084000
15605 mmap(NULL, 3154264, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233cae5000
15605 mprotect(0x7f233cbe7000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233cde6000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x101000) = 0x7f233cde6000
15605 close(3) = 0
15605 open("/lib64/libgcc_s.so.1", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\360*\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=90112, ...}) = 0
15605 mmap(NULL, 2184224, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233c8cf000
15605 mprotect(0x7f233c8e4000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233cae3000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x14000) = 0x7f233cae3000
15605 close(3) = 0
15605 open("/lib64/libdl.so.2", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\320\16\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=15856, ...}) = 0
15605 mmap(NULL, 2109712, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233c6cb000
15605 mprotect(0x7f233c6ce000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233c8cd000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2000) = 0x7f233c8cd000
15605 close(3) = 0
15605 open("/lib64/libglib-2.0.so.0", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0000\244\1\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=1051952, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f083000
15605 mmap(NULL, 3143176, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233c3cb000
15605 mprotect(0x7f233c4c9000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233c6c8000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xfd000) = 0x7f233c6c8000
15605 mmap(0x7f233c6ca000, 1544, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f233c6ca000
15605 close(3) = 0
15605 open("/lib64/librt.so.1", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300`\0\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=33592, ...}) = 0
15605 mmap(NULL, 2128888, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233c1c3000
15605 mprotect(0x7f233c1ca000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233c3c9000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x6000) = 0x7f233c3c9000
15605 close(3) = 0
15605 open("/lib64/libssl.so.1.0.0", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0`r\1\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=458664, ...}) = 0
15605 mmap(NULL, 2552208, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233bf53000
15605 mprotect(0x7f233bfb9000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233c1b8000, 45056, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x65000) = 0x7f233c1b8000
15605 close(3) = 0
15605 open("/lib64/libcrypto.so.1.0.0", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\300*\6\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=2088320, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f082000
15605 mmap(NULL, 4188536, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233bb54000
15605 mprotect(0x7f233bd2b000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233bf2a000, 151552, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1d6000) = 0x7f233bf2a000
15605 mmap(0x7f233bf4f000, 14712, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f233bf4f000
15605 close(3) = 0
15605 open("/lib64/libQtXml.so.4", O_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0P\6\1\0\0\0\0\0"... , 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=284592, ...}) = 0
15605 mmap(NULL, 2372576, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233b910000
15605 mprotect(0x7f233b952000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233bb51000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x41000) = 0x7f233bb51000
```

```
15605 close(3) = 0
15605 open("/lib64/libdbus-1.so.3", 0_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0@\0\0\0\0\0\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=300128, ...}) = 0
15605 mmap(NULL, 2386400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233b6c9000
15605 mprotect(0x7f233b70e000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233b90e000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x45000) = 0x7f233b90e000
15605 close(3) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f081000
15605 open("/lib64/libpcres.so.1", 0_RDONLY|O_CLOEXEC) = 3
15605 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\26\0\0\0\0\0"..., 832) = 832
15605 fstat(3, {st_mode=S_IFREG|0755, st_size=418616, ...}) = 0
15605 mmap(NULL, 2511400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f233b463000
15605 mprotect(0x7f233b4c8000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233b6c7000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x64000) = 0x7f233b6c7000
15605 close(3) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f080000
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f07f000
15605 mmap(NULL, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f07d000
15605 arch_prctl(ARCH_SET_FS, 0x7f233f07d740) = 0
15605 mprotect(0x7f233e4d3000, 16384, PROT_READ) = 0
15605 mprotect(0x7f233e122000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233b6c7000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233c3c9000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233b90e000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233d94d000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233cde6000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233cae3000, 4096, PROT_READ) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f07c000
15605 mprotect(0x7f233d0cd000, 32768, PROT_READ) = 0
15605 mprotect(0x7f233c8cd000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233c6c8000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233e9b4000, 45056, PROT_READ) = 0
15605 mprotect(0x7f233bb51000, 8192, PROT_READ) = 0
15605 mprotect(0x7f233bf2a000, 106496, PROT_READ) = 0
15605 mprotect(0x7f233c1b8000, 16384, PROT_READ) = 0
15605 mprotect(0x7f233d2f2000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233d523000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233d733000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233dbc8000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233df03000, 24576, PROT_READ) = 0
15605 mprotect(0x7f233ee79000, 73728, PROT_READ) = 0
15605 mprotect(0x604000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233f0b2000, 4096, PROT_READ) = 0
15605 munmap(0x7f233f088000, 167553) = 0
15605 set_tid_address(0x7f233f07da10) = 15605
15605 set_robust_list(0x7f233f07da20, 24) = 0
15605 rt_sigaction(SIGRTMIN, {0x7f233df11860, [], SA_RESTORER|SA_SIGINFO, 0x7f233df1a760}, NULL, 8) = 0
15605 rt_sigaction(SIGRT_1, {0x7f233df118f0, [], SA_RESTORER|SA_RESTART|SA_SIGINFO, 0x7f233df1a760}, NULL, 8) = 0
15605 rt_sigprocmask(SIG_UNBLOCK, [RTMIN RT_1], NULL, 8) = 0
15605 getrlimit(RLIMIT_STACK, {rlim_cur=8192*1024, rlim_max=RLIM64_INFINITY}) = 0
15605 brk(0) = 0x1c0c000
15605 brk(0x1c2d000) = 0x1c2d000
15605 futex(0x7f233d0e996c, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15605 futex(0x7f233d0e9978, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15605 futex(0x7f233e9c0128, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15605 open("/usr/share/locale/locale-archive", 0_RDONLY|O_CLOEXEC) = 3
15605 fstat(3, {st_mode=S_IFREG|0644, st_size=5021040, ...}) = 0
15605 mmap(NULL, 5021040, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7f233af99000
15605 close(3) = 0
15605 eventfd2(0, 0_NONBLOCK|O_CLOEXEC) = 3
15605 write(3, "\1\0\0\0\0\0\0", 8) = 8
15605 clock_getres(CLOCK_MONOTONIC, {0, 1}) = 0
15605 open("/usr/lib64/gconv/gconv-modules.cache", 0_RDONLY) = 4
15605 fstat(4, {st_mode=S_IFREG|0644, st_size=26244, ...}) = 0
15605 mmap(NULL, 26244, PROT_READ, MAP_SHARED, 4, 0) = 0x7f233f0aa000
15605 close(4) = 0
15605 futex(0x7f233e4d88f8, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15605 open("/usr/lib64/gconv/UTF-16.so", 0_RDONLY|O_CLOEXEC) = 4
15605 read(4, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200\6\0\0\0\0\0"..., 832) = 832
15605 fstat(4, {st_mode=S_IFREG|0755, st_size=15328, ...}) = 0
15605 mmap(NULL, 2109528, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f233ad95000
```

```
15605 mprotect(0x7f233ad97000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233af97000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2000) =
0x7f233af97000
15605 close(4) = 0
15605 mprotect(0x7f233af97000, 4096, PROT_READ) = 0
15605 futex(0x7f233c8ce0c8, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15605 open("/etc/ld.so.cache", 0_RDONLY|O_CLOEXEC) = 4
15605 fstat(4, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15605 mmap(NULL, 167553, PROT_READ, MAP_PRIVATE, 4, 0) = 0x7f233f053000
15605 close(4) = 0
15605 open("/lib64/libcui18n.so.52", 0_RDONLY|O_CLOEXEC) = 4
15605 read(4, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\360A\t\0\0\0\0\0"... , 832) = 832
15605 fstat(4, {st_mode=S_IFREG|0755, st_size=2102528, ...}) = 0
15605 mmap(NULL, 4195464, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f233a994000
15605 mprotect(0x7f233ab86000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233ad86000, 57344, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1f2000) =
0x7f233ad86000
15605 mmap(0x7f233ad94000, 1160, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f233ad94000
15605 close(4) = 0
15605 open("/lib64/libicuuc.so.52", 0_RDONLY|O_CLOEXEC) = 4
15605 read(4, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\373\4\0\0\0\0\0"... , 832) = 832
15605 fstat(4, {st_mode=S_IFREG|0755, st_size=1522528, ...}) = 0
15605 mmap(NULL, 3628176, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f233a61e000
15605 mprotect(0x7f233a77f000, 2097152, PROT_NONE) = 0
15605 mmap(0x7f233a97f000, 69632, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x161000) =
0x7f233a97f000
15605 mmap(0x7f233a990000, 15504, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f233a990000
15605 close(4) = 0
15605 open("/lib64/libicudata.so.52", 0_RDONLY|O_CLOEXEC) = 4
15605 read(4, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\266\2\0\0\0\0\0\0"... , 832) = 832
15605 fstat(4, {st_mode=S_IFREG|0755, st_size=4872, ...}) = 0
15605 mmap(NULL, 2101248, PROT_READ, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f233a41d000
15605 mprotect(0x7f233a41e000, 2093056, PROT_NONE) = 0
15605 mmap(0x7f233a61d000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0) =
0x7f233a61d000
15605 close(4) = 0
15605 mprotect(0x7f233a61d000, 4096, PROT_READ) = 0
15605 mprotect(0x7f233a97f000, 65536, PROT_READ) = 0
15605 mprotect(0x7f233ad86000, 49152, PROT_READ) = 0
15605 munmap(0x7f233f053000, 167553) = 0
15605 stat("/usr/share/icu/52.1/icudt52l/coll/ucadata.icu", 0x7fffe3685050) = -1 ENOENT (No such file or
directory)
15605 stat("/usr/share/icu/52.1/icudt52l.dat", {st_mode=S_IFREG|0644, st_size=23505296, ...}) = 0
15605 open("/usr/share/icu/52.1/icudt52l.dat", 0_RDONLY) = 4
15605 mmap(NULL, 23505296, PROT_READ, MAP_SHARED, 4, 0) = 0x7f2338db2000
15605 close(4) = 0
15605 stat("/usr/share/icu/52.1/icudt52l/nfc.nrm", 0x7fffe3684e20) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/icu/52.1/icudt52l/coll/de_DE.res", 0x7fffe3684c20) = -1 ENOENT (No such file or
directory)
15605 stat("/usr/share/icu/52.1/usrdt52l/coll/de_DE.res", 0x7fffe3684c80) = -1 ENOENT (No such file or
directory)
15605 stat("/usr/share/icu/52.1/usrdt52l.dat", 0x7fffe3684a10) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/icu/52.1/icudt52l/coll/de.res", 0x7fffe3684c80) = -1 ENOENT (No such file or
directory)
15605 stat("/usr/share/icu/52.1/usrdt52l/coll/de.res", 0x7fffe3684c80) = -1 ENOENT (No such file or
directory)
15605 stat("/usr/share/icu/52.1/usrdt52l.dat", 0x7fffe3684a10) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/icu/52.1/icudt52l/coll/root.res", 0x7fffe3684c80) = -1 ENOENT (No such file or
directory)
15605 stat("/proc/15605/exe", {st_mode=S_IFREG|0755, st_size=25008, ...}) = 0
15605 lstat("/proc/15605/exe", {st_mode=S_IFLNK|0777, st_size=0, ...}) = 0
15605 lstat("/proc", {st_mode=S_IFDIR|0555, st_size=0, ...}) = 0
15605 lstat("/proc/15605", {st_mode=S_IFDIR|0555, st_size=0, ...}) = 0
15605 lstat("/proc/15605/exe", {st_mode=S_IFLNK|0777, st_size=0, ...}) = 0
15605 readlink("/proc/15605/exe", "/usr/bin/kde4-config", 4095) = 20
15605 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/usr/bin", {st_mode=S_IFDIR|0755, st_size=81920, ...}) = 0
15605 lstat("/usr/bin/kde4-config", {st_mode=S_IFREG|0755, st_size=25008, ...}) = 0
15605 stat("/usr/bin/qt.conf", 0x7fffe3685a30) = -1 ENOENT (No such file or directory)
15605 stat("/usr/lib64/qt4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15605 lstat("/usr/lib64/qt4", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```



```
15605 close(6) = 0
15605 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15605 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 open("/home/hw/.kde4/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15605 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 read(6, "[$Version]\nupdate_info=kded.upd:...", 16384) = 780
15605 read(6, "", 15604) = 0
15605 close(6) = 0
15605 stat("/home/hw/.kde4/share/config/kde4-configrc", 0x7fffe36859e0) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/config/kde4-configrc", 0x7fffe36859e0) = -1 ENOENT (No such file or directory)
15605 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/usr/share", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15605 lstat("/usr/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/Default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/Default/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/Default/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 stat("/var/lib/mageia/kde4-profiles/Default/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 stat("/usr/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 stat("/var/lib/mageia/kde4-profiles/Default/share/config/kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 stat("/usr/share/config/kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/home/hw/.kde4/share/config/system.kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/var/lib/mageia/kde4-profiles/Default/share/config/system.kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config/system.kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/config/system.kdeglobals", 0x7fffe3685a80) = -1 ENOENT (No such file or directory)
15605 stat("/etc/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 lstat("/etc", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15605 lstat("/etc/kde4rc", {st_mode=S_IFLNK|0777, st_size=29, ...}) = 0
15605 readlink("/etc/kde4rc", "/etc/alternatives/kde4-config", 4095) = 29
15605 lstat("/etc", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15605 lstat("/etc/alternatives", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/etc/alternatives/kde4-config", {st_mode=S_IFLNK|0777, st_size=44, ...}) = 0
15605 readlink("/etc/alternatives/kde4-config", "/var/lib/mageia/kde4-profiles/De...", 4095) = 44
15605 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```



```
15605 lstat("/var/lib/mageia/kde4-profiles/Default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/Default/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15605 stat("/var/lib/mageia/kde4-profiles/Default/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 open("/var/lib/mageia/kde4-profiles/Default/kde4rc", O_RDONLY|O_CLOEXEC) = 6
15605 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15605 read(6, "[Directories-default]\nprefixes/"..., 16384) = 106
15605 read(6, "", 16278) = 0
15605 close(6) = 0
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 open("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15605 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15605 read(6, "[General]\nwidgetStyle=0xygen\nNam"..., 16384) = 503
15605 read(6, "", 15881) = 0
15605 close(6) = 0
15605 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15605 lstat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15605 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 open("/home/hw/.kde4/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15605 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15605 read(6, "[$Version]\nupdate_info=kded.upd:"..., 16384) = 780
15605 read(6, "", 15604) = 0
15605 close(6) = 0
15605 stat("/home/hw/.kde4/share/config/kde4-configrc", 0x7fffe3685b40) = -1 ENOENT (No such file or directory)
15605 stat("/var/lib/mageia/kde4-profiles/Default/share/config/kde4-configrc", 0x7fffe3685b40) = -1 ENOENT (No such file or directory)
15605 stat("/var/lib/mageia/kde4-profiles/common/share/config/kde4-configrc", 0x7fffe3685b40) = -1 ENOENT (No such file or directory)
15605 stat("/usr/share/config/kde4-configrc", 0x7fffe3685b40) = -1 ENOENT (No such file or directory)
15605 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
15605 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f233f0a9000
15605 open("/sys/devices/system/cpu/online", O_RDONLY|O_CLOEXEC) = 6
15605 read(6, "0\n", 8192) = 2
15605 close(6) = 0
15605 write(5, "@", 1) = 1
15605 close(5) = 0
15605 close(4) = 0
15605 rt_sigaction(SIGCHLD, NULL, {0x7f233e633fd0, []}, SA_RESTORER|SA_SIGINFO|SA_NOCLDSTOP, 0x7f233e15c9f0}, 8) = 0
15605 rt_sigaction(SIGCHLD, {SIG_DFL, []}, SA_RESTORER, 0x7f233e15c9f0}, NULL, 8) = 0
15605 write(1, "/home/hw/.kde4/share/config:/va"..., 151) = 151
15601 <... select resumed > = 1 (in [9])
15605 exit_group(0) = ?
15601 read(9, <unfinished ...>
15605 +++ exited with 0 +++
```

```
15601 <... read resumed> "/home/hw/.kde4/share/config:/va"... , 4096) = 151
15601 --- SIGCHLD {si_signo=SIGCHLD, si_code=CLD_EXITED, si_pid=15605, si_status=0, si_utime=0, si_stime=1}
---
15601 select(10, [9], NULL, NULL, NULL) = 1 (in [9])
15601 read(9, "", 4096) = 0
15601 close(9) = 0
15601 waitpid(15605, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 15605
15601 pipe([7, 8]) = 0
15601 pipe([9, 10]) = 0
15601 clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD, child_tidptr=0) = 15606
15601 close(8) = 0
15601 close(10) = 0
15601 read(7, <unfinished ...>
15606 set_robust_list(0xf73c4770, 12) = 0
15606 getpid() = 15606
15606 getppid() = 15601
15606 clock_gettime(CLOCK_MONOTONIC, {29645, 51553947}) = 0
15606 brk(0x8c44000) = 0x8c44000
15606 getpid() = 15606
15606 getpid() = 15606
15606 clock_gettime(CLOCK_MONOTONIC, {29645, 53228963}) = 0
15606 rt_sigaction(SIGCHLD, {SIG_DFL, [CHLD], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15606 rt_sigaction(SIGINT, {SIG_DFL, [INT], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15606 rt_sigaction(SIGTERM, {SIG_DFL, [TERM], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15606 rt_sigaction(SIGHUP, {SIG_DFL, [HUP], SA_RESTART}, {SIG_DFL, [], 0}, 8) = 0
15606 rt_sigaction(SIGPIPE, {SIG_DFL, [PIPE], SA_RESTART}, {SIG_IGN, [PIPE], SA_RESTART}, 8) = 0
15606 close(7) = 0
15606 close(9) = 0
15606 openat(AT_FDCWD, "/proc/self/fd", 0_RDONLY|0_NONBLOCK|0_LARGEFILE|0_DIRECTORY|0_CLOEXEC) = 7
15606 getdents64(7, /* 12 entries */, 32768) = 288
15606 fcntl64(3, F_SETFD, FD_CLOEXEC) = 0
15606 fcntl64(4, F_SETFD, FD_CLOEXEC) = 0
15606 fcntl64(5, F_SETFD, FD_CLOEXEC) = 0
15606 fcntl64(6, F_SETFD, FD_CLOEXEC) = 0
15606 fcntl64(8, F_SETFD, FD_CLOEXEC) = 0
15606 fcntl64(10, F_SETFD, FD_CLOEXEC) = 0
15606 getdents64(7, /* 0 entries */, 32768) = 0
15606 close(7) = 0
15606 open("/dev/null", 0_RDONLY|0_LARGEFILE) = 7
15606 dup2(7, 0) = 0
15606 close(7) = 0
15606 dup2(10, 1) = 1
15606 close(10) = 0
15606 execve("/usr/local/bin/kde4-config", ["kde4-config", "--path", "icon"], [/ 60 vars *]) = -1 ENOENT
(No such file or directory)
15606 execve("/usr/bin/kde4-config", ["kde4-config", "--path", "icon"], [/ 60 vars *]) <unfinished ...>
15601 <... read resumed> "", 8) = 0
15601 close(7) = 0
15601 select(10, [9], NULL, NULL, NULL <unfinished ...>
15606 <... execve resumed> ) = 0
15606 brk(0) = 0x2225000
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b1bf000
15606 access("/etc/ld.so.preload", R_OK) = -1 ENOENT (No such file or directory)
15606 open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 3
15606 fstat(3, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15606 mmap(NULL, 167553, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7f020b196000
15606 close(3) = 0
15606 open("/lib64/libkdecore.so.5", 0_RDONLY|0_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\340*\n\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=2994328, ...}) = 0
15606 mmap(NULL, 5055048, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f020aacf000
15606 mprotect(0x7f020ad88000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f020af87000, 102400, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2b8000) = 0x7f020af87000
15606 mmap(0x7f020afa0000, 4680, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0x7f020afa0000
15606 close(3) = 0
15606 open("/lib64/libQtCore.so.4", 0_RDONLY|0_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240$\7\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=3064712, ...}) = 0
15606 mmap(NULL, 5127336, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f020a5eb000
15606 mprotect(0x7f020a8c2000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f020aac2000, 49152, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2d7000) = 0x7f020aac2000
15606 mmap(0x7f020aace000, 3240, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
```

```
0x7f020aace000
15606 close(3) = 0
15606 open("/lib64/libc.so.6", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\220\35\2\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=2065064, ...}) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b195000
15606 mmap(NULL, 3885568, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f020a236000
15606 mprotect(0x7f020a3e2000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f020a5e1000, 24576, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x1ab000) =
0x7f020a5e1000
15606 mmap(0x7f020a5e7000, 14848, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f020a5e7000
15606 close(3) = 0
15606 open("/lib64/libpthread.so.0", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\200m\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=144176, ...}) = 0
15606 mmap(NULL, 2213008, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f020a019000
15606 mprotect(0x7f020a031000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f020a230000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x17000) =
0x7f020a230000
15606 mmap(0x7f020a232000, 13456, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f020a232000
15606 close(3) = 0
15606 open("/lib64/libQtNetwork.so.4", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0000K\3\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=1343520, ...}) = 0
15606 mmap(NULL, 3410240, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0209cd8000
15606 mprotect(0x7f0209e12000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f020a011000, 32768, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x139000) =
0x7f020a011000
15606 close(3) = 0
15606 open("/lib64/libQtDBus.so.4", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0A\1\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=514696, ...}) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b194000
15606 mmap(NULL, 2600600, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0209a5d000
15606 mprotect(0x7f0209ad6000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f0209cd6000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x79000) =
0x7f0209cd6000
15606 close(3) = 0
15606 open("/lib64/libz.so.1", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0220#\0\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=106296, ...}) = 0
15606 mmap(NULL, 2200104, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0209843000
15606 mprotect(0x7f020985b000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f0209a5b000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x18000) =
0x7f0209a5b000
15606 close(3) = 0
15606 open("/lib64/libbz2.so.1", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0260\27\0\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=67936, ...}) = 0
15606 mmap(NULL, 2162056, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0209633000
15606 mprotect(0x7f0209642000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f0209841000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0xe000) =
0x7f0209841000
15606 close(3) = 0
15606 open("/lib64/liblzma.so.5", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\02000\0\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=202000, ...}) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b193000
15606 mmap(NULL, 2294400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0209402000
15606 mprotect(0x7f0209432000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f0209631000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x2f000) =
0x7f0209631000
15606 close(3) = 0
15606 open("/lib64/libfam.so.0", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0000\31\0\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=32536, ...}) = 0
15606 mmap(NULL, 2126856, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f02091fa000
15606 mprotect(0x7f0209201000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f0209400000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x6000) =
0x7f0209400000
15606 close(3) = 0
15606 open("/lib64/libstdc++.so.6", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\3\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\0220\265\5\0\0\0\0\0\0"... , 832) = 832
```



```
15606 mprotect(0x7f0207a60000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f0207c5f000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x41000) = 0x7f0207c5f000
15606 close(3) = 0
15606 open("/lib64/libdbus-1.so.3", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0@\|\0\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=300128, ...}) = 0
15606 mmap(NULL, 2386400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f02077d7000
15606 mprotect(0x7f020781c000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f0207a1c000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x45000) = 0x7f0207a1c000
15606 close(3) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b18f000
15606 open("/lib64/libpcr.so.1", O_RDONLY|O_CLOEXEC) = 3
15606 read(3, "\177ELF\2\1\1\0\0\0\0\0\0\0\0\0\3\0>\0\1\0\0\0\240\26\0\0\0\0\0"... , 832) = 832
15606 fstat(3, {st_mode=S_IFREG|0755, st_size=418616, ...}) = 0
15606 mmap(NULL, 2511400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 3, 0) = 0x7f0207571000
15606 mprotect(0x7f02075d6000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f02077d5000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 3, 0x64000) = 0x7f02077d5000
15606 close(3) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b18e000
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b18d000
15606 mmap(NULL, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b18b000
15606 arch_prctl(ARCH_SET_FS, 0x7f020b18b740) = 0
15606 mprotect(0x7f020a5e1000, 16384, PROT_READ) = 0
15606 mprotect(0x7f020a230000, 4096, PROT_READ) = 0
15606 mprotect(0x7f02077d5000, 4096, PROT_READ) = 0
15606 mprotect(0x7f02084d7000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0207a1c000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0209a5b000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0208ef4000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0208bf1000, 4096, PROT_READ) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b18a000
15606 mprotect(0x7f02091db000, 32768, PROT_READ) = 0
15606 mprotect(0x7f02089db000, 4096, PROT_READ) = 0
15606 mprotect(0x7f02087d6000, 4096, PROT_READ) = 0
15606 mprotect(0x7f020aac2000, 45056, PROT_READ) = 0
15606 mprotect(0x7f0207c5f000, 8192, PROT_READ) = 0
15606 mprotect(0x7f0208038000, 106496, PROT_READ) = 0
15606 mprotect(0x7f02082c6000, 16384, PROT_READ) = 0
15606 mprotect(0x7f0209400000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0209631000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0209841000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0209cd6000, 4096, PROT_READ) = 0
15606 mprotect(0x7f020a011000, 24576, PROT_READ) = 0
15606 mprotect(0x7f020af87000, 73728, PROT_READ) = 0
15606 mprotect(0x604000, 4096, PROT_READ) = 0
15606 mprotect(0x7f020b1c0000, 4096, PROT_READ) = 0
15606 munmap(0x7f020b196000, 167553) = 0
15606 set_tid_address(0x7f020b18ba10) = 15606
15606 set_robust_list(0x7f020b18ba20, 24) = 0
15606 rt_sigaction(SIGRTMIN, {0x7f020a01f860, [], SA_RESTORER|SA_SIGINFO, 0x7f020a028760}, NULL, 8) = 0
15606 rt_sigaction(SIGRT_1, {0x7f020a01f8f0, [], SA_RESTORER|SA_RESTART|SA_SIGINFO, 0x7f020a028760}, NULL, 8) = 0
15606 rt_sigprocmask(SIG_UNBLOCK, [RTMIN RT_1], NULL, 8) = 0
15606 getrlimit(RLIMIT_STACK, {rlim_cur=8192*1024, rlim_max=RLIM64_INFINITY}) = 0
15606 brk(0) = 0x2225000
15606 brk(0x2246000) = 0x2246000
15606 futex(0x7f02091f796c, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15606 futex(0x7f02091f7978, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15606 futex(0x7f0209aace128, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15606 open("/usr/share/locale/locale-archive", O_RDONLY|O_CLOEXEC) = 3
15606 fstat(3, {st_mode=S_IFREG|0644, st_size=5021040, ...}) = 0
15606 mmap(NULL, 5021040, PROT_READ, MAP_PRIVATE, 3, 0) = 0x7f02070a7000
15606 close(3) = 0
15606 eventfd2(0, 0_NONBLOCK|O_CLOEXEC) = 3
15606 write(3, "\1\0\0\0\0\0\0\0", 8) = 8
15606 clock_getres(CLOCK_MONOTONIC, {0, 1}) = 0
15606 open("/usr/lib64/gconv/gconv-modules.cache", O_RDONLY) = 4
15606 fstat(4, {st_mode=S_IFREG|0644, st_size=26244, ...}) = 0
15606 mmap(NULL, 26244, PROT_READ, MAP_SHARED, 4, 0) = 0x7f020b1b8000
15606 close(4) = 0
15606 futex(0x7f020a5e68f8, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15606 open("/usr/lib64/gconv/UTF-16.so", O_RDONLY|O_CLOEXEC) = 4
```

```
15606 read(4, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\200\\6\\0\\0\\0\\0\\0"..., 832) = 832
15606 fstat(4, {st_mode=S_IFREG|0755, st_size=15328, ...}) = 0
15606 mmap(NULL, 2109528, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f0206ea3000
15606 mprotect(0x7f0206ea5000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f02070a5000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x2000) =
0x7f02070a5000
15606 close(4) = 0
15606 mprotect(0x7f02070a5000, 4096, PROT_READ) = 0
15606 futex(0x7f02089dc0c8, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15606 open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 4
15606 fstat(4, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15606 mmap(NULL, 167553, PROT_READ, MAP_PRIVATE, 4, 0) = 0x7f020b161000
15606 close(4) = 0
15606 open("/lib64/libcui18n.so.52", O_RDONLY|O_CLOEXEC) = 4
15606 read(4, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\360A\\t\\0\\0\\0\\0\\0"..., 832) = 832
15606 fstat(4, {st_mode=S_IFREG|0755, st_size=2102528, ...}) = 0
15606 mmap(NULL, 4195464, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f0206aa2000
15606 mprotect(0x7f0206c94000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f0206e94000, 57344, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x1f2000) =
0x7f0206e94000
15606 mmap(0x7f0206ea2000, 1160, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f0206ea2000
15606 close(4) = 0
15606 open("/lib64/libicuuc.so.52", O_RDONLY|O_CLOEXEC) = 4
15606 read(4, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\373\\4\\0\\0\\0\\0\\0"..., 832) = 832
15606 fstat(4, {st_mode=S_IFREG|0755, st_size=1522528, ...}) = 0
15606 mmap(NULL, 3628176, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f020672c000
15606 mprotect(0x7f020688d000, 2097152, PROT_NONE) = 0
15606 mmap(0x7f0206a8d000, 69632, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0x161000) =
0x7f0206a8d000
15606 mmap(0x7f0206a9e000, 15504, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) =
0x7f0206a9e000
15606 close(4) = 0
15606 open("/lib64/libicudata.so.52", O_RDONLY|O_CLOEXEC) = 4
15606 read(4, "\\177ELF\\2\\1\\1\\0\\0\\0\\0\\0\\0\\0\\0\\0\\3\\0>\\0\\1\\0\\0\\0\\266\\2\\0\\0\\0\\0\\0"..., 832) = 832
15606 fstat(4, {st_mode=S_IFREG|0755, st_size=4872, ...}) = 0
15606 mmap(NULL, 2101248, PROT_READ, MAP_PRIVATE|MAP_DENYWRITE, 4, 0) = 0x7f020652b000
15606 mprotect(0x7f020652c000, 2093056, PROT_NONE) = 0
15606 mmap(0x7f020672b000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 4, 0) =
0x7f020672b000
15606 close(4) = 0
15606 mprotect(0x7f020672b000, 4096, PROT_READ) = 0
15606 mprotect(0x7f0206a8d000, 65536, PROT_READ) = 0
15606 mprotect(0x7f0206e94000, 49152, PROT_READ) = 0
15606 munmap(0x7f020b161000, 167553) = 0
15606 stat("/usr/share/icu/52.1/icudt52l/coll/ucadata.icu", 0x7fff26195780) = -1 ENOENT (No such file or
directory)
15606 stat("/usr/share/icu/52.1/icudt52l.dat", {st_mode=S_IFREG|0644, st_size=23505296, ...}) = 0
15606 open("/usr/share/icu/52.1/icudt52l.dat", O_RDONLY) = 4
15606 mmap(NULL, 23505296, PROT_READ, MAP_SHARED, 4, 0) = 0x7f0204ec0000
15606 close(4) = 0
15606 stat("/usr/share/icu/52.1/icudt52l/nfc.nrm", 0x7fff26195550) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/icu/52.1/icudt52l/coll/de_DE.res", 0x7fff26195350) = -1 ENOENT (No such file or
directory)
15606 stat("/usr/share/icu/52.1/usrdt52l/coll/de_DE.res", 0x7fff261953b0) = -1 ENOENT (No such file or
directory)
15606 stat("/usr/share/icu/52.1/usrdt52l.dat", 0x7fff26195140) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/icu/52.1/icudt52l/coll/de.res", 0x7fff261953b0) = -1 ENOENT (No such file or
directory)
15606 stat("/usr/share/icu/52.1/usrdt52l/coll/de.res", 0x7fff261953b0) = -1 ENOENT (No such file or
directory)
15606 stat("/usr/share/icu/52.1/usrdt52l.dat", 0x7fff26195140) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/icu/52.1/icudt52l/coll/root.res", 0x7fff261953b0) = -1 ENOENT (No such file or
directory)
15606 stat("/proc/15606/exe", {st_mode=S_IFREG|0755, st_size=25008, ...}) = 0
15606 lstat("/proc/15606/exe", {st_mode=S_IFLNK|0777, st_size=0, ...}) = 0
15606 lstat("/proc", {st_mode=S_IFDIR|0555, st_size=0, ...}) = 0
15606 lstat("/proc/15606", {st_mode=S_IFDIR|0555, st_size=0, ...}) = 0
15606 lstat("/proc/15606/exe", {st_mode=S_IFLNK|0777, st_size=0, ...}) = 0
15606 readlink("/proc/15606/exe", "/usr/bin/kde4-config", 4095) = 20
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/bin", {st_mode=S_IFDIR|0755, st_size=81920, ...}) = 0
15606 lstat("/usr/bin/kde4-config", {st_mode=S_IFREG|0755, st_size=25008, ...}) = 0
15606 stat("/usr/bin/qt.conf", 0x7fff26196160) = -1 ENOENT (No such file or directory)
15606 stat("/usr/lib64/qt4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```

```
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/usr/lib64/qt4", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64/qt4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/bin", {st_mode=S_IFDIR|0755, st_size=81920, ...}) = 0
15606 stat("/usr/bin", {st_mode=S_IFDIR|0755, st_size=81920, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/lib64", 0x7fff26196510) = -1 ENOENT (No such file or directory)
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/usr/lib64/kde4", {st_mode=S_IFDIR|0755, st_size=45056, ...}) = 0
15606 lstat("/usr/lib64/kde4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/usr/lib64/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 pipe2([4, 5], 0_NONBLOCK|0_CLOEXEC) = 0
15606 rt_sigaction(SIGCHLD, NULL, {SIG_DFL, [], 0}, 8) = 0
15606 rt_sigaction(SIGCHLD, {0x7f020a741fd0, [], SA_RESTORER|SA_SIGINFO|SA_NOCLDSTOP, 0x7f020a26a9f0}, {SIG_DFL, [], 0}, 8) = 0
15606 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 getcwd("/home/hw", 4096) = 9
15606 brk(0x2267000) = 0x2267000
15606 umask(0) = 022
15606 umask(022) = 0
15606 stat(".", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 getcwd("/home/hw", 4096) = 9
15606 stat("/home/hw/.krdirs", 0x7fff261953c0) = -1 ENOENT (No such file or directory)
15606 readlink("/proc/self/exe", "/usr/bin/kde4-config", 4096) = 20
15606 getuid() = 500
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/usr/lib64/kde4", {st_mode=S_IFDIR|0755, st_size=45056, ...}) = 0
15606 lstat("/usr/lib64/kde4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/lib64", 0x7fff26195030) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/", R_OK) = 0
15606 stat("/home/hw/.kde4/", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 stat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/lib64", 0x7fff261951d0) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/kde4/plugins/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/kde4/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/", R_OK) = 0
15606 stat("/home/hw/.kde4/", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/lib64", {st_mode=S_IFDIR|0755, st_size=143360, ...}) = 0
15606 lstat("/usr/lib64/kde4", {st_mode=S_IFDIR|0755, st_size=45056, ...}) = 0
15606 lstat("/usr/lib64/kde4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/usr/lib64/kde4/plugins", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/lib64", 0x7fff261951d0) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/plugins/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/lib64/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/", R_OK) = 0
15606 stat("/home/hw/.kde4/", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```



```
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 read(6, "[Directories-default]\nprefixes/"..., 16384) = 106
15606 read(6, "", 16278) = 0
15606 close(6) = 0
15606 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15606 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 open("/home/hw/.kde4/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15606 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 read(6, "[$Version]\nupdate_info=kded.upd:"..., 16384) = 780
15606 read(6, "", 15604) = 0
15606 close(6) = 0
15606 stat("/home/hw/.kde4/share/config/kde4-configrc", 0x7fff26196110) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/config/kde4-configrc", 0x7fff26196110) = -1 ENOENT (No such file or directory)
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/share", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 lstat("/usr/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/Default/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/usr/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/Default/share/config/kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 stat("/usr/share/config/kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/home/hw/.kde4/share/config/system.kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/var/lib/mageia/kde4-profiles/Default/share/config/system.kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config/system.kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/config/system.kdeglobals", 0x7fff261961b0) = -1 ENOENT (No such file or directory)
15606 stat("/etc/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 lstat("/etc", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 lstat("/etc/kde4rc", {st_mode=S_IFLNK|0777, st_size=29, ...}) = 0
15606 readlink("/etc/kde4rc", "/etc/alternatives/kde4-config", 4095) = 29
15606 lstat("/etc", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 lstat("/etc/alternatives", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/etc/alternatives/kde4-config", {st_mode=S_IFLNK|0777, st_size=44, ...}) = 0
15606 readlink("/etc/alternatives/kde4-config", "/var/lib/mageia/kde4-profiles/De"..., 4095) = 44
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```

```
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/Default/kde4rc", {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 open("/var/lib/mageia/kde4-profiles/Default/kde4rc", O_RDONLY|O_CLOEXEC) = 6
15606 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=106, ...}) = 0
15606 read(6, "[Directories-default]\nprefixes="/... , 16384) = 106
15606 read(6, "", 16278) = 0
15606 close(6) = 0
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share/config", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 open("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15606 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15606 read(6, "[General]\nwidgetStyle=Oxygen\nName"..., 16384) = 503
15606 read(6, "", 15881) = 0
15606 close(6) = 0
15606 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/config", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 stat("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15606 stat("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 open("/home/hw/.kde4/share/config/kdeglobals", O_RDONLY|O_CLOEXEC) = 6
15606 fcntl(6, F_SETFD, FD_CLOEXEC) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 fstat(6, {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15606 read(6, "[$Version]\nupdate_info=kded.upd:"..., 16384) = 780
15606 read(6, "", 15604) = 0
15606 close(6) = 0
15606 stat("/home/hw/.kde4/share/config/kde4-configrc", 0x7fff26196270) = -1 ENOENT (No such file or directory)
15606 stat("/var/lib/mageia/kde4-profiles/Default/share/config/kde4-configrc", 0x7fff26196270) = -1 ENOENT (No such file or directory)
15606 stat("/var/lib/mageia/kde4-profiles/common/share/config/kde4-configrc", 0x7fff26196270) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/config/kde4-configrc", 0x7fff26196270) = -1 ENOENT (No such file or directory)
15606 lstat("/usr", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/usr/share", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 lstat("/usr/share/icons", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share/icons", 0x7fff26195480) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/share/icons/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/home/hw/.kde4/share/", R_OK) = 0
15606 stat("/home/hw/.kde4/share/", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
```

```
15606 lstat("/home/hw/.kde4", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/home/hw/.kde4/share", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/Default/share/icons", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/Default/share/icons", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share/icons", 0x7fff26195480) = -1 ENOENT (No such file or directory)
15606 access("/var/lib/mageia/kde4-profiles/common/share/icons/", R_OK) = -1 ENOENT (No such file or directory)
15606 access("/var/lib/mageia/kde4-profiles/common/share/", R_OK) = 0
15606 stat("/var/lib/mageia/kde4-profiles/common/share/", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 lstat("/var/lib/mageia/kde4-profiles/common/share", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15606 stat("/var/lib/mageia/kde4-profiles/common/share/icons", 0x7fff261964e0) = -1 ENOENT (No such file or directory)
15606 stat("/usr/share/icons", {st_mode=S_IFDIR|0755, st_size=12288, ...}) = 0
15606 fstat(1, {st_mode=S_IFIFO|0600, st_size=0, ...}) = 0
15606 mmap(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0x7f020b1b7000
15606 open("/sys/devices/system/cpu/online", O_RDONLY|O_CLOEXEC) = 6
15606 read(6, "\0\n", 8192) = 2
15606 close(6) = 0
15606 write(5, "@", 1) = 1
15606 close(5) = 0
15606 close(4) = 0
15606 rt_sigaction(SIGCHLD, NULL, {0x7f020a741fd0, [], SA_RESTORER|SA_SIGINFO|SA_NOCLDSTOP, 0x7f020a26a9f0}, 8) = 0
15606 rt_sigaction(SIGCHLD, {SIG_DFL, [], SA_RESTORER, 0x7f020a26a9f0}, NULL, 8) = 0
15606 write(1, "/home/hw/.kde4/share/icons:/var"..., 97) = 97
15606 exit_group(0) = ?
15606 +++ exited with 0 +++
15601 <... select resumed> ) = 1 (in [9])
15601 --- SIGCHLD {si_signo=SIGCHLD, si_code=CLD_EXITED, si_pid=15606, si_status=0, si_utime=1, si_stime=1}
---
15601 read(9, "/home/hw/.kde4/share/icons:/var"..., 4096) = 97
15601 select(10, [9], NULL, NULL, NULL) = 1 (in [9])
15601 read(9, "", 4096) = 0
15601 close(9) = 0
15601 waitpid(15606, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], 0) = 15606
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/kdeglobals", O_RDONLY|O_LARGEFILE) = 7
15601 read(7, "[ColorEffects:Disabled]\nColor=56"..., 8191) = 2399
15601 read(7, "", 8191) = 0
15601 close(7) = 0
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/kdeglobals", O_RDONLY|O_LARGEFILE) = 7
15601 close(7) = 0
15601 getresuid32([500], [500], [500]) = 0
15601 getresgid32([500], [500], [500]) = 0
15601 openat(AT_FDCWD, "/usr/lib/gio/modules", O_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 7
15601 stat64("/usr/lib/gio/modules/giomodule.cache", 0xffa8d64c) = -1 ENOENT (No such file or directory)
15601 getdents64(7, /* 3 entries */, 32768) = 96
15601 stat64("/usr/lib/gio/modules/libgsettingsgconfbackend.so", {st_mode=S_IFREG|0755, st_size=23488, ...}) = 0
15601 open("/usr/lib/gio/modules/libgsettingsgconfbackend.so", O_RDONLY|O_CLOEXEC) = 8
15601 read(8, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340 \0\004\0\0\0"..., 512) = 512
15601 fstat64(8, {st_mode=S_IFREG|0755, st_size=23488, ...}) = 0
15601 mmap2(NULL, 25080, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 8, 0) = 0xfffffffff313e000
15601 mmap2(0xf3143000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 8, 0x4000) = 0xfffffffff3143000
15601 close(8) = 0
```

```
15601 open("/etc/ld.so.cache", 0_RDONLY|0_CLOEXEC) = 8
15601 fstat64(8, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 8, 0) = 0xfffffffff2f3d000
15601 close(8) = 0
15601 open("/lib/libgconf-2.so.4", 0_RDONLY|0_CLOEXEC) = 8
15601 read(8, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\206\0\0004\0\0\0"... , 512) = 512
15601 fstat64(8, {st_mode=S_IFREG|0755, st_size=194360, ...}) = 0
15601 mmap2(NULL, 194452, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 8, 0) = 0xfffffffff2f0d000
15601 mmap2(0xf2f3b000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 8, 0xd000) = 0xfffffffff2f3b000
15601 close(8) = 0
15601 open("/lib/libdbus-glib-1.so.2", 0_RDONLY|0_CLOEXEC) = 8
15601 read(8, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\000w\0\0004\0\0\0"... , 512) = 512
15601 fstat64(8, {st_mode=S_IFREG|0755, st_size=158824, ...}) = 0
15601 mmap2(NULL, 157440, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 8, 0) = 0xfffffffff2ee6000
15601 mmap2(0xf2f0b000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 8, 0x24000) = 0xfffffffff2f0b000
15601 close(8) = 0
15601 brk(0x8c33000) = 0x8c33000
15601 mprotect(0xf2f0b000, 4096, PROT_READ) = 0
15601 mprotect(0xf2f3b000, 4096, PROT_READ) = 0
15601 mprotect(0xf3143000, 4096, PROT_READ) = 0
15601 munmap(0xf2f3d000, 167553) = 0
15601 munmap(0xf313e000, 25080) = 0
15601 munmap(0xf2f0d000, 194452) = 0
15601 munmap(0xf2ee6000, 157440) = 0
15601 getdents64(7, /* 0 entries */, 32768) = 0
15601 close(7) = 0
15601 lstat64("/usr/share/themes/oxygen-gtk/gtk-2.0/kdeglobals", {st_mode=S_IFREG|0644, st_size=2399, ...}) = 0
15601 open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/glib20.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/glib20.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE/LC_MESSAGES/glib20.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.UTF-8/LC_MESSAGES/glib20.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.utf8/LC_MESSAGES/glib20.mo", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de/LC_MESSAGES/glib20.mo", 0_RDONLY) = 7
15601 fstat64(7, {st_mode=S_IFREG|0644, st_size=99149, ...}) = 0
15601 mmap2(NULL, 99149, PROT_READ, MAP_PRIVATE, 7, 0) = 0xfffffffff312c000
15601 close(7) = 0
15601 inotify_init1(IN_CLOEXEC) = 7
15601 fstat64(7, {st_mode=0600, st_size=0, ...}) = 0
15601 fcntl64(7, F_GETFL) = 0 (flags 0_RDONLY)
15601 fcntl64(7, F_SETFL, 0_RDONLY|0_NONBLOCK) = 0
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 inotify_add_watch(7, "/usr/share/themes/oxygen-gtk/gtk-2.0", IN_MODIFY|IN_ATTRIB|IN_CLOSE_WRITE|IN_MOVED_FROM|IN_MOVED_TO|IN_CREATE|IN_DELETE|IN_DELETE_SELF|IN_MOVE_SELF|IN_UNMOUNT|IN_ONLYDIR) = 1
15601 open("/usr/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = 8
15601 read(8, "[General]\nwidgetStyle=oxygen\nNam"... , 8191) = 503
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 open("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = 8
15601 close(8) = 0
15601 lstat64("/var/lib/mageia/kde4-profiles/common/share/config/kdeglobals", {st_mode=S_IFREG|0644, st_size=503, ...}) = 0
15601 inotify_add_watch(7, "/var/lib/mageia/kde4-profiles/common/share/config", IN_MODIFY|IN_ATTRIB|IN_CLOSE_WRITE|IN_MOVED_FROM|IN_MOVED_TO|IN_CREATE|IN_DELETE|IN_DELETE_SELF|IN_MOVE_SELF|IN_UNMOUNT|IN_ONLYDIR) = 2
15601 open("/var/lib/mageia/kde4-profiles/Default/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/Default/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/home/hw/.kde4/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = 8
15601 read(8, "[$Version]\nupdate_info=kded.upd:"... , 8191) = 780
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 open("/home/hw/.kde4/share/config/kdeglobals", 0_RDONLY|0_LARGEFILE) = 8
15601 close(8) = 0
15601 lstat64("/home/hw/.kde4/share/config/kdeglobals", {st_mode=S_IFREG|0600, st_size=780, ...}) = 0
15601 inotify_add_watch(7, "/home/hw/.kde4/share/config", IN_MODIFY|IN_ATTRIB|IN_CLOSE_WRITE|IN_MOVED_FROM|
```

```
IN_MOVED_TO|IN_CREATE|IN_DELETE|IN_DELETE_SELF|IN_MOVE_SELF|IN_UNMOUNT|IN_ONLYDIR) = 3
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/oxygenrc", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "[ActiveShadow]\nInnerColor=112,23"... , 8191) = 1584
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/oxygenrc", O_RDONLY|O_LARGEFILE) = 8
15601 close(8) = 0
15601 lstat64("/usr/share/themes/oxygen-gtk/gtk-2.0/oxygenrc", {st_mode=S_IFREG|0644, st_size=1584, ...}) = 0
15601 open("/usr/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/common/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT
(No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/common/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT
(No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/Default/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT
(No such file or directory)
15601 open("/var/lib/mageia/kde4-profiles/Default/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = -1 ENOENT
(No such file or directory)
15601 open("/home/hw/.kde4/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "[$Version]\nupdate_info=oxygen.up"... , 8191) = 36
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 open("/home/hw/.kde4/share/config/oxygenrc", O_RDONLY|O_LARGEFILE) = 8
15601 close(8) = 0
15601 lstat64("/home/hw/.kde4/share/config/oxygenrc", {st_mode=S_IFREG|0600, st_size=36, ...}) = 0
15601 open("/usr/lib/gdk-pixbuf-2.0/2.10.0/loaders.cache", O_RDONLY|O_LARGEFILE) = 8
15601 fstat64(8, {st_mode=S_IFREG|0644, st_size=3747, ...}) = 0
15601 read(8, "# GdkPixbuf Image Loader Modules"... , 1024) = 1024
15601 read(8, "\n"/usr/lib/gdk-pixbuf-2.0/2.10.0"... , 1024) = 1024
15601 read(8, "ufloader-xpm.so"\n"xpm" 4 "\ngdk-pi"... , 1024) = 1024
15601 read(8, "100\n"\n"\n\003\001" "\n" 100\n"\n"\n\004"... , 1024) = 675
15601 read(8, "", 1024) = 0
15601 close(8) = 0
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/icons4", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "gnome-fs-directory places/folder"... , 8191) = 6309
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 stat64("/home/hw/.kde4/share/icons/oxygen", 0xffa8d6f0) = -1 ENOENT (No such file or directory)
15601 stat64("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen", {st_mode=S_IFDIR|0755, st_size=4096,
...}) = 0
15601 open("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/index.theme", O_RDONLY|O_LARGEFILE) = -1
ENOENT (No such file or directory)
15601 stat64("/usr/share/icons/oxygen", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/icons/oxygen/index.theme", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "[Icon Theme]\nName=Oxygen\nName[bs]"... , 8191) = 7964
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 stat64("/home/hw/.kde4/share/icons/hicolor", 0xffa8d5d0) = -1 ENOENT (No such file or directory)
15601 stat64("/var/lib/mageia/kde4-profiles/Default/share/icons/hicolor", 0xffa8d5d0) = -1 ENOENT (No such
file or directory)
15601 stat64("/usr/share/icons/hicolor", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/icons/hicolor/index.theme", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "[Icon Theme]\nName=Hicolor\nCommen"... , 8191) = 8191
15601 read(8, "ps\nSize=24\nContext=Applications"... , 8191) = 8191
15601 read(8, "reshold\n\n[96x96/actions]\nSize=96"... , 8191) = 8191
15601 brk(0x8c54000) = 0x8c54000
15601 read(8, "tock\nType=Scalable\n\n[scalable/st]"... , 8191) = 102
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 stat64("/home/hw/.kde4/share/icons/gnome", 0xffa8d6f0) = -1 ENOENT (No such file or directory)
15601 stat64("/var/lib/mageia/kde4-profiles/Default/share/icons/gnome", 0xffa8d6f0) = -1 ENOENT (No such file
or directory)
15601 stat64("/usr/share/icons/gnome", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/icons/gnome/index.theme", O_RDONLY|O_LARGEFILE) = 8
15601 read(8, "[Icon Theme]\nName=GNOME\nName[af]"... , 8191) = 8191
15601 read(8, "Context=MimeTypes\nSize=16\nType=F"... , 8191) = 3591
15601 read(8, "", 8191) = 0
15601 close(8) = 0
15601 open("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/16x16/mimetypes/image-x-generic.png",
O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/icons/oxygen/16x16/mimetypes/image-x-generic.png", O_RDONLY|O_LARGEFILE) = 8
15601 close(8) = 0
15601 open("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/256x256/mimetypes/image-x-generic.png",
O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/icons/oxygen/256x256/mimetypes/image-x-generic.png", O_RDONLY|O_LARGEFILE) = 8
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```
/home/hw/ergebnisdatei.txt
```

```
15601 access("/usr/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/22x22/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/32x32/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/32x32/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/var/lib/mageia/kde4-profiles/Default/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/icons/oxygen/16x16/actions/edit-clear-locationbar-rtl.png", F_OK) = 0
15601 access("/home/hw/.themes/oxygen-gtk/gtk-2.0/gtkrc", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/themes/oxygen-gtk/gtk-2.0/gtkrc", F_OK) = 0
15601 lstat64("/usr/share/themes/oxygen-gtk/gtk-2.0/gtkrc", {st_mode=S_IFREG|0644, st_size=6130, ...}) = 0
15601 open("/usr/share/themes/oxygen-gtk/gtk-2.0/gtkrc", O_RDONLY|O_LARGEFILE) = 5
15601 read(5, "# this file is part of the oxyge...", 4000) = 4000
15601 read(5, "xygen-default\n\n      # must set \"..., 4000) = 2130
15601 read(5, "", 4000) = 0
15601 close(5) = 0
15601 access("/usr/share/themes/oxygen-gtk/gtk-2.0/gtkrc.de_DE", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/usr/share/themes/oxygen-gtk/gtk-2.0/gtkrc.de", F_OK) = -1 ENOENT (No such file or directory)
15601 brk(0x8c73000) = 0x8c73000
15601 open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 5
15601 fstat64(5, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 5, 0) = 0xfffffffff2f3d000
15601 close(5) = 0
15601 open("/lib/libgnomeui-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220\1\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=637540, ...}) = 0
15601 mmap2(NULL, 632916, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2ea2000
15601 mmap2(0xf2f39000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x96000) = 0xfffffffff2f39000
15601 close(5) = 0
15601 open("/lib/libbonoboui-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\20\1\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=453768, ...}) = 0
15601 mmap2(NULL, 450416, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2e34000
15601 mmap2(0xf2e9f000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x6a000) = 0xfffffffff2e9f000
15601 close(5) = 0
15601 open("/lib/libgnomecanvas-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\240\217\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=225108, ...}) = 0
15601 mmap2(NULL, 223408, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2dfd000
15601 mmap2(0xf2e32000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x34000) = 0xfffffffff2e32000
15601 close(5) = 0
15601 open("/lib/libart_lgpl_2.so.2", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0 &\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=105796, ...}) = 0
15601 mmap2(NULL, 106812, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2de2000
15601 mmap2(0xf2dfb000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x18000) = 0xfffffffff2dfb000
15601 close(5) = 0
15601 open("/lib/libgnome-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340Q\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=90840, ...}) = 0
15601 mmap2(NULL, 91804, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2dcb000
15601 mmap2(0xf2de0000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x14000) = 0xfffffffff2de0000
15601 close(5) = 0
15601 open("/lib/libgnomevfs-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\20\1\0004\0\0\0"... , 512) = 512
```

```
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=426808, ...}) = 0
15601 mmap2(NULL, 422856, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2d63000
15601 mmap2(0xf2dc7000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x63000) = 0xfffffffff2dc7000
15601 close(5) = 0
15601 open("/lib/libgconf-2.so.4", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@206\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=194360, ...}) = 0
15601 mmap2(NULL, 194452, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2d33000
15601 mmap2(0xf2d61000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x2d000) = 0xfffffffff2d61000
15601 close(5) = 0
15601 open("/lib/libgnome-keyring.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220Z\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=153740, ...}) = 0
15601 mmap2(NULL, 148688, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2d0e000
15601 mmap2(0xf2d31000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x23000) = 0xfffffffff2d31000
15601 close(5) = 0
15601 open("/lib/libbonobo-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\340\222\1\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=430224, ...}) = 0
15601 mmap2(NULL, 428372, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2ca5000
15601 mmap2(0xf2d03000, 45056, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x5d000) = 0xfffffffff2d03000
15601 close(5) = 0
15601 open("/lib/libbonobo-activation.so.4", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\200u\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=97828, ...}) = 0
15601 mmap2(NULL, 99144, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2c8c000
15601 mprotect(0xf2ca1000, 4096, PROT_NONE) = 0
15601 mmap2(0xf2ca2000, 12288, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x15000) = 0xfffffffff2ca2000
15601 close(5) = 0
15601 open("/lib/libORBit-2.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0P\210\1\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=388872, ...}) = 0
15601 mmap2(NULL, 384636, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2c2e000
15601 mmap2(0xf2c80000, 49152, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x52000) = 0xfffffffff2c80000
15601 close(5) = 0
15601 open("/lib/libpopt.so.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\20\33\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=48848, ...}) = 0
15601 mmap2(NULL, 49904, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff311f000
15601 mmap2(0xf312a000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0xa000) = 0xfffffffff312a000
15601 close(5) = 0
15601 open("/lib/libgailutil.so.18", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0000\37\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=31480, ...}) = 0
15601 mmap2(NULL, 33168, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2c25000
15601 mmap2(0xf2c2c000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x6000) = 0xfffffffff2c2c000
15601 close(5) = 0
15601 open("/lib/libdbus-glib-1.so.2", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0000w\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=158824, ...}) = 0
15601 mmap2(NULL, 157440, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2bfe000
15601 mmap2(0xf2c23000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x24000) = 0xfffffffff2c23000
15601 close(5) = 0
15601 open("/opt/lib32/libssl.so.1.0.0", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0P\305\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=348840, ...}) = 0
15601 mmap2(NULL, 347792, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2ba9000
15601 mmap2(0xf2bfa000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x51000) = 0xfffffffff2bfa000
15601 close(5) = 0
15601 open("/lib/libavahi-glib.so.1", O_RDONLY|O_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\0n\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=14776, ...}) = 0
15601 mmap2(NULL, 16540, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2ba4000
15601 mmap2(0xf2ba7000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x2000) = 0xfffffffff2ba7000
```



```
15601 close(5) = 0
15601 open("/opt/libs32/libavahi-common.so.3", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\360&\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=50796, ...}) = 0
15601 mmap2(NULL, 53680, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2b96000
15601 mmap2(0xf2ba2000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0xb000) = 0xfffffffff2ba2000
15601 close(5) = 0
15601 open("/opt/libs32/libavahi-client.so.3", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0*\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=67364, ...}) = 0
15601 mmap2(NULL, 70208, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2b84000
15601 mmap2(0xf2b94000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0xf000) = 0xfffffffff2b94000
15601 close(5) = 0
15601 open("/lib/libutil.so.1", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\220\n\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=10780, ...}) = 0
15601 mmap2(NULL, 12428, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2b80000
15601 mmap2(0xf2b82000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x1000) = 0xfffffffff2b82000
15601 close(5) = 0
15601 open("/lib/libgcrypt.so.11", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\R\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=570200, ...}) = 0
15601 mmap2(NULL, 564032, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2af6000
15601 mmap2(0xf2b7c000, 16384, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x85000) = 0xfffffffff2b7c000
15601 close(5) = 0
15601 open("/lib/libORBitCosNaming-2.so.0", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0@35\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=20496, ...}) = 0
15601 mmap2(NULL, 22400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2af0000
15601 mmap2(0xf2af4000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x3000) = 0xfffffffff2af4000
15601 close(5) = 0
15601 open("/opt/libs32/libcrypto.so.1.0.0", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\300\266\3\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=1706104, ...}) = 0
15601 mmap2(NULL, 1722588, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff294b000
15601 mmap2(0xf2ad8000, 86016, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x18c000) = 0xfffffffff2ad8000
15601 mmap2(0xf2aed000, 10460, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2aed000
15601 close(5) = 0
15601 open("/lib/libpgp-error.so.0", 0_RDONLY|0_CLOEXEC) = 5
15601 read(5, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0000\7\0\0004\0\0\0"... , 512) = 512
15601 fstat64(5, {st_mode=S_IFREG|0755, st_size=18596, ...}) = 0
15601 mmap2(NULL, 16444, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 5, 0) = 0xfffffffff2946000
15601 mmap2(0xf2949000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 5, 0x3000) = 0xfffffffff2949000
15601 close(5) = 0
15601 mprotect(0xf2949000, 4096, PROT_READ) = 0
15601 mprotect(0xf2c80000, 40960, PROT_READ) = 0
15601 mprotect(0xf2af4000, 4096, PROT_READ) = 0
15601 mprotect(0xf2b7c000, 4096, PROT_READ) = 0
15601 mprotect(0xf2b82000, 4096, PROT_READ) = 0
15601 mprotect(0xf2ba2000, 4096, PROT_READ) = 0
15601 mprotect(0xf2b94000, 4096, PROT_READ) = 0
15601 mprotect(0xf2ba7000, 4096, PROT_READ) = 0
15601 mprotect(0xf2c23000, 4096, PROT_READ) = 0
15601 mprotect(0xf2c2c000, 4096, PROT_READ) = 0
15601 mprotect(0xf312a000, 4096, PROT_READ) = 0
15601 mprotect(0xf2ca2000, 4096, PROT_READ) = 0
15601 mprotect(0xf2d03000, 16384, PROT_READ) = 0
15601 mprotect(0xf2d31000, 4096, PROT_READ) = 0
15601 mprotect(0xf2d61000, 4096, PROT_READ) = 0
15601 mprotect(0xf2dc7000, 8192, PROT_READ) = 0
15601 mprotect(0xf2de0000, 4096, PROT_READ) = 0
15601 mprotect(0xf2dfb000, 4096, PROT_READ) = 0
15601 mprotect(0xf2e32000, 4096, PROT_READ) = 0
15601 mprotect(0xf2e9f000, 4096, PROT_READ) = 0
15601 mprotect(0xf2f39000, 8192, PROT_READ) = 0
15601 munmap(0xf2f3d000, 167553) = 0
15601 open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = -1 ENOENT (No such file
```

```
or directory)
15601 open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/usr/share/locale/de_DE/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/usr/share/locale/de.UTF-8/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/usr/share/locale/de.utf8/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/usr/share/locale/de/LC_MESSAGES/libgnome-2.0.mo", 0_RDONLY) = 5
15601 fstat64(5, {st_mode=S_IFREG|0644, st_size=32523, ...}) = 0
15601 mmap2(NULL, 32523, PROT_READ, MAP_PRIVATE, 5, 0) = 0xfffffffff2f5e000
15601 close(5) = 0
15601 brk(0x8c94000) = 0x8c94000
15601 getuid32() = 500
15601 getuid32() = 500
15601 getegid32() = 500
15601 getgid32() = 500
15601 getcwd("/home/hw", 4096) = 9
15601 open("/etc/orbitrc", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/home/hw/.orbitrc", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 rt_sigaction(SIGPIPE, {SIG_IGN, [PIPE], SA_RESTART}, {SIG_IGN, [PIPE], SA_RESTART}, 8) = 0
15601 eventfd2(0, 0_NONBLOCK|0_CLOEXEC) = 5
15601 write(5, "\1\0\0\0\0\0\0", 8) = 8
15601 pipe([6, 8]) = 0
15601 fcntl64(8, F_SETFL, 0_RDONLY|0_NONBLOCK) = 0
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 openat(AT_FDCWD, "/tmp", 0_RDONLY|0_NONBLOCK|0_LARGEFILE|0_DIRECTORY|0_CLOEXEC) = 9
15601 getdents64(9, /* 50 entries */, 32768) = 1776
15601 stat64("/tmp/orbit-hw", {st_mode=S_IFDIR|0700, st_size=40, ...}) = 0
15601 getuid32() = 500
15601 getuid32() = 500
15601 getdents64(9, /* 0 entries */, 32768) = 0
15601 close(9) = 0
15601 mkdir("/tmp/orbit-hw", 0700) = -1 EEXIST (File exists)
15601 stat64("/tmp/orbit-hw", {st_mode=S_IFDIR|0700, st_size=40, ...}) = 0
15601 getuid32() = 500
15601 getuid32() = 500
15601 utime("/tmp/orbit-hw", [0, 0]) = 0
15601 getuid32() = 500
15601 open("/dev/urandom", 0_RDONLY|0_LARGEFILE) = 9
15601 read(9, "C\27*\304#\f\236\301\245\37D\214\245\375\323?", 16) = 16
15601 close(9) = 0
15601 gettimeofday({1417188439, 384677}, NULL) = 0
15601 gettimeofday({1417188439, 384854}, NULL) = 0
15601 gettimeofday({1417188439, 384954}, NULL) = 0
15601 getuid32() = 500
15601 access("/home/hw", W_OK) = 0
15601 access("/home/hw/.gnome2", F_OK) = 0
15601 stat64("/home/hw/.gnome2", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15601 clock_getres(CLOCK_MONOTONIC, {0, 1}) = 0
15601 getresuid32([500], [500], [500]) = 0
15601 getresgid32([500], [500], [500]) = 0
15601 stat64("/home/hw/.gnome2/vfs/modules", 0x8c771ac) = -1 ENOENT (No such file or directory)
15601 stat64("/etc/gnome-vfs-2.0/modules", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 openat(AT_FDCWD, "/etc/gnome-vfs-2.0/modules", 0_RDONLY|0_NONBLOCK|0_LARGEFILE|0_DIRECTORY|0_CLOEXEC) =
9
15601 getdents64(9, /* 5 entries */, 32768) = 168
15601 getdents64(9, /* 0 entries */, 32768) = 0
15601 close(9) = 0
15601 open("/etc/gnome-vfs-2.0/modules/smb-module.conf", 0_RDONLY|0_LARGEFILE) = 9
15601 fstat64(9, {st_mode=S_IFREG|0644, st_size=153, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(9, "#\n# Module configuration file fo...", 4096) = 153
15601 read(9, "", 4096) = 0
15601 close(9) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/etc/gnome-vfs-2.0/modules/ssl-modules.conf", 0_RDONLY|0_LARGEFILE) = 9
15601 fstat64(9, {st_mode=S_IFREG|0644, st_size=12, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(9, "https: http\n", 4096) = 12
15601 read(9, "", 4096) = 0
15601 close(9) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/etc/gnome-vfs-2.0/modules/default-modules.conf", 0_RDONLY|0_LARGEFILE) = 9
```

```
15601 fstat64(9, {st_mode=S_IFREG|0644, st_size=358, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 read(9, "#\n# Module configuration file fo...", 4096) = 358
15601 read(9, "", 4096) = 0
15601 close(9) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 rt_sigaction(SIGPIPE, {SIG_IGN, [PIPE], SA_RESTART}, {SIG_IGN, [PIPE], SA_RESTART}, 8) = 0
15601 mkdir("/home/hw/.gnome2", 0700) = -1 EEXIST (File exists)
15601 mkdir("/home/hw/.gnome2_private", 0700) = -1 EEXIST (File exists)
15601 stat64("/home/hw/.gnome2_private/", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15601 mkdir("/home/hw/.gnome2/accels", 0700) = -1 EEXIST (File exists)
15601 open("/usr/share/locale/de_DE.UTF-8/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE.utf8/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de_DE/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.UTF-8/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de.utf8/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/locale/de/LC_MESSAGES/libbonobo-2.0.mo", O_RDONLY) = 9
15601 fstat64(9, {st_mode=S_IFREG|0644, st_size=10839, ...}) = 0
15601 mmap2(NULL, 10839, PROT_READ, MAP_PRIVATE, 9, 0) = 0xffffffff311c000
15601 close(9) = 0
15601 gettimeofday({1417188439, 388373}, NULL) = 0
15601 gettimeofday({1417188439, 388570}, NULL) = 0
15601 gettimeofday({1417188439, 388660}, NULL) = 0
15601 socket(PF_LOCAL, SOCK_STREAM, 0) = 9
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 connect(9, {sa_family=AF_LOCAL, sun_path="/tmp/.ICE-unix/3925"}, 22) = 0
15601 fcntl64(9, F_SETFD, FD_CLOEXEC) = 0
15601 write(9, "\0\1\0\0\0\0\0", 8) = 8
15601 read(9, "\0\1\0\1\0\0\0\0", 8) = 8
15601 access("/home/hw/.ICEauthority", R_OK) = 0
15601 open("/home/hw/.ICEauthority", O_RDONLY) = 10
15601 fstat64(10, {st_mode=S_IFREG|0600, st_size=27446, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 read(10, "\0\4XSMP\0\0\0#unix/localhost:/tmp/.I...", 4096) = 4096
15601 read(10, "\0\22MIT-MAGIC-COOKIE-1\0\20\320@\371X\22u\223\230\10\20"..., 4096) = 4096
15601 read(10, "\0\0\0$local/localhost:@/tmp/.ICE-u"..., 4096) = 4096
15601 read(10, "MAGIC-COOKIE-1\0\20e\342j\224\21\34\3\346\330\357\314\372\312#9\367"..., 4096) = 4096
15601 read(10, "l/localhost:@/tmp/.ICE-unix/1130"..., 4096) = 4096
15601 read(10, "-1\0\20fk\22\306\306\210\242\343\221\262!\2\225\274\243Z\0\4XSMP\0\0\0$lo"..., 4096) = 4096
15601 read(10, "host:/tmp/.ICE-unix/4116\0\22MIT-MA"..., 4096) = 2870
15601 read(10, "", 4096) = 0
15601 close(10) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 write(9, "\0\2\1\0\4\0\0\0\0\0\0\0\0\0\0\0\0\3\0MIT\0\0\0\3\0001.0\0\0\0"..., 40) = 40
15601 read(9, "\0\6\0\1\2\0\0\0", 8) = 8
15601 read(9, "\3\0MIT\0\0\0\3\0001.0\0\0\0", 16) = 16
15601 fcntl64(9, F_GETFD) = 0x1 (flags FD_CLOEXEC)
15601 fcntl64(9, F_SETFD, FD_CLOEXEC) = 0
15601 fstat64(9, {st_mode=S_IFSOCK|0777, st_size=0, ...}) = 0
15601 fcntl64(9, F_GETFL) = 0x2 (flags O_RDWR)
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 access("/home/hw/.ICEauthority", R_OK) = 0
15601 open("/home/hw/.ICEauthority", O_RDONLY) = 10
15601 fstat64(10, {st_mode=S_IFREG|0600, st_size=27446, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 read(10, "\0\4XSMP\0\0\0#unix/localhost:/tmp/.I...", 4096) = 4096
15601 read(10, "\0\22MIT-MAGIC-COOKIE-1\0\20\320@\371X\22u\223\230\10\20"..., 4096) = 4096
15601 read(10, "\0\0\0$local/localhost:@/tmp/.ICE-u"..., 4096) = 4096
15601 read(10, "MAGIC-COOKIE-1\0\20e\342j\224\21\34\3\346\330\357\314\372\312#9\367"..., 4096) = 4096
15601 read(10, "l/localhost:@/tmp/.ICE-unix/1130"..., 4096) = 4096
15601 read(10, "-1\0\20fk\22\306\306\210\242\343\221\262!\2\225\274\243Z\0\4XSMP\0\0\0$lo"..., 4096) = 4096
15601 read(10, "host:/tmp/.ICE-unix/4116\0\22MIT-MA"..., 4096) = 2870
15601 read(10, "", 4096) = 0
15601 close(10) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 write(9, "\0\7\1\0\5\0\0\0\1\0\0\0\0\0\0\0\4\0XSMP\0\0\3\0MIT\0\0\0"..., 48) = 48
15601 read(9, "\0\10\0\1\2\0\0\0", 8) = 8
15601 read(9, "\3\0KDE\0\0\0\3\0001.0\0\0\0", 16) = 16
15601 write(9, "\1\1\1\0\1\0\0\0\0\0\0\0\0\0\0\0", 16) = 16
15601 read(9, "\1\2\0\1\6\0\0\0", 8) = 8
```



```
msg_iov(2)=[{"\1\1\1B\0\0\0\4\0\0\0\177\0\0\0\1\1o\0\25\0\0\0/org/fre"... , 144}, {"=\0\0\0type='signal',interface='org"... , 66}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 210
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\1\1\0\0\0\5\0\0\0\177\0\0\0\1\1o\0\25\0\0\0/org/fre"... , 144}, {"#\0\0\0type='signal',member='Discon"... , 40}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 184
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 495407705}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\30\0\0\0\6\0\0\0\210\0\0\0\1\1o\0\25\0\0\0/org/fre"... , 152}, {"\17\0\0\0org.gnome.GConf\0\0\0\0", 24}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 176
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 495626611}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\2\1\1\4\0\0\0\3\0\0\0=\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 84
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8df98, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 495949419}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\0\0\0\0\7\0\0\0s\0\0\0\1\1o\0\27\0\0\0/org/gno"... , 136}, {"", 0}], msg_controllen=0,
msg_flags=0}, MSG_NOSIGNAL) = 136
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 496348750}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL, msg_iov(1)=[{"\2\2\1\1 \0\0\0\220\0\0\0.
\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0, msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC)
= 96
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e028, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 496679408}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\31\0\0\0\10\0\0\0\207\0\0\0\1\1o\0\33\0\0\0/org/gno"... , 152}, {"\24\0\0\0/desktop/gnome/sound\0", 25}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 177
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 497046833}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\2\1\1\0\0\0\0\222\0\0\0&\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 56
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e088, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 497432026}) = 0
15601 sendmsg(10, {msg_name(0)=NULL, msg_iov(2)=[{"\1\1\0\1,
\0\0\0\t\0\0\0\210\0\0\0\1\1o\0\33\0\0\0/org/gno"... , 152}, {"\24\0\0\0/desktop/gnome/sound\0\0\0\0\v\0\0\0"... , 44}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) =
196
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 497904838}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\2\1\1\0\2\0\0\223\0\0\00006\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 648
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e038, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 498514545}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\31\0\0\0\n\0\0\0\207\0\0\0\1\1o\0\33\0\0\0/org/gno"... , 152}, {"\24\0\0\0/desktop/gnome/sound\0", 25}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 177
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 498887926}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\2\1\1\0\0\0\0\225\0\0\0&\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 56
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e018, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 499217835}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\23\0\0\0\v\0\0\0\207\0\0\0\1\1o\0\33\0\0\0/org/gno"... , 152}, {"\16\0\0\0/desktop/gnome\0", 19}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 171
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 499563836}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\2\1\1\0\0\0\0\227\0\0\0&\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 56
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e048, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 500058829}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\37\0\0\0\f\0\0\0\207\0\0\0\1\1o\0\33\0\0\0/org/gno"... , 152}, {"\32\0\0\0/apps/gnome-
```

```
settings/Gecko\0", 31]], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 183
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 500380900}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\1\1\0\0\0\0\230\0\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 56
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8e048, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 500844519}) = 0
15601 sendmsg(10, {msg_name(0)=NULL,
msg_iov(2)=[{"\1\1\0\1\0\0\0\0\0\0\211\0\0\0\1\1\0\0\33\0\0\0/org/gno"... , 160},
{"&\0\0\0/desktop/gnome/interface/acc"... , 64}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 224
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 501231872}) = 0
15601 poll([{fd=10, events=POLLIN}], 1, 25000) = 1 ([{fd=10, revents=POLLIN}])
15601 recvmsg(10, {msg_name(0)=NULL,
msg_iov(1)=[{"\2\1\1x\0\0\0\231\0\0\0>\0\0\0\6\1s\0\7\0\0\0:1.1209\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 200
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(10, 0xffa8dfa8, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 access("/opt/zimbra/zdesktop/linux/prism/updates/0", F_OK) = -1 ENOENT (No such file or directory)
15601 lstat64("/home", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/home/hw", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 lstat64("/home/hw/zdesktop", {st_mode=S_IFDIR|0700, st_size=4096, ...}) = 0
15601 lstat64("/home/hw/zdesktop/profile", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 access("/home/hw/zdesktop/profile", F_OK) = 0
15601 stat64("/home/hw/zdesktop/profile", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 open("/usr/lib/gconv/UTF-16.so", O_RDONLY|O_CLOEXEC) = 11
15601 read(11, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\240\4\0\0004\0\0\0"... , 512) = 512
15601 fstat64(11, {st_mode=S_IFREG|0755, st_size=10480, ...}) = 0
15601 mmap2(NULL, 12332, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 11, 0) = 0xfffffffff2f54000
15601 mmap2(0xf2f56000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 11, 0x1000) =
0xfffffffff2f56000
15601 close(11) = 0
15601 mprotect(0xf2f56000, 4096, PROT_READ) = 0
15601 open("/home/hw/zdesktop/profile/.parentlock", O_WRONLY|O_CREAT|O_TRUNC, 0666) = 11
15601 fcntl64(11, F_GETLK, {type=F_UNLCK, whence=SEEK_SET, start=0, len=0, pid=18446744073703842788}) = 0
15601 fcntl64(11, F_SETLK, {type=F_WRLCK, whence=SEEK_SET, start=0, len=0}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 open("/etc/resolv.conf", O_RDONLY|O_CLOEXEC) = 12
15601 fstat64(12, {st_mode=S_IFREG|0644, st_size=193, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(12, "# Dynamic resolv.conf(5) file fo"... , 4096) = 193
15601 read(12, "", 4096) = 0
15601 close(12) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 socket(PF_LOCAL, SOCK_STREAM|SOCK_CLOEXEC|SOCK_NONBLOCK, 0) = 12
15601 connect(12, {sa_family=AF_LOCAL, sun_path="/var/run/nscd/socket"}, 110) = -1 ENOENT (No such file or
directory)
15601 close(12) = 0
15601 socket(PF_LOCAL, SOCK_STREAM|SOCK_CLOEXEC|SOCK_NONBLOCK, 0) = 12
15601 connect(12, {sa_family=AF_LOCAL, sun_path="/var/run/nscd/socket"}, 110) = -1 ENOENT (No such file or
directory)
15601 close(12) = 0
15601 open("/etc/ld.so.cache", O_RDONLY|O_CLOEXEC) = 12
15601 fstat64(12, {st_mode=S_IFREG|0644, st_size=167553, ...}) = 0
15601 mmap2(NULL, 167553, PROT_READ, MAP_PRIVATE, 12, 0) = 0xfffffffff291d000
15601 close(12) = 0
15601 open("/lib/libnss_mdns4_minimal.so.2", O_RDONLY|O_CLOEXEC) = 12
15601 read(12, "\177ELF\1\1\1\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\240\10\0\0004\0\0\0"... , 512) = 512
15601 fstat64(12, {st_mode=S_IFREG|0755, st_size=10620, ...}) = 0
15601 mmap2(NULL, 12400, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 12, 0) = 0xfffffffff2f50000
15601 mmap2(0xf2f52000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 12, 0x1000) =
0xfffffffff2f52000
15601 close(12) = 0
15601 mprotect(0xf2f52000, 4096, PROT_READ) = 0
15601 munmap(0xf291d000, 167553) = 0
15601 open("/etc/host.conf", O_RDONLY|O_CLOEXEC) = 12
15601 fstat64(12, {st_mode=S_IFREG|0644, st_size=51, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(12, "order hosts,bind\nmulti on\nnospo"... , 4096) = 51
15601 read(12, "", 4096) = 0
15601 close(12) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 futex(0xf7585fa4, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 open("/etc/hosts", O_RDONLY|O_CLOEXEC) = 12
```

```
15601 fstat64(12, {st_mode=S_IFREG|0644, st_size=34, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(12, "127.0.0.1", localhos..., 4096) = 34
15601 read(12, "", 4096) = 0
15601 close(12) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 symlink("127.0.0.1:+15601", "/home/hw/zdesktop/profile/lock") = -1 EEXIST (File exists)
15601 readlink("/home/hw/zdesktop/profile/lock", "127.0.0.1:+12463", 1023) = 16
15601 unlink("/home/hw/zdesktop/profile/lock") = 0
15601 symlink("127.0.0.1:+15601", "/home/hw/zdesktop/profile/lock") = 0
15601 rt_sigaction(SIGHUP, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGHUP, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGINT, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGINT, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGQUIT, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGQUIT, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGILL, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGILL, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGABRT, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGABRT, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGSEGV, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGSEGV, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGTERM, NULL, {SIG_DFL, [], 0}, 8) = 0
15601 rt_sigaction(SIGTERM, {0xf643a2a6, ~[RTMIN RT_1], SA_SIGINFO}, {SIG_DFL, [], 0}, 8) = 0
15601 access("/home/hw/zdesktop/profile", F_OK) = 0
15601 access("/home/hw/zdesktop/profile", F_OK) = 0
15601 open("/home/hw/zdesktop/profile/compatibility.ini", O_RDONLY) = 12
15601 fstat64(12, {st_mode=S_IFREG|0600, st_size=192, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 fstat64(12, {st_mode=S_IFREG|0600, st_size=192, ...}) = 0
15601 _llseek(12, 0, [0], SEEK_SET) = 0
15601 read(12, "[Compatibility]\nLastVersion=1.0b"..., 192) = 192
15601 _llseek(12, 192, [192], SEEK_SET) = 0
15601 close(12) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 access("/home/hw/zdesktop/profile/.autoreg", F_OK) = -1 ENOENT (No such file or directory)
15601 mmap2(NULL, 8392704, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) = 0xfffffffff2145000
15601 mprotect(0xf2145000, 4096, PROT_NONE) = 0
15601 clone(child_stack=0xf2945424, flags=CLONE_VM|CLONE_FS|CLONE_FILES|CLONE_SIGHAND|CLONE_THREAD|CLONE_SYSVSEM|CLONE_SETTLS|CLONE_PARENT_SETTID|CLONE_CHILD_CLEARPID, parent_tidptr=0xf2945ba8, tls=0xf2945ba8, child_tidptr=0xffa8e2a0) = 15607
15601 gettimeofday({1417188439, 416862}, {4294967236, 0}) = 0
15601 gettimeofday({1417188439, 416918}, {4294967236, 0}) = 0
15601 futex(0xffa8e30c, FUTEX_WAIT_PRIVATE, 1, NULL <unfinished ...>
15607 set_robust_list(0xf2945bb0, 12) = 0
15607 mmap2(NULL, 2097152, PROT_NONE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_NORESERVE, -1, 0) = 0xfffffffff1f45000
15607 munmap(0xf1f45000, 765952) = 0
15607 munmap(0xf2100000, 282624) = 0
15607 mprotect(0xf2000000, 135168, PROT_READ|PROT_WRITE) = 0
15607 clock_gettime(CLOCK_MONOTONIC, {29645, 512937755}) = 0
15607 clock_gettime(CLOCK_MONOTONIC, {29645, 512986264}) = 0
15607 getrlimit(RLIMIT_NOFILE, {rlim_cur=1024, rlim_max=4*1024}) = 0
15607 epoll_create(1023) = 12
15607 fcntl64(12, F_SETFD, FD_CLOEXEC) = 0
15607 socketpair(PF_LOCAL, SOCK_STREAM, 0, [13, 14]) = 0
15607 fcntl64(13, F_SETFD, FD_CLOEXEC) = 0
15607 fcntl64(14, F_SETFD, FD_CLOEXEC) = 0
15607 fcntl64(13, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
15607 pipe([15, 16]) = 0
15607 fcntl64(15, F_GETFL) = 0 (flags O_RDONLY)
15607 fcntl64(15, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
15607 fcntl64(16, F_GETFL) = 0x1 (flags O_WRONLY)
15607 fcntl64(16, F_SETFL, O_WRONLY|O_NONBLOCK) = 0
15607 epoll_ctl(12, EPOLL_CTL_ADD, 15, {EPOLLIN, {u32=4060102928, u64=4060102928}}) = 0
15607 gettid() = 15607
15607 futex(0xffa8e30c, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0xffa8e33c, 2 <unfinished ...>
15601 <... futex resumed> ) = 0
15601 gettimeofday({1417188439, 420260}, {4294967236, 0}) = 0
15601 futex(0xffa8e33c, FUTEX_WAKE_PRIVATE, 1) = 0
15601 futex(0x8c93464, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15607 <... futex resumed> ) = 1
15607 futex(0x8c93464, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15601 <... futex resumed> ) = 0
15601 futex(0x8c93464, FUTEX_WAKE_PRIVATE, 1) = 0
```

```
15601 brk(0x8cb5000) = 0x8cb5000
15601 stat64("/opt/zimbra/zdesktop/linux/prism", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 brk(0x8cd6000) = 0x8cd6000
15601 access("/opt/zimbra/zdesktop/linux/prism/platform/Linux", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/platform/Linux_x86-gcc3", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/distribution/bundles", F_OK) = -1 ENOENT (No such file or directory)
15601 open("/home/hw/zdesktop/profile/extensions.ini", O_RDONLY) = 17
15601 fstat64(17, {st_mode=S_IFREG|0644, st_size=100, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff771a000
15601 fstat64(17, {st_mode=S_IFREG|0644, st_size=100, ...}) = 0
15601 _llseek(17, 0, [0], SEEK_SET) = 0
15601 read(17, "[ExtensionDirs]\r\nExtension0=/hom...", 100) = 100
15601 _llseek(17, 100, [100], SEEK_SET) = 0
15601 close(17) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/platform/Linux", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/platform/Linux_x86-gcc3", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/components", F_OK) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/zdesktop/profile/xpti.dat", {st_mode=S_IFREG|0644, st_size=106382, ...}) = 0
15601 brk(0x8cf9000) = 0x8cf9000
15601 open("/home/hw/zdesktop/profile/xpti.dat", O_RDONLY|O_LARGEFILE) = 17
15601 read(17, "# Generated file. ** DO NOT EDIT"... , 106382) = 106382
15601 close(17) = 0
15607 <... futex resumed> ) = 1
15607 clock_gettime(CLOCK_MONOTONIC, {29645, 521079425}) = 0
15607 epoll_wait(12, <unfinished ...>
15601 stat64("/home/hw/zdesktop/profile/compreg.dat", {st_mode=S_IFREG|0644, st_size=142693, ...}) = 0
15601 gettimeofday({1417188439, 426708}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/.autoreg", 0xffa8e330) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/.autoreg", {st_mode=S_IFREG|0664, st_size=0, ...}) = 0
15601 open("/home/hw/zdesktop/profile/compreg.dat", O_RDONLY|O_LARGEFILE) = 17
15601 stat64("/home/hw/zdesktop/profile/compreg.dat", {st_mode=S_IFREG|0644, st_size=142693, ...}) = 0
15601 mmap2(NULL, 143360, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff2122000
15601 read(17, "Generated File. Do not edit.\n\n[H"... , 142693) = 142693
15601 close(17) = 0
15601 munmap(0xf2122000, 143360) = 0
15601 pipe([17, 18]) = 0
15601 fcntl64(17, F_GETFL) = 0 (flags O_RDONLY)
15601 fcntl64(17, F_SETFL, O_RDONLY|O_NONBLOCK) = 0
15601 fcntl64(18, F_GETFL) = 0x1 (flags O_WRONLY)
15601 fcntl64(18, F_SETFL, O_WRONLY|O_NONBLOCK) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 mmap2(NULL, 8392704, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) = 0xffffffff17ff000
15601 mprotect(0xf17ff000, 4096, PROT_NONE) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 clone(child_stack=0xf1fff424, flags=CLONE_VM|CLONE_FS|CLONE_FILES|CLONE_SIGHAND|CLONE_THREAD|CLONE_SYSVSEM|CLONE_SETTLS|CLONE_PARENT_SETTID|CLONE_CHILD_CLEARTID, parent_tidptr=0xf1fffb8, tls=0xf1fffb8, child_tidptr=0xffa8dd20) = 15608
15601 sched_setscheduler(15608, SCHED_OTHER, { 0 }) = 0
15601 futex(0x8cf1a68, FUTEX_WAIT_PRIVATE, 1, NULL <unfinished ...>
15608 set_robust_list(0xf1fffb0, 12) = 0
15608 mmap2(NULL, 2097152, PROT_NONE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_NORESERVE, -1, 0) = 0xffffffff15ff000
15608 munmap(0xf15ff000, 4096) = 0
15608 munmap(0xf1700000, 1044480) = 0
15608 mprotect(0xf1600000, 135168, PROT_READ|PROT_WRITE) = 0
15608 futex(0x8cf1a68, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8cf1a64, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1} <unfinished ...>
15601 <... futex resumed> ) = 0
15601 futex(0x8cf1aa4, FUTEX_WAKE_PRIVATE, 1) = 0
15601 brk(0x8d1d000) = 0x8d1d000
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs", O_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 19
15601 getdents(19, /* 1 entries */, 32768) = 108
15601 getdents(19, /* 0 entries */, 32768) = 0
15601 close(19) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/xpinstall.js", O_RDONLY|O_LARGEFILE) = 19
```



```
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/xpinstall.js", {st_mode=S_IFREG|0664,
st_size=83, ...}) = 0
15601 read(19, "pref(\"xpinstall.enabled\",      \"...\", 83) = 83
15601 read(19, \"\", 83) = 0
15601 close(19) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/security-prefs.js", 0_RDONLY|O_LARGEFILE) =
19
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/security-prefs.js", {st_mode=S_IFREG|0664,
st_size=3909, ...}) = 0
15601 read(19, "pref(\"general.useragent.security\"..., 3909) = 3909
15601 read(19, \"\", 3909) = 0
15601 close(19) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/all.js", 0_RDONLY|O_LARGEFILE) = 19
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/greprefs/all.js", {st_mode=S_IFREG|0664,
st_size=72360, ...}) = 0
15601 read(19, "/* -*- Mode: Java; tab-width: 4;\"..., 72360) = 72360
15601 read(19, \"\", 72360) = 0
15601 close(19) = 0
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/xulrunner/defaults/pref", 0_RDONLY|O_NONBLOCK|
O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 19
15601 getdents(19, /* 1 entries */, 32768) = 56
15601 getdents(19, /* 0 entries */, 32768) = 0
15601 close(19) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/defaults/pref/xulrunner.js", 0_RDONLY|O_LARGEFILE) =
19
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/defaults/pref/xulrunner.js", {st_mode=S_IFREG|0664,
st_size=3825, ...}) = 0
15601 read(19, "/* ***** BEGIN LICENSE BLOCK ***\"..., 3825) = 3825
15601 read(19, \"\", 3825) = 0
15601 close(19) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/defaults/preferences", F_OK) = 0
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/defaults/preferences", 0_RDONLY|O_NONBLOCK|
O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 19
15601 getdents(19, /* 1 entries */, 32768) = 60
15601 getdents(19, /* 0 entries */, 32768) = 0
15601 close(19) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/defaults/preferences/preferences.js", 0_RDONLY|O_LARGEFILE) = 19
15601 stat64("/opt/zimbra/zdesktop/linux/prism/defaults/preferences/preferences.js", {st_mode=S_IFREG|0664,
st_size=8018, ...}) = 0
15601 read(19, "//@line 2 \"/home/hudson/workdir/\"..., 8018) = 8018
15601 read(19, \"\", 8018) = 0
15601 close(19) = 0
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/defaults/preferences", F_OK) = -1
ENOENT (No such file or directory)
15601 access("/home/hw/zdesktop/profile/preferences", F_OK) = -1 ENOENT (No such file or directory)
15601 gettimeofday({1417188439, 433818}, NULL) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/libdbuservice.so", 0_RDONLY|O_CLOEXEC) =
19
15601 read(19, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\23\0\0004\0\0\0\"..., 512) = 512
15601 fstat64(19, {st_mode=S_IFREG|0664, st_size=26372, ...}) = 0
15601 mmap2(NULL, 28608, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 19, 0) = 0xfffffffff2f49000
15601 mmap2(0xf2f4f000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 19, 0x5000) =
0xfffffffff2f4f000
15601 close(19) = 0
15601 socket(PF_LOCAL, SOCK_STREAM|SOCK_CLOEXEC, 0 <unfinished ...>
15608 <... futex resumed> ) = 1
15608 gettimeofday({1417188439, 435430}, NULL) = 0
15608 gettimeofday({1417188439, 435475}, NULL) = 0
15608 poll([{fd=17, events=POLLIN}], 1, 0) = 0 (Timeout)
15608 gettimeofday({1417188439, 435572}, NULL) = 0
15608 gettimeofday({1417188439, 435620}, NULL) = 0
15608 poll([{fd=17, events=POLLIN}], 1, 0) = 0 (Timeout)
15608 gettimeofday({1417188439, 435709}, NULL) = 0
15608 gettimeofday({1417188439, 435753}, NULL) = 0
15608 poll([{fd=17, events=POLLIN}], 1, 4294967295 <unfinished ...>
15601 <... socket resumed> ) = 19
15601 connect(19, {sa_family=AF_LOCAL, sun_path="/var/run/dbus/system_bus_socket"}, 33) = 0
15601 fcntl64(19, F_GETFL) = 0x2 (flags O_RDWR)
15601 fcntl64(19, F_SETFL, O_RDWR|O_NONBLOCK) = 0
15601 geteuid32() = 500
15601 getsockname(19, {sa_family=AF_LOCAL, NULL}, [2]) = 0
15601 poll([{fd=19, events=POLLOUT}], 1, 0) = 1 ([{fd=19, revents=POLLOUT}])
15601 send(19, "\0", 1, MSG_NOSIGNAL) = 1
15601 send(19, "AUTH EXTERNAL 353030\r\n", 22, MSG_NOSIGNAL) = 22
15601 poll([{fd=19, events=POLLIN}], 1, 4294967295) = 1 ([{fd=19, revents=POLLIN}])
```

```
15601 read(19, "OK f41097b7030c3aeaf7fbd29f54782"... , 2048) = 37
15601 poll([{fd=19, events=POLLOUT}], 1, 4294967295) = 1 ([{fd=19, revents=POLLOUT}])
15601 send(19, "NEGOTIATE_UNIX_FD\r\n", 19, MSG_NOSIGNAL) = 19
15601 poll([{fd=19, events=POLLIN}], 1, 4294967295) = 1 ([{fd=19, revents=POLLIN}])
15601 read(19, "AGREE_UNIX_FD\r\n", 2048) = 15
15601 poll([{fd=19, events=POLLOUT}], 1, 4294967295) = 1 ([{fd=19, revents=POLLOUT}])
15601 send(19, "BEGIN\r\n", 7, MSG_NOSIGNAL) = 7
15601 poll([{fd=19, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=19, revents=POLLOUT}])
15601 sendmsg(19, {msg_name(0)=NULL,
msg_iov(2)=[{"\l\1\0\1\0\0\0\0\1\0\0\0n\0\0\0\1\1o\0\25\0\0\0/org/fre"... , 128}, {"", 0}], msg_controllen=0,
msg_flags=0}, MSG_NOSIGNAL) = 128
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 535307583}) = 0
15601 poll([{fd=19, events=POLLIN}], 1, 25000) = 1 ([{fd=19, revents=POLLIN}])
15601 recvmsg(19, {msg_name(0)=NULL,
msg_iov(1)=[{"\l\2\1\1\0\0\0\0\1\0\0\0=\0\0\0\6\1s\0\6\0\0\0:1.241\0\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 262
15601 recvmsg(19, 0xffa8db58, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 fstat64(19, {st_mode=S_IFSOCK|0777, st_size=0, ...}) = 0
15601 fcntl64(19, F_GETFL) = 0x802 (flags O_RDWR|O_NONBLOCK)
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 535863869}) = 0
15601 sendmsg(19, {msg_name(0)=NULL,
msg_iov(2)=[{"\l\1\0\1\214\0\0\0\2\0\0\0\177\0\0\0\1\1o\0\25\0\0\0/org/fre"... , 144},
{"\207\0\0\0type='signal',interface='org'"... , 140}], msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 284
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 536159943}) = 0
15601 poll([{fd=19, events=POLLIN}], 1, 25000) = 1 ([{fd=19, revents=POLLIN}])
15601 recvmsg(19, {msg_name(0)=NULL,
msg_iov(1)=[{"\l\2\1\1\0\0\0\0\3\0\0\0005\0\0\0\6\1s\0\6\0\0\0:1.241\0\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 72
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 recvmsg(19, 0xffa8db98, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 536477220}) = 0
15601 sendmsg(19, {msg_name(0)=NULL,
msg_iov(2)=[{"\l\1\0\1\0\0\0\0\3\0\0\0\206\0\0\0\1\1o\0\37\0\0\0/org/fre"... , 152}, {"", 0}],
msg_controllen=0, msg_flags=0}, MSG_NOSIGNAL) = 152
15601 stat64("/opt/zimbra/zdesktop/linux/prism", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/app-chrome.manifest", F_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/chrome.manifest", F_OK) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome", {st_mode=S_IFDIR|0775, st_size=4096, ...})
= 0
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome", O_RDONLY|O_NONBLOCK|O_LARGEFILE|
O_DIRECTORY|O_CLOEXEC) = 20
15601 getdents(20, /* 2 entries */, 32768) = 1140
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pl.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pl.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 mmap2(NULL, 8392704, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) =
0xfffffffff0dff000
15601 mprotect(0xf0dff000, 4096, PROT_NONE) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 clone(child_stack=0xf15ff424, flags=CLONE_VM|CLONE_FS|CLONE_FILES|CLONE_SIGHAND|CLONE_THREAD|
CLONE_SYSVSEM|CLONE_SETTLS|CLONE_PARENT_SETTID|CLONE_CHILD_CLEARPID, parent_tidptr=0xf15ffba8,
tls=0xf15ffba8, child_tidptr=0xffa8d820) = 15609
15601 sched_setscheduler(15609, SCHED_OTHER, { 0 }) = 0
15601 brk(0x8d3e000) = 0x8d3e000
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 mmap2(NULL, 8392704, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) =
0xfffffffff05fe000
15601 mprotect(0xf05fe000, 4096, PROT_NONE) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 clone(child_stack=0xf0dfe424, flags=CLONE_VM|CLONE_FS|CLONE_FILES|CLONE_SIGHAND|CLONE_THREAD|
CLONE_SYSVSEM|CLONE_SETTLS|CLONE_PARENT_SETTID|CLONE_CHILD_CLEARPID, parent_tidptr=0xf0dfeba8,
tls=0xf0dfeba8, child_tidptr=0xffa8d880) = 15610
```

```
15601 sched_setscheduler(15610, SCHED_OTHER, { 0 }) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 278
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "skin global classic/1.0 classic/"..., 278) = 278
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic.manifest", {st_mode=S_IFREG|0664,
st_size=278, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/fr.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/fr.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/zh-CN.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1251
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1251) = 1251
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/zh-CN.manifest", {st_mode=S_IFREG|0664,
st_size=1251, ...}) = 0
15610 set_robust_list(0xf0dfebb0, 12) = 0
15610 gettimeofday({1417188439, 449175}, NULL) = 0
15610 futex(0x8d1c520, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 1, {1417188440, 449175000}, ffffffff
<unfinished ...>
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-GB.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1251
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1251) = 1251
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-GB.manifest", {st_mode=S_IFREG|0664,
st_size=1251, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/es-ES.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1251
15601 lseek(21, 0, SEEK_SET) = 0
15609 set_robust_list(0xf15ffbb0, 12 <unfinished ...>
15601 read(21, <unfinished ...>
15609 <... set_robust_list resumed> ) = 0
15609 futex(0x8d1c268, FUTEX_WAIT_PRIVATE, 1, NULL <unfinished ...>
15601 <... read resumed> "override chrome://global/locale/"..., 1251) = 1251
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/es-ES.manifest", {st_mode=S_IFREG|0664,
st_size=1251, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ru.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ru.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ja.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ja.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/nl.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"..., 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/nl.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pippki.manifest", O_RDONLY|O_LARGEFILE) = 21
```

```
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 60
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "content pippki pippki/content/pi"... , 60) = 60
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pippki.manifest", {st_mode=S_IFREG|0664,
st_size=60, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/it.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/it.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/de.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/de.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pt-BR.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1251
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1251) = 1251
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pt-BR.manifest", {st_mode=S_IFREG|0664,
st_size=1251, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/sv.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/sv.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 515
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "resource gre-resources resource:"... , 515) = 515
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit.manifest", {st_mode=S_IFREG|0664,
st_size=515, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ko.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/ko.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 brk(0x8d5f000) = 0x8d5f000
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/xslt-qa.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 141
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "overlay chrome://communicator/co"... , 141) = 141
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/xslt-qa.manifest", {st_mode=S_IFREG|0664,
st_size=141, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 614
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "locale global-platform en-US en-"... , 614) = 614
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US.manifest", {st_mode=S_IFREG|0664,
st_size=614, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/comm.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 126
```

```
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "content xbl-marquee comm/content"... , 126) = 126
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/comm.manifest", {st_mode=S_IFREG|0664,
st_size=126, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pageloader.manifest", O_RDONLY|O_LARGEFILE) =
21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 39
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "content pageloader pageloader/co"... , 39) = 39
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/pageloader.manifest", {st_mode=S_IFREG|0664,
st_size=39, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/zh-HK.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1251
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1251) = 1251
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/zh-HK.manifest", {st_mode=S_IFREG|0664,
st_size=1251, ...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/da.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1116
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "override chrome://global/locale/"... , 1116) = 1116
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/da.manifest", {st_mode=S_IFREG|0664,
st_size=1116, ...}) = 0
15601 close(21) = 0
15601 getdents(20, /* 0 entries */, 32768) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/reftest.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 33
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "content reftest reftest/content/"... , 33) = 33
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/reftest.manifest", {st_mode=S_IFREG|0664,
st_size=33, ...}) = 0
15601 close(21) = 0
15601 close(20) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/chrome", O_RDONLY|O_NONBLOCK|O_LARGEFILE|
O_DIRECTORY|O_CLOEXEC) = 20
15601 getdents(20, /* 1 entries */, 32768) = 560
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/classic.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 103
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "skin browser classic/1.0 classic"... , 103) = 103
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic.manifest", {st_mode=S_IFREG|0664, st_size=103,
...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/newapp.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 31
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "content newapp newapp/content/\n", 31) = 31
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/newapp.manifest", {st_mode=S_IFREG|0664, st_size=31,
...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/chrome.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 1571
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "locale webrunner en-US en-US/\nlo"... , 1571) = 1571
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/chrome.manifest", {st_mode=S_IFREG|0664, st_size=1571,
...}) = 0
15601 close(21) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/en-US.manifest", O_RDONLY|O_LARGEFILE) = 21
15601 lseek(21, 0, SEEK_CUR) = 0
15601 lseek(21, 0, SEEK_END) = 287
15601 lseek(21, 0, SEEK_SET) = 0
15601 read(21, "locale webrunner en-US en-US/\nlo"... , 287) = 287
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/en-US.manifest", {st_mode=S_IFREG|0664, st_size=287,
...}) = 0
```



```
15601 read(22, "", 4096) = 0
15601 close(22) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 open("/etc/pango/pangorc", 0_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/charset.alias", 0_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/home/hw/.config/pango/pangorc", 0_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/usr/lib/pango/1.8.0/modules.cache", 0_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/etc/pango/i386/pango.modules", 0_RDONLY) = 22
15601 fstat64(22, {st_mode=S_IFREG|0644, st_size=1615, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff771a000
15601 read(22, "# Pango Modules file\n# Automatic"..., 4096) = 1615
15601 read(22, "", 4096) = 0
15601 read(22, "", 4096) = 0
15601 close(22) = 0
15601 munmap(0xf771a000, 4096) = 0
15601 time(NULL) = 1417188439
15601 access("/etc/fonts/fonts.conf", R_OK) = 0
15601 stat64("/etc/fonts/fonts.conf", {st_mode=S_IFREG|0644, st_size=5553, ...}) = 0
15601 open("/etc/fonts/fonts.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 futex(0x4686c704, FUTEX_WAKE_PRIVATE, 2147483647) = 0
15601 read(22, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 5553
15601 access("/etc/fonts/conf.d", R_OK) = 0
15601 stat64("/etc/fonts/conf.d", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 openat(AT_FDCWD, "/etc/fonts/conf.d", 0_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 23
15601 getdents64(23, /* 43 entries */, 32768) = 1984
15601 getdents64(23, /* 0 entries */, 32768) = 0
15601 access("/etc/fonts/conf.d/00-cache.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/00-cache.conf", {st_mode=S_IFREG|0644, st_size=221, ...}) = 0
15601 open("/etc/fonts/conf.d/00-cache.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 221
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/10-scale-bitmap-fonts.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/10-scale-bitmap-fonts.conf", {st_mode=S_IFREG|0644, st_size=1952, ...}) = 0
15601 open("/etc/fonts/conf.d/10-scale-bitmap-fonts.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1952
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/20-mdv-disable-antialias.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/20-mdv-disable-antialias.conf", {st_mode=S_IFREG|0644, st_size=1334, ...}) = 0
15601 open("/etc/fonts/conf.d/20-mdv-disable-antialias.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1334
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/20-unhint-small-dejavu-sans-mono.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/20-unhint-small-dejavu-sans-mono.conf", {st_mode=S_IFREG|0644, st_size=866, ...}) = 0
15601 open("/etc/fonts/conf.d/20-unhint-small-dejavu-sans-mono.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 866
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/20-unhint-small-dejavu-sans.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/20-unhint-small-dejavu-sans.conf", {st_mode=S_IFREG|0644, st_size=856, ...}) = 0
15601 open("/etc/fonts/conf.d/20-unhint-small-dejavu-sans.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 856
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/20-unhint-small-dejavu-serif.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/20-unhint-small-dejavu-serif.conf", {st_mode=S_IFREG|0644, st_size=858, ...}) = 0
15601 open("/etc/fonts/conf.d/20-unhint-small-dejavu-serif.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 858
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/20-unhint-small-vera.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/20-unhint-small-vera.conf", {st_mode=S_IFREG|0644, st_size=1259, ...}) = 0
15601 open("/etc/fonts/conf.d/20-unhint-small-vera.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1259
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/25-no-bitmap-fedora.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/25-no-bitmap-fedora.conf", {st_mode=S_IFREG|0644, st_size=1160, ...}) = 0
15601 open("/etc/fonts/conf.d/25-no-bitmap-fedora.conf", 0_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
```

```
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 1160
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/25-unhint-nonlatin.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/25-unhint-nonlatin.conf\", {st_mode=S_IFREG|0644, st_size=3256, ...}) = 0
15601 open(\"/etc/fonts/conf.d/25-unhint-nonlatin.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 3256
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/26-mdv-no-embeddedbitmap.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/26-mdv-no-embeddedbitmap.conf\", {st_mode=S_IFREG|0644, st_size=457, ...}) = 0
15601 open(\"/etc/fonts/conf.d/26-mdv-no-embeddedbitmap.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 457
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-0-google-crosextra-caladea-fontconfig.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-0-google-crosextra-caladea-fontconfig.conf\", {st_mode=S_IFREG|0644, st_size=470, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-0-google-crosextra-caladea-fontconfig.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"..., 8192) = 470
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-0-google-crosextra-carlito-fontconfig.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-0-google-crosextra-carlito-fontconfig.conf\", {st_mode=S_IFREG|0644, st_size=470, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-0-google-crosextra-carlito-fontconfig.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"..., 8192) = 470
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-mdv-avoid-bitmap.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-mdv-avoid-bitmap.conf\", {st_mode=S_IFREG|0644, st_size=3946, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-mdv-avoid-bitmap.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 3946
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-mdv-urwfonts.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-mdv-urwfonts.conf\", {st_mode=S_IFREG|0644, st_size=2473, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-mdv-urwfonts.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 2473
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-metric-aliases.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-metric-aliases.conf\", {st_mode=S_IFREG|0644, st_size=10436, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-metric-aliases.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 8192
15601 read(24, "\\t<alias binding=\"same\">\n\t <fami\"..., 8192) = 2244
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/30-urw-aliases.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/30-urw-aliases.conf\", {st_mode=S_IFREG|0644, st_size=701, ...}) = 0
15601 open(\"/etc/fonts/conf.d/30-urw-aliases.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 701
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/31-cantarell.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/31-cantarell.conf\", {st_mode=S_IFREG|0644, st_size=440, ...}) = 0
15601 open(\"/etc/fonts/conf.d/31-cantarell.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"..., 8192) = 440
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/40-nonlatin.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/40-nonlatin.conf\", {st_mode=S_IFREG|0644, st_size=5182, ...}) = 0
15601 open(\"/etc/fonts/conf.d/40-nonlatin.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 5182
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/45-latin.conf\", R_OK) = 0
15601 stat64(\"/etc/fonts/conf.d/45-latin.conf\", {st_mode=S_IFREG|0644, st_size=4324, ...}) = 0
15601 open(\"/etc/fonts/conf.d/45-latin.conf\", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"..., 8192) = 4324
15601 read(24, \"\", 8192) = 0
15601 close(24) = 0
15601 access(\"/etc/fonts/conf.d/49-sansserif.conf\", R_OK) = 0
```

```
15601 stat64("/etc/fonts/conf.d/49-sansserif.conf", {st_mode=S_IFREG|0644, st_size=545, ...}) = 0
15601 open("/etc/fonts/conf.d/49-sansserif.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 545
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/50-user.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/50-user.conf", {st_mode=S_IFREG|0644, st_size=673, ...}) = 0
15601 open("/etc/fonts/conf.d/50-user.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 673
15601 stat64("/home/hw/.config/fontconfig/conf.d", 0xffa84ec0) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.config/fontconfig/conf.d", 0xffa84ec0) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.config/fontconfig/conf.d", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.config/fontconfig/conf.d", R_OK) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.config/fontconfig/fonts.conf", 0xffa84ec0) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.config/fontconfig/fonts.conf", 0xffa84ec0) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.config/fontconfig/fonts.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.config/fontconfig/fonts.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.fonts.conf.d", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.fonts.conf.d", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.fonts.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/.fonts.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/51-local.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/51-local.conf", {st_mode=S_IFREG|0644, st_size=189, ...}) = 0
15601 open("/etc/fonts/conf.d/51-local.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 189
15601 access("/etc/fonts/local.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 access("/etc/fonts/local.conf", R_OK) = -1 ENOENT (No such file or directory)
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/57-dejavu-sans-mono.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/57-dejavu-sans-mono.conf", {st_mode=S_IFREG|0644, st_size=1509, ...}) = 0
15601 open("/etc/fonts/conf.d/57-dejavu-sans-mono.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...\", 8192) = 1509
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/57-dejavu-sans.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/57-dejavu-sans.conf", {st_mode=S_IFREG|0644, st_size=2011, ...}) = 0
15601 open("/etc/fonts/conf.d/57-dejavu-sans.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...\", 8192) = 2011
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/57-dejavu-serif.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/57-dejavu-serif.conf", {st_mode=S_IFREG|0644, st_size=1649, ...}) = 0
15601 open("/etc/fonts/conf.d/57-dejavu-serif.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...\", 8192) = 1649
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/59-liberation-mono.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/59-liberation-mono.conf", {st_mode=S_IFREG|0644, st_size=1042, ...}) = 0
15601 open("/etc/fonts/conf.d/59-liberation-mono.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1042
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/59-liberation-sans.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/59-liberation-sans.conf", {st_mode=S_IFREG|0644, st_size=330, ...}) = 0
15601 open("/etc/fonts/conf.d/59-liberation-sans.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 330
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/59-liberation-serif.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/59-liberation-serif.conf", {st_mode=S_IFREG|0644, st_size=344, ...}) = 0
15601 open("/etc/fonts/conf.d/59-liberation-serif.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 344
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/60-latin.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/60-latin.conf", {st_mode=S_IFREG|0644, st_size=1705, ...}) = 0
15601 open("/etc/fonts/conf.d/60-latin.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1705
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/62-google-crosextra-caladea-fontconfig.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/62-google-crosextra-caladea-fontconfig.conf", {st_mode=S_IFREG|0644,
```

```
st size=419, ...) = 0
15601 open("/etc/fonts/conf.d/62-google-crosextra-caladea-fontconfig.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) =
24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 419
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/62-google-crosextra-carlito-fontconfig.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/62-google-crosextra-carlito-fontconfig.conf", {st_mode=S_IFREG|0644,
st size=419, ...}) = 0
15601 open("/etc/fonts/conf.d/62-google-crosextra-carlito-fontconfig.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) =
24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 419
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/65-fonts-persian.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/65-fonts-persian.conf", {st_mode=S_IFREG|0644, st_size=10118, ...}) = 0
15601 open("/etc/fonts/conf.d/65-fonts-persian.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 8192
15601 read(24, "<family>Koodak</family>\n\t\t\t<fami\"...\", 8192) = 1926
15601 brk(0x8dc6000) = 0x8dc6000
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/65-nonlatin.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/65-nonlatin.conf", {st_mode=S_IFREG|0644, st_size=8675, ...}) = 0
15601 open("/etc/fonts/conf.d/65-nonlatin.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 8192
15601 read(24, ">Lohit Marathi</family>\n\t\t\t<fami\"...\", 8192) = 483
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/67-gnu-free-mono.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/67-gnu-free-mono.conf", {st_mode=S_IFREG|0644, st_size=334, ...}) = 0
15601 open("/etc/fonts/conf.d/67-gnu-free-mono.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 334
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/67-gnu-free-sans.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/67-gnu-free-sans.conf", {st_mode=S_IFREG|0644, st_size=336, ...}) = 0
15601 open("/etc/fonts/conf.d/67-gnu-free-sans.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 336
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/67-gnu-free-serif.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/67-gnu-free-serif.conf", {st_mode=S_IFREG|0644, st_size=328, ...}) = 0
15601 open("/etc/fonts/conf.d/67-gnu-free-serif.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\" encoding=\"UT\"...", 8192) = 328
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/69-unifont.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/69-unifont.conf", {st_mode=S_IFREG|0644, st_size=672, ...}) = 0
15601 open("/etc/fonts/conf.d/69-unifont.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 672
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/80-delicious.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/80-delicious.conf", {st_mode=S_IFREG|0644, st_size=422, ...}) = 0
15601 open("/etc/fonts/conf.d/80-delicious.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 422
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/90-synthetic.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/90-synthetic.conf", {st_mode=S_IFREG|0644, st_size=1691, ...}) = 0
15601 open("/etc/fonts/conf.d/90-synthetic.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 1691
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 access("/etc/fonts/conf.d/99pdfptoopvp.conf", R_OK) = 0
15601 stat64("/etc/fonts/conf.d/99pdfptoopvp.conf", {st_mode=S_IFREG|0644, st_size=366, ...}) = 0
15601 open("/etc/fonts/conf.d/99pdfptoopvp.conf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 24
15601 read(24, "<?xml version=\"1.0\"?>\n<!DOCTYPE \"...\", 8192) = 366
15601 read(24, "", 8192) = 0
15601 close(24) = 0
15601 close(23) = 0
15601 access("/etc/fonts/conf.d", R_OK) = 0
15601 read(22, "", 8192) = 0
15601 close(22) = 0
```

```
15601 stat64("/usr/share/fonts", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//3830d5c3ddfd5cd38a049b759396e72e-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=632, ...}) = 0
15601 time(NULL) = 1417188439
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0x\2\0\0 \0\0\0008\0\0\0\20\0\0\0h\2\0\0\201\377\313S"... , 632) = 632
15601 close(22) = 0
15601 stat64("/usr/lib/X11/fonts", 0xffa8d528) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/lib/X11/fonts", 0xffa8d5b0) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/X11R6/lib/X11/fonts", 0xffa8d528) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/X11R6/lib/X11/fonts", 0xffa8d5b0) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/ttf fonts", 0xffa8d528) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/ttf fonts", 0xffa8d5b0) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.local/share/fonts", 0xffa8d528) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.local/share/fonts", 0xffa8d5b0) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.fonts", 0xffa8d528) = -1 ENOENT (No such file or directory)
15601 stat64("/home/hw/.fonts", 0xffa8d5b0) = -1 ENOENT (No such file or directory)
15601 stat64("/usr/share/fonts/100dpi", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/100dpi", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//df311e82a1a24c41a75c2c930223552e-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=72, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0H\0\0\0 \0\0\0008\0\0\0\0\0\0008\0\0\0\310\375\313S"... , 72) = 72
15601 close(22) = 0
15601 stat64("/usr/share/fonts/75dpi", {st_mode=S_IFDIR|0755, st_size=73728, ...}) = 0
15601 open("/usr/share/fonts/75dpi", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//17090aa38d5c6f09fb8c5c354938f1d7-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=304168, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 304168, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff17b4000
15601 fadvise64_64(22, 0, 304168, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/OTF", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/OTF", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//f349e9996a5320f6dd491cedd2b1f964-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=72, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0H\0\0\0 \0\0\0008\0\0\0\0\0\0008\0\0\0\310\375\313S"... , 72) = 72
15601 close(22) = 0
15601 stat64("/usr/share/fonts/Speedo", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/Speedo", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2 SUPER MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//30786aca7a961ef9f9799e540455831d-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
```

```
0 CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=72, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0H\0\0\0 \0\0\0008\0\0\0\0\0\0\0008\0\0\0\0\310\375\313S"... , 72) = 72
15601 close(22) = 0
15601 stat64("/usr/share/fonts/TTF", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/TTF", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//f6b893a7224233d96cb72fd88691c0b4-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=10592, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 10592, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2f46000
15601 fadvise64_64(22, 0, 10592, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/Type1", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/Type1", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//d62e99ef547d1d24cdb1bd22ec1a2976-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=9840, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 9840, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2f43000
15601 fadvise64_64(22, 0, 9840, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/abattis-cantarell-fonts", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/abattis-cantarell-fonts", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//3196f05a030874ca00722cbf1e991434-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=2888, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 2888, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff771a000
15601 fadvise64_64(22, 0, 2888, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/cyrillic", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/cyrillic", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//2d31a572ce6667f6a0da9c8dc611898b-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=80, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0P\0\0\0 \0\0\0@ \0\0\0\0\0\0\0\0\0\0\0\0\310\375\313S"... , 80) = 80
15601 close(22) = 0
15601 stat64("/usr/share/fonts/default", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/default", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//0251a5afa6ac727a1e32b7d4d4aa7cf0-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=160, ...}) = 0
```

```
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0\240\0\0\0 \0\0\0@\0\0\0\2\0\0\0\220\0\0\0\246\377\313S"... , 160) = 160
15601 close(22) = 0
15601 stat64("/usr/share/fonts/encodings", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/encodings", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//a1c95d6dfc9a7b34f44445cf81166004-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=128, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0\200\0\0\0 \0\0\0@\0\0\0\1\0\0\0p\0\0\0\30\376\313S"... , 128) = 128
15601 close(22) = 0
15601 stat64("/usr/share/fonts/gnu-free", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/gnu-free", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//614d1caaa4d7914789410f6367de37ca-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=62408, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 62408, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2135000
15601 fadvise64_64(22, 0, 62408, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/google-crosextra-caladea", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/google-crosextra-caladea", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//f9d379b867d7c69c85310a4f24e5228f-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=4632, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 4632, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff625f000
15601 fadvise64_64(22, 0, 4632, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/google-crosextra-carlito", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/google-crosextra-carlito", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//99a1ce9f8b6a0434aadb01d3779b0780-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=5216, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 5216, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2f41000
15601 fadvise64_64(22, 0, 5216, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/misc", {st_mode=S_IFDIR|0755, st_size=20480, ...}) = 0
15601 open("/usr/share/fonts/misc", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//8d4af663993b81a124ee82e610bb31f9-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=62176, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
```

```
f_fsize=4096, f_flags=4096)) = 0
15601 mmap2(NULL, 62176, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2125000
15601 fadvise64_64(22, 0, 62176, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/opensymbol", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/opensymbol", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//6fcb01a03a016cc71057b587cdea6709-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0644, st_size=1912, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 1912, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2f40000
15601 fadvise64_64(22, 0, 1912, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/ttf", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/ttf", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//94322f4d3cdf1bd54794b691285ca062-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=152, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0\230\0\0\0 \0\0\0008\0\0\0\2\0\0\0\210\0\0\0\24\0\314S"... , 152) = 152
15601 close(22) = 0
15601 stat64("/usr/share/fonts/TTF/dejavu", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/TTF/dejavu", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//79aeb4e90a401e55ec91db207072ba77-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=33704, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 33704, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff211c000
15601 fadvise64_64(22, 0, 33704, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/TTF/liberation", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/TTF/liberation", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//5d999c1bbe32f61af008974facb58b71-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=14768, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 14768, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2118000
15601 fadvise64_64(22, 0, 14768, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/default/Type1", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/default/Type1", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//b79f3aaa7d385a141ab53ec885cc22a8-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=30888, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_fsize=4096, f_flags=4096}) = 0
```



```
15601 mmap2(NULL, 30888, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2110000
15601 fadvise64_64(22, 0, 30888, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/default/ghostscript", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/default/ghostscript", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//87f5e051180a7a75f16eb6fe7dbd3749-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=14112, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 14112, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff210c000
15601 fadvise64_64(22, 0, 14112, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/encodings/large", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/encodings/large", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//5ca8086aeacc9c68e81a71e7ef846b3b-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=88, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 read(22, "\4\374\2\374\4\0\0\0X\0\0\0 \0\0\0H\0\0\0\0\0\0\0H\0\0\0\0\0\0\0\0\30\376\313S"..., 88) = 88
15601 close(22) = 0
15601 stat64("/usr/share/fonts/ttf/decoratives", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/ttf/decoratives", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//d4b6e1db2c46a3b281c413657cd2bc49-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=30344, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 30344, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2104000
15601 fadvise64_64(22, 0, 30344, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/ttf/western", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/ttf/western", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//e6845615947634e89d319e77806483ba-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=10104, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 10104, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff2f3d000
15601 fadvise64_64(22, 0, 10104, POSIX_FADV_WILLNEED) = 0
15601 close(22) = 0
15601 stat64("/usr/share/fonts/default/Type1/adobestd35", {st_mode=S_IFDIR|0755, st_size=4096, ...}) = 0
15601 open("/usr/share/fonts/default/Type1/adobestd35", O_RDONLY|O_LARGEFILE|O_CLOEXEC) = 22
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=7526644, f_bfree=5233420,
f_bavail=4845324, f_files=1921360, f_ffree=1601557, f_fsid={1088194787, 941541979}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 close(22) = 0
15601 open("/var/cache/fontconfig//20b58f14c9b581391d79ea335a81488a-le32d4.cache-4", O_RDONLY|O_LARGEFILE|
O_CLOEXEC) = 22
15601 fstat64(22, {st_mode=S_IFREG|0664, st_size=31128, ...}) = 0
15601 fstatfs64(22, 84, {f_type="EXT2_SUPER_MAGIC", f_bsize=4096, f_blocks=5006815, f_bfree=4669065,
f_bavail=4408969, f_files=1281120, f_ffree=1277985, f_fsid={-214968598, -484532510}, f_namelen=255,
f_frsize=4096, f_flags=4096}) = 0
15601 mmap2(NULL, 31128, PROT_READ, MAP_SHARED, 22, 0) = 0xfffffffff17ac000
```



```
/home/hw/ergebnisdatei.txt
```

```
15612 gettimeofday({1417188439, 572566}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 5, {1417188440, 572566000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 brk(0x8e3e000) = 0x8e3e000
15601 gettimeofday({1417188439, 574356}, NULL) = 0
15601 gettimeofday({1417188439, 574405}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/WebContentConverter.js", {st_mode=S_IFREG|0664,
st_size=31072, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/components/WebContentConverter.js", O_RDONLY|O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=31072, ...}) = 0
15601 mmap2(NULL, 31072, PROT_READ, MAP_PRIVATE, 24, 0) = 0xfffffffff171d000
15601 brk(0x8e5f000) = 0x8e5f000
15601 munmap(0xf171d000, 31072) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/WebContentConverter.js", {st_mode=S_IFREG|0664,
st_size=31072, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/prism.xpt", {st_mode=S_IFREG|0664, st_size=3056,
...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/components/prism.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\nTypeLib\r\n32\1\2\0\27\0\0\360\0\0\0\0\0\2\245"... , 3056) = 3056
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_sidebar.xpt", {st_mode=S_IFREG|0664,
st_size=551, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_sidebar.xpt", O_RDONLY|O_LARGEFILE) =
24
15601 read(24, "XPCOM\nTypeLib\r\n32\1\2\0\5\0\0\2'\0\0\0\0\0\0\255"... , 551) = 551
15601 close(24) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/components/libprism.so", O_RDONLY|O_CLOEXEC) = 24
15601 read(24, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\24\0\0004\0\0\0"... , 512) = 512
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=36940, ...}) = 0
15601 mmap2(NULL, 34804, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 24, 0) = 0xfffffffff171c000
15601 mmap2(0xf1724000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 24, 0x8000) =
0xfffffffff1724000
15601 close(24) = 0
15601 gettimeofday({1417188439, 589909}, NULL) = 0
15601 gettimeofday({1417188439, 589960}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsTryToClose.js", {st_mode=S_IFREG|0664,
st_size=3268, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsTryToClose.js", O_RDONLY|O_LARGEFILE) =
24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=3268, ...}) = 0
15601 mmap2(NULL, 3268, PROT_READ, MAP_PRIVATE, 24, 0) = 0xfffffffff2103000
15601 munmap(0xf2103000, 3268) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsTryToClose.js", {st_mode=S_IFREG|0664,
st_size=3268, ...}) = 0
15601 write(23, "\271s\300\252\0\0\0\0\0\0000|\0\0\3\4\t\0\255\336\267\1\0\0\34\0\0\0\264\20!\0"... , 65536) =
65536
15601 access("/home/hw/zdesktop/profile/prefs.js", F_OK) = 0
15601 open("/home/hw/zdesktop/profile/prefs.js", O_RDONLY|O_LARGEFILE) = 24
15601 stat64("/home/hw/zdesktop/profile/prefs.js", {st_mode=S_IFREG|0600, st_size=1240, ...}) = 0
15601 read(24, "# Mozilla User Preferences\n/* D"... , 1240) = 1240
15601 read(24, "", 1240) = 0
15601 close(24) = 0
15601 access("/home/hw/zdesktop/profile/user.js", F_OK) = 0
15601 open("/home/hw/zdesktop/profile/user.js", O_RDONLY|O_LARGEFILE) = 24
15601 stat64("/home/hw/zdesktop/profile/user.js", {st_mode=S_IFREG|0664, st_size=2048, ...}) = 0
15601 read(24, "/*\n * ***** BEGIN LICENSE BLOCK "... , 2048) = 2048
15601 read(24, "", 2048) = 0
15601 close(24) = 0
15601 gettimeofday({1417188439, 593305}, NULL) = 0
15601 gettimeofday({1417188439, 593353}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/nsPlatformGlue.js", {st_mode=S_IFREG|0664,
st_size=13881, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/components/nsPlatformGlue.js", O_RDONLY|O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=13881, ...}) = 0
15601 mmap2(NULL, 13881, PROT_READ, MAP_PRIVATE, 24, 0) = 0xfffffffff2100000
15601 munmap(0xf2100000, 13881) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/nsPlatformGlue.js", {st_mode=S_IFREG|0664,
st_size=13881, ...}) = 0
15601 write(23, "\0\6\233\0\5Q;\0\0015\0\7\270\0\10=\0\t:\0\1\2\0;\0\nY\1\200\0\1["... , 3032) = 3032
15601 _llseek(23, 65480, [65480], SEEK_SET) = 0
```

```
15601 write(23, "\\0\\0\\f4", 4) = 4
15601 _llseek(23, 68600, [68600], SEEK_SET) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/pref.xpt", {st_mode=S_IFREG|0664,
st_size=3290, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/pref.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\\nTypeLib\\r\\n\\32\\1\\2\\0\\16\\0\\0\\f\\332\\0\\0\\0\\\"\\0\\0\\1\\251\"...", 3290) = 3290
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/appshell.xpt", {st_mode=S_IFREG|0664,
st_size=2511, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/appshell.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\\nTypeLib\\r\\n\\32\\1\\2\\0\\20\\0\\0\\t\\317\\0\\0\\0\\\"\\0\\0\\1\\341\"...", 2511) = 2511
15601 close(24) = 0
15601 gettimeofday({1417188439, 598269}, NULL) = 0
15601 socket(PF_INET6, SOCK_STREAM, IPPROTO_IP) = 24
15601 close(24) = 0
15601 gettimeofday({1417188439, 598819}, NULL) = 0
15601 gettimeofday({1417188439, 598867}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsExtensionManager.js", {st_mode=S_IFREG|
0664, st_size=312971, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsExtensionManager.js", O_RDONLY|
O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=312971, ...}) = 0
15601 mmap2(NULL, 312971, PROT_READ, MAP_PRIVATE, 24, 0) = 0xfffffffffcb9000
15601 mmap2(NULL, 626688, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffffec20000
15601 brk(0x8e80000) = 0x8e80000
15601 brk(0x8ea1000) = 0x8ea1000
15601 brk(0x8ec2000) = 0x8ec2000
15601 brk(0x8ee3000) = 0x8ee3000
15601 brk(0x8f04000) = 0x8f04000
15601 brk(0x8f25000) = 0x8f25000
15601 brk(0x8f46000) = 0x8f46000
15601 brk(0x8f67000) = 0x8f67000
15601 brk(0x8f88000) = 0x8f88000
15601 brk(0x8fa9000) = 0x8fa9000
15601 brk(0x8fca000) = 0x8fca000
15601 munmap(0xefc20000, 626688) = 0
15601 munmap(0xfcb9000, 312971) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsExtensionManager.js", {st_mode=S_IFREG|
0664, st_size=312971, ...}) = 0
15601 write(23, "\\0\\0\\0\\0\\0pP\\0\\0\\4\\334\\t\\0\\255\\336\\333\\2\\0\\0(\\0\\0\\0\\264\\20\\\"\\0\\\"\\0\\0\\0\"...", 65536) = 65536
15601 write(23, "file:///opt/zimbra/zdesktop/linu...", 65536) = 65536
15601 write(23, "M\\0\\0L\\0\\0G\\0\\0G\\0I\\0N\\0G\\0\\0E\\0N\\0A\\0B\\0L\\0E\\0\"...", 65536) = 65536
15601 write(23, "n\\0\\0\\0\\4\\0\\0\\0t\\0y\\0p\\0e\\0\\2\\0\\0\\0d\\0s\\0\\4\\0\\0\\0n\\0a\\0\"...", 65536) = 65536
15601 write(23, "\\0\\0\\6H\\4\\0\\0\\0\\6\\0\\0\\0t\\0a\\0r\\0g\\0e\\0t\\0\\4\\0\\0\\0\\n\\0\\0\\0\"...", 65536) = 65536
15601 gettimeofday({1417188439, 645249}, NULL) = 0
15601 gettimeofday({1417188439, 645300}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/LightweightThemeManager.js",
{st_mode=S_IFREG|0664, st_size=11604, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/LightweightThemeManager.js", O_RDONLY|
O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=11604, ...}) = 0
15601 mmap2(NULL, 11604, PROT_READ, MAP_PRIVATE, 24, 0) = 0xfffffffff2101000
15601 munmap(0xf2101000, 11604) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/LightweightThemeManager.js",
{st_mode=S_IFREG|0664, st_size=11604, ...}) = 0
15601 write(23, "\\10\\300\\0\\0\\3\\0\\0\\0\\4\\0\\0\\0i\\0t\\0e\\0m\\0\\10\\0\\0\\0p\\0r\\0o\\0p\\0\"...", 30088) = 30088
15601 _llseek(23, 97356, [97356], SEEK_SET) = 0
15601 write(23, "\\0\\5\\0058", 4) = 4
15601 _llseek(23, 426368, [426368], SEEK_SET) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/extensions.xpt", {st_mode=S_IFREG|0664,
st_size=3766, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/extensions.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\\nTypeLib\\r\\n\\32\\1\\2\\0\\f\\0\\0\\4W\\0\\0\\0\\\"\\0\\0\\1\\251\"...", 3766) = 3766
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xpinstall.xpt", {st_mode=S_IFREG|0664,
st_size=1111, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xpinstall.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\\nTypeLib\\r\\n\\32\\1\\2\\0\\f\\0\\0\\4W\\0\\0\\0\\\"\\0\\0\\1\\251\"...", 1111) = 1111
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/rdf.xpt", {st_mode=S_IFREG|0664,
st_size=4908, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/rdf.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\\nTypeLib\\r\\n\\32\\1\\2\\0!\\0\\0\\23,\\0\\0\\0\\\"\\0\\0\\3\\275\"...", 4908) = 4908
```

```
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xpcom_system.xpt", {st_mode=S_IFREG|0664,
st_size=2120, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xpcom_system.xpt", O_RDONLY|O_LARGEFILE) =
24
15601 read(24, "XPCOM\nTypeLib\r\n32\1\2\0\v\0\0\10H\0\0\0\0\0\0\1U"... , 2120) = 2120
15601 close(24) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/extensions", F_OK) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/extensions", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 access("/home/hw/zdesktop/profile/extensions", F_OK) = 0
15601 stat64("/home/hw/zdesktop/profile/extensions", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 access("/home/hw/.mozilla/extensions", F_OK) = 0
15601 access("/home/hw/.mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 stat64("/home/hw/.mozilla/extensions/prism@developer.mozilla.org", {st_mode=S_IFDIR|0755, st_size=4096,
...}) = 0
15601 access("/usr/share/mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 stat64("/usr/share/mozilla/extensions/prism@developer.mozilla.org", {st_mode=S_IFDIR|0755,
st_size=4096, ...}) = 0
15601 access("/usr/lib/mozilla/extensions", F_OK) = 0
15601 access("/usr/lib/mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 stat64("/usr/lib/mozilla/extensions/prism@developer.mozilla.org", {st_mode=S_IFDIR|0755, st_size=4096,
...}) = 0
15601 gettimeofday({1417188439, 654415}, NULL) = 0
15601 gettimeofday({1417188439, 655115}, NULL) = 0
15601 gettimeofday({1417188439, 655164}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateTimerManager.js",
{st_mode=S_IFREG|0664, st_size=7421, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateTimerManager.js", O_RDONLY|
O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=7421, ...}) = 0
15601 mmap2(NULL, 7421, PROT_READ, MAP_PRIVATE, 24, 0) = 0xffffffff2102000
15601 munmap(0xf2102000, 7421) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateTimerManager.js",
{st_mode=S_IFREG|0664, st_size=7421, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/update.xpt", {st_mode=S_IFREG|0664,
st_size=2761, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/update.xpt", O_RDONLY|O_LARGEFILE) = 24
15601 read(24, "XPCOM\nTypeLib\r\n32\1\2\0\22\0\0\0\n311\0\0\0\0\0\0\2\31"... , 2761) = 2761
15601 close(24) = 0
15601 gettimeofday({1417188439, 658212}, NULL) = 0
15601 gettimeofday({1417188439, 658260}, NULL) = 0
15601 gettimeofday({1417188439, 658545}, NULL) = 0
15601 gettimeofday({1417188439, 658592}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateServiceStub.js",
{st_mode=S_IFREG|0664, st_size=1765, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateServiceStub.js", O_RDONLY|
O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=1765, ...}) = 0
15601 mmap2(NULL, 1765, PROT_READ, MAP_PRIVATE, 24, 0) = 0xffffffff2103000
15601 munmap(0xf2103000, 1765) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsUpdateServiceStub.js",
{st_mode=S_IFREG|0664, st_size=1765, ...}) = 0
15601 gettimeofday({1417188439, 659706}, NULL) = 0
15601 gettimeofday({1417188439, 659754}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/FileUtils.js", {st_mode=S_IFREG|0664,
st_size=3632, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/FileUtils.js", O_RDONLY|O_LARGEFILE) = 24
15601 fstat64(24, {st_mode=S_IFREG|0664, st_size=3632, ...}) = 0
15601 mmap2(NULL, 3632, PROT_READ, MAP_PRIVATE, 24, 0) = 0xffffffff2103000
15601 munmap(0xf2103000, 3632) = 0
15601 close(24) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/modules/FileUtils.js", {st_mode=S_IFREG|0664,
st_size=3632, ...}) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/updates/0/update.status", F_OK) = -1 ENOENT (No such file or
directory)
15601 getcwd("/home/hw", 4096) = 9
15601 gettimeofday({1417188439, 662057}, NULL) = 0
15601 time(NULL) = 1417188439
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/branding/brand.properties", {st_mode=S_IFREG|
0664, st_size=82, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/branding/brand.properties", O_RDONLY|
O_LARGEFILE) = 24
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/branding/brand.properties", {st_mode=S_IFREG|
```



```
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8d704, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8d704, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\17\0\2\0\240\0@v", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\N\2\1\0\0\0d\2\0\0d\2\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 4096}], msg_controllen=0,
msg_flags=0}, 0) = 36
15601 recvmsg(3, 0xffa8d724, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8d724, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\16\0\2\0\240\0@v", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\300\2\0\0\0\0d\2\0\0\0\0\0\0\0\310\0\310\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8d724, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8d724, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\24\0\6\0\240\0@v6c\1\0\0\4\0\0\0\0\0\0\0\377\377\377\177", 24}, {NULL, 0}, {"", 0}], 3) =
24
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1
P\2\1\0\0\0\4\0\0\0\0\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 4096}], msg_controllen=0, msg_flags=0}, 0) =
36
15601 recvmsg(3, 0xffa8d914, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8d914, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764061975}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764109206}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764155374}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764201485}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764247400}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764293305}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764338939}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764384495}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764430258}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764476827}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764522265}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 764567704}) = 0
15601 poll([fd=3, events=POLLIN|POLLOUT], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\22\0\7\0\240\0@v6\233\1\0\0\6\0\0\0 \0\0\0\1\0\0\0\1\0\0\0\23\1\3\0"..., 164}, {NULL, 0},
{"", 0}], 3) = 164
15601 poll([fd=3, events=POLLIN], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0Q\2\240\0@v6\233\1\0\0\304[\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"..., 4096}],
msg_controllen=0, msg_flags=0}, 0) = 192
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 open("/usr/lib/gtk-2.0/2.10.0/immmodules.cache", 0_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or
directory)
15601 open("/proc/meminfo", 0_RDONLY|O_CLOEXEC) = 24
15601 fstat64(24, {st_mode=S_IFREG|0444, st_size=0, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff2103000
15601 read(24, "MemTotal:      2050288 kB\nMemF"..., 1024) = 1024
15601 close(24) = 0
15601 munmap(0xf2103000, 4096) = 0
15601 write(21, "\372", 1) = 1
15601 stat64("/home/hw/zdesktop/profile/permissions.sqlite", {st_mode=S_IFREG|0644, st_size=2048, ...}) = 0
15601 open("/home/hw/zdesktop/profile/permissions.sqlite", 0_RDWR|O_CREAT|O_LARGEFILE, 0644) = 24
15601 fcntl64(24, F_GETFD) = 0
15601 fcntl64(24, F_SETFD, FD_CLOEXEC) = 0
15601 fstat64(24, {st_mode=S_IFREG|0644, st_size=2048, ...}) = 0
15601 _llseek(24, 0, [0], SEEK_SET) = 0
15601 read(24, "SQLite format 3\0\4\0\1\1\0@ \0\0\0\2\0\0\0\2"..., 100) = 100
15601 brk(0x8ff1000) = 0x8ff1000
```



```
15601 mmap2(NULL, 8392704, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS|MAP_STACK, -1, 0) =
0xffffffffef505000
15601 mprotect(0xef505000, 4096, PROT_NONE) = 0
15601 sched_get_priority_min(SCHED_OTHER) = 0
15601 sched_get_priority_max(SCHED_OTHER) = 0
15601 clone(child_stack=0xefd05424, flags=CLONE_VM|CLONE_FS|CLONE_FILES|CLONE_SIGHAND|CLONE_THREAD|
CLONE_SYSVSEM|CLONE_SETTLS|CLONE_PARENT_SETTID|CLONE_CHILD_CLEARTID, parent_tidptr=0xefd05ba8,
tls=0xefd05ba8, child_tidptr=0xffa8d900) = 15613
15601 sched_setscheduler(15613, SCHED_OTHER, { 0 }) = 0
15601 futex(0x8ef58c0, FUTEX_WAIT_PRIVATE, 1, NULL <unfinished ...>
15613 set_robust_list(0xefd05bb0, 12) = 0
15613 futex(0x8ef58c0, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8ef58bc, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15601 <... futex resumed> ) = 0
15601 futex(0x8ef58fc, FUTEX_WAKE_PRIVATE, 1) = 0
15601 gettimeofday({1417188439, 677911}, NULL) = 0
15601 gettimeofday({1417188439, 680040}, NULL) = 0
15601 gettimeofday({1417188439, 680097}, NULL) = 0
15601 futex(0x8d1c268, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8d1c264, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15609 <... futex resumed> ) = 0
15609 futex(0x8d1c200, FUTEX_WAKE_PRIVATE, 1) = 0
15609 futex(0x8d1c268, FUTEX_WAIT_PRIVATE, 3, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_base.xpt", {st_mode=S_IFREG|0664,
st_size=11694, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_base.xpt", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "XPCOM\nTypeLib\r\n32\1\2\0*\0\0\0-256\0\0\0\0\0\0\ni"..., 11694) = 11694
15613 <... futex resumed> ) = 1
15601 close(26 <unfinished ...>
15613 read(25, "<!DOCTYPE html PUBLIC \"-//W3C//D\"...", 4096) = 117
15613 read(25, "", 3979) = 0
15613 close(25) = 0
15613 gettimeofday({1417188439, 681640}, NULL) = 0
15613 gettimeofday({1417188439, 681686}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 1, {1417188499, 681686000}, ffffffff
<unfinished ...>
15601 <... close resumed> ) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_core.xpt", {st_mode=S_IFREG|0664,
st_size=8156, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_core.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0*\0\0\037\334\0\0\0\0\0\04\271"..., 8156) = 8156
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_html.xpt", {st_mode=S_IFREG|0664,
st_size=19701, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_html.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\0\0\0L\365\0\0\0\0\0\0nM"..., 19701) = 19701
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_css.xpt", {st_mode=S_IFREG|0664,
st_size=12663, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_css.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\0\36\0\0001w\0\0\0\0\0\03i"..., 12663) = 12663
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_stylesheets.xpt", {st_mode=S_IFREG|
0664, st_size=1019, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_stylesheets.xpt", O_RDONLY|O_LARGEFILE)
= 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\0\0\03\373\0\0\0\0\0\01\35"..., 1019) = 1019
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_range.xpt", {st_mode=S_IFREG|0664,
st_size=1240, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_range.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\0\7\0\0\04\330\0\0\0\0\0\0\0\345"..., 1240) = 1240
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_base.xpt", {st_mode=S_IFREG|0664,
st_size=10646, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_base.xpt", O_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0@0\0\0\226\0\0\0\0\0\0\7!"..., 10646) = 10646
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_xul.xpt", {st_mode=S_IFREG|0664,
st_size=7440, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_xul.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0&\0\0\035\20\0\0\0\0\0\04I"..., 7440) = 7440
15601 close(25) = 0
```

```
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xuldoc.xpt", {st_mode=S_IFREG|0664,
st_size=1209, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xuldoc.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\n\0\0\4\271\0\0\0\0\0\0019"... , 1209) = 1209
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/layout_xul.xpt", {st_mode=S_IFREG|0664,
st_size=2205, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/layout_xul.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\16\0\0\10\235\0\0\0\0\0\01\251"... , 2205) = 2205
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/layout_xul_tree.xpt", {st_mode=S_IFREG|
0664, st_size=3941, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/layout_xul_tree.xpt", 0_RDONLY|O_LARGEFILE)
= 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\16\0\0\17e\0\0\0\0\0\01\251"... , 3941) = 3941
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_traversal.xpt", {st_mode=S_IFREG|
0664, st_size=1345, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_traversal.xpt", 0_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\6\0\0\5A\0\0\0\0\0\0\0311"... , 1345) = 1345
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.doc.xpt", {st_mode=S_IFREG|
0664, st_size=605, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.doc.xpt", 0_RDONLY|O_LARGEFILE)
= 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\5\0\0\2\0\0\0\0\0\0\255"... , 605) = 605
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xultmpl.xpt", {st_mode=S_IFREG|0664,
st_size=2480, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/xultmpl.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\22\0\0\t\260\0\0\0\0\0\0\2\31"... , 2480) = 2480
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_svg.xpt", {st_mode=S_IFREG|0664,
st_size=23446, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_svg.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\202\0\0[\226\0\0\0\0\0\0\16Y"... , 23446) = 23446
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_canvas.xpt", {st_mode=S_IFREG|0664,
st_size=2383, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_canvas.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\n\0\0\t\0\0\0\0\0\0\0019"... , 2383) = 2383
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_xslt.xpt", {st_mode=S_IFREG|0664,
st_size=1373, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_xslt.xpt", 0_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\16\0\0\5\0\0\0\0\0\0\1\251"... , 1373) = 1373
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_xpath.xpt", {st_mode=S_IFREG|0664,
st_size=1417, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_xpath.xpt", 0_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\v\0\0\5\211\0\0\0\0\0\0\1U"... , 1417) = 1417
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_storage.xpt", {st_mode=S_IFREG|0664,
st_size=1149, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_storage.xpt", 0_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\v\0\0\4\0\0\0\0\0\0\1U"... , 1149) = 1149
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_offline.xpt", {st_mode=S_IFREG|0664,
st_size=1141, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_offline.xpt", 0_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\6\0\0\4u\0\0\0\0\0\0\0311"... , 1141) = 1141
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_geolocation.xpt", {st_mode=S_IFREG|
0664, st_size=2087, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_geolocation.xpt", 0_RDONLY|O_LARGEFILE)
= 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\21\0\0\10'\0\0\0\0\0\0\1\375"... , 2087) = 2087
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_threads.xpt", {st_mode=S_IFREG|0664,
st_size=1456, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_threads.xpt", 0_RDONLY|O_LARGEFILE) =
```

```
25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\r\0\0\5\260\0\0\0\" \0\0\1\215"... , 1456) = 1456
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_events.xpt", {st_mode=S_IFREG|
0664, st_size=454, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_events.xpt", O_RDONLY|O_LARGEFILE)
= 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\4\0\0\1\306\0\0\0\" \0\0\0\221"... , 454) = 454
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_views.xpt", {st_mode=S_IFREG|0664,
st_size=226, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/dom_views.xpt", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "XPCOM\nTypeLib\r\n32\1\2\0\3\0\0\0\342\0\0\0\" \0\0\0u"... , 226) = 226
15601 close(25) = 0
15601 gettimeofday({1417188439, 689767}, NULL) = 0
15601 gettimeofday({1417188439, 689847}, NULL) = 0
15601 access("/home/hw/zdesktop/profile/extensions.rdf", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/extensions.ini", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/extensions.cache", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/extensions.cache", F_OK) = 0
15601 open("/home/hw/zdesktop/profile/extensions.cache", O_RDONLY|O_LARGEFILE) = 25
15601 read(25, "app-profile\tzimbradnd@zimbra.com"... , 4096) = 71
15601 read(25, "", 4096) = 0
15601 close(25) = 0
15601 access("/opt/zimbra/zdesktop/linux/prism/extensions", F_OK) = 0
15601 openat(AT_FDCWD, "/opt/zimbra/zdesktop/linux/prism/extensions", O_RDONLY|O_NONBLOCK|O_LARGEFILE|
O_DIRECTORY|O_CLOEXEC) = 25
15601 getdents(25, /* 1 entries */, 32768) = 32
15601 getdents(25, /* 0 entries */, 32768) = 0
15601 close(25) = 0
15601 access("/home/hw/zdesktop/profile/extensions", F_OK) = 0
15601 openat(AT_FDCWD, "/home/hw/zdesktop/profile/extensions", O_RDONLY|O_NONBLOCK|O_LARGEFILE|O_DIRECTORY|
O_CLOEXEC) = 25
15601 getdents(25, /* 1 entries */, 32768) = 64
15601 getdents(25, /* 0 entries */, 32768) = 0
15601 stat64("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com", {st_mode=S_IFDIR|0775,
st_size=4096, ...}) = 0
15601 close(25) = 0
15601 stat64("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com", {st_mode=S_IFDIR|0775,
st_size=4096, ...}) = 0
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/install.rdf", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com", F_OK) = 0
15601 stat64("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com", {st_mode=S_IFDIR|0775,
st_size=4096, ...}) = 0
15601 access("/home/hw/.mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 openat(AT_FDCWD, "/home/hw/.mozilla/extensions/prism@developer.mozilla.org", O_RDONLY|O_NONBLOCK|
O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 25
15601 getdents(25, /* 1 entries */, 32768) = 32
15601 getdents(25, /* 0 entries */, 32768) = 0
15601 close(25) = 0
15601 access("/usr/share/mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 openat(AT_FDCWD, "/usr/share/mozilla/extensions/prism@developer.mozilla.org", O_RDONLY|O_NONBLOCK|
O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 25
15601 getdents(25, /* 1 entries */, 32768) = 32
15601 getdents(25, /* 0 entries */, 32768) = 0
15601 close(25) = 0
15601 access("/usr/lib/mozilla/extensions/prism@developer.mozilla.org", F_OK) = 0
15601 openat(AT_FDCWD, "/usr/lib/mozilla/extensions/prism@developer.mozilla.org", O_RDONLY|O_NONBLOCK|
O_LARGEFILE|O_DIRECTORY|O_CLOEXEC) = 25
15601 getdents(25, /* 1 entries */, 32768) = 32
15601 getdents(25, /* 0 entries */, 32768) = 0
15601 close(25) = 0
15601 gettimeofday({1417188439, 694269}, NULL) = 0
15601 gettimeofday({1417188439, 694318}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/jsconsole-clhandler.js",
{st_mode=S_IFREG|0664, st_size=1494, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/jsconsole-clhandler.js", O_RDONLY|
O_LARGEFILE) = 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=1494, ...}) = 0
15601 mmap2(NULL, 1494, PROT_READ, MAP_PRIVATE, 25, 0) = 0xffffffff2103000
15601 munmap(0xf2103000, 1494) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/jsconsole-clhandler.js",
{st_mode=S_IFREG|0664, st_size=1494, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/commandlines.xpt", {st_mode=S_IFREG|0664,
```

```
st size=960, ...) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/commandlines.xpt", O_RDONLY|O_LARGEFILE) =
25
15601 read(25, "XPCOM\nTypeLib\r\n\32\1\2\0\10\0\0\3\300\0\0\0\0\0\1\1"... , 960) = 960
15601 close(25) = 0
15601 gettimeofday({1417188439, 696322}, NULL) = 0
15601 gettimeofday({1417188439, 696371}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/reftest-cmdline.js", {st_mode=S_IFREG|
0664, st_size=7244, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/reftest-cmdline.js", O_RDONLY|O_LARGEFILE)
= 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=7244, ...}) = 0
15601 mmap2(NULL, 7244, PROT_READ, MAP_PRIVATE, 25, 0) = 0xfffffffff2102000
15601 munmap(0xf2102000, 7244) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/reftest-cmdline.js", {st_mode=S_IFREG|
0664, st_size=7244, ...}) = 0
15601 gettimeofday({1417188439, 698681}, NULL) = 0
15601 gettimeofday({1417188439, 698730}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/tp-cmdline.js", {st_mode=S_IFREG|0664,
st_size=7486, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/tp-cmdline.js", O_RDONLY|O_LARGEFILE) = 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=7486, ...}) = 0
15601 mmap2(NULL, 7486, PROT_READ, MAP_PRIVATE, 25, 0) = 0xfffffffff2102000
15601 munmap(0xf2102000, 7486) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/tp-cmdline.js", {st_mode=S_IFREG|0664,
st_size=7486, ...}) = 0
15601 gettimeofday({1417188439, 700686}, NULL) = 0
15601 gettimeofday({1417188439, 700734}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/nsCommandLineHandler.js", {st_mode=S_IFREG|0664,
st_size=8599, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/components/nsCommandLineHandler.js", O_RDONLY|O_LARGEFILE) = 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=8599, ...}) = 0
15601 mmap2(NULL, 8599, PROT_READ, MAP_PRIVATE, 25, 0) = 0xfffffffff2101000
15601 munmap(0xf2101000, 8599) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/components/nsCommandLineHandler.js", {st_mode=S_IFREG|0664,
st_size=8599, ...}) = 0
15601 write(23, "\0\0\0\0\0\0U\340\0\0\3\0\t\0\255\336{\1\0\0I\0\0\0\264\20-\0.\0\0\0"... , 65536) = 65536
15601 gettimeofday({1417188439, 703436}, NULL) = 0
15601 gettimeofday({1417188439, 703486}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/modules/WebAppProperties.js", {st_mode=S_IFREG|0664,
st_size=9541, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/modules/WebAppProperties.js", O_RDONLY|O_LARGEFILE) = 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=9541, ...}) = 0
15601 mmap2(NULL, 9541, PROT_READ, MAP_PRIVATE, 25, 0) = 0xfffffffff2101000
15601 munmap(0xf2101000, 9541) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/modules/WebAppProperties.js", {st_mode=S_IFREG|0664,
st_size=9541, ...}) = 0
15601 write(23, ";\0\0f5\0\35:\0\1W\0\0QV\0\0\270\0\36V\0\3:\0\1Q\6\0\26\307\0\0"... , 7300) = 7300
15601 _llseek(23, 488352, [488352], SEEK_SET) = 0
15601 write(23, "\0\0\0h", 4) = 4
15601 _llseek(23, 499204, [499204], SEEK_SET) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp", F_OK) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/prefs.json", F_OK) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp", F_OK) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp", {st_mode=S_IFDIR|0775, st_size=4096, ...}) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/webapp.ini", F_OK) = 0
15601 open("/home/hw/zdesktop/zdesktop.webapp/webapp.ini", O_RDONLY) = 25
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=267, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2103000
15601 fstat64(25, {st_mode=S_IFREG|0664, st_size=267, ...}) = 0
15601 _llseek(25, 0, [0], SEEK_SET) = 0
15601 read(25, "[Parameters]\nid=zdesktop@zimbra."..., 267) = 267
15601 _llseek(25, 267, [267], SEEK_SET) = 0
15601 close(25) = 0
15601 munmap(0xf2103000, 4096) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/webapp.js", F_OK) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/webapp.js", {st_mode=S_IFREG|0664, st_size=6509, ...}) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/webapp.js", {st_mode=S_IFREG|0664, st_size=6509, ...}) = 0
15601 open("/home/hw/zdesktop/zdesktop.webapp/webapp.js", O_RDONLY|O_LARGEFILE) = 25
15601 gettimeofday({1417188439, 708640}, NULL) = 0
15601 gettimeofday({1417188439, 708688}, NULL) = 0
```

```
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsHandlerService.js", {st_mode=S_IFREG|0664, st_size=53725, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsHandlerService.js", O_RDONLY|O_LARGEFILE) = 26
15601 fstat64(26, {st_mode=S_IFREG|0664, st_size=53725, ...}) = 0
15601 mmap2(NULL, 53725, PROT_READ, MAP_PRIVATE, 26, 0) = 0xfffffffff170e000
15601 brk(0x9025000) = 0x9025000
15601 munmap(0xf170e000, 53725) = 0
15601 close(26) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsHandlerService.js", {st_mode=S_IFREG|0664, st_size=53725, ...}) = 0
15601 write(23, "\0\0\0\0\0\0:\34\0\0\3\24\t\0\255\336\327\1\0\0+\0\0\0\264\20\30\0:\0\0\0"... , 65536) = 65536
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/exthandler.xpt", {st_mode=S_IFREG|0664, st_size=2005, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/exthandler.xpt", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "XPCOM\nTypeLib\r\n\32\1\2\0\23\0\0\7\325\0\0\0"\0\0\0025"... , 2005) = 2005
15601 close(26) = 0
15601 access("/home/hw/zdesktop/profile/mimeTypes.rdf", F_OK) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/zimbra/zdesktop/linux/prism/defaults/profile/mimeTypes.rdf", 0x8ea13ec) = -1 ENOENT (No such file or directory)
15601 lstat64("/opt/zimbra/zdesktop/linux/prism/defaults/profile/mimeTypes.rdf", 0x8ea13ec) = -1 ENOENT (No such file or directory)
15601 access("/home/hw/zdesktop/profile/mimeTypes.rdf", F_OK) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_file.xpt", {st_mode=S_IFREG|0664, st_size=508, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_file.xpt", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "XPCOM\nTypeLib\r\n\32\1\2\0\6\0\0\1\374\0\0\0"\0\0\0\311"... , 508) = 508
15601 close(26) = 0
15601 stat64("/home/hw/zdesktop/profile/mimeTypes.rdf", 0x8ea1334) = -1 ENOENT (No such file or directory)
15601 lstat64("/home/hw/zdesktop/profile/mimeTypes.rdf", 0x8ea1334) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/charsetData.properties", {st_mode=S_IFREG|0664, st_size=9292, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/charsetData.properties", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/charsetData.properties", {st_mode=S_IFREG|0664, st_size=9292, ...}) = 0
15601 read(26, "# ***** BEGIN LICENSE BLOCK *****"... , 8192) = 8192
15601 read(26, "c-roman.LangGroup" = "... , 8192) = 1100
15601 read(26, "", 8192) = 0
15601 close(26) = 0
15601 stat64("/home/hw/zdesktop/profile/mimeTypes.rdf", 0x8e593dc) = -1 ENOENT (No such file or directory)
15601 lstat64("/home/hw/zdesktop/profile/mimeTypes.rdf", 0x8e593dc) = -1 ENOENT (No such file or directory)
15601 open("/home/hw/.mime.types", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mime.types", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "# $Id: mime.types 145791 2008-01"... , 4096) = 4096
15601 close(26) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
15601 read(26, "commented out if you do NOT have"... , 4096) = 4096
15601 read(26, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(26, "", 4096) = 0
15601 close(26) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
15601 read(26, "commented out if you do NOT have"... , 4096) = 4096
15601 read(26, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(26, "", 4096) = 0
15601 close(26) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/webapp.js", {st_mode=S_IFREG|0664, st_size=6509, ...}) = 0
15601 read(25, "/*\n * ***** BEGIN LICENSE BLOCK "... , 6509) = 6509
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/intl.xpt", {st_mode=S_IFREG|0664, st_size=645, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/intl.xpt", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "XPCOM\nTypeLib\r\n\32\1\2\0\5\0\0\2\205\0\0\0"\0\0\0\255"... , 645) = 645
15601 close(26) = 0
15601 close(25) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/webapp.css", F_OK) = -1 ENOENT (No such file or directory)
15601 gettimeofday({1417188439, 730381}, NULL) = 0
15601 gettimeofday({1417188439, 730432}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsDefaultCLH.js", {st_mode=S_IFREG|0664, st_size=6342, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsDefaultCLH.js", O_RDONLY|O_LARGEFILE) =
```

```
/home/hw/ergebnisdatei.txt
```

```
15601 recvmsg(3, 0xffa8c778, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\16\0\2\0\267\0@6", 8}, {NULL, 0}, {"", 0}], 3) = 8
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\130r\2\0\0\0d\2\0\0\0\0\0\310\0\310\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8c778, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8c778, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\0\6\0\267\0@6c\1\0\0\4\0\0\0\0\0\0\0\377\377\377\177", 24}, {NULL, 0}, {"", 0}], 3) =
24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1
s\2\1\0\0\0\4\0\0\0\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0, msg_flags=0}, 0) =
36
15601 recvmsg(3, 0xffa8c968, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8c968, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 834996240}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835054967}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835101221}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835147569}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835193597}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835239582}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835285452}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835331440}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835377247}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835424145}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835469734}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 835537042}) = 0
15601 gettimeofday({1417188439, 741126}, NULL) = 0
15601 gettimeofday({1417188439, 741901}, NULL) = 0
15601 gettimeofday({1417188439, 741950}, NULL) = 0
15601 gettimeofday({1417188439, 742058}, NULL) = 0
15601 gettimeofday({1417188439, 742282}, NULL) = 0
15601 gettimeofday({1417188439, 742622}, NULL) = 0
15601 gettimeofday({1417188439, 742956}, NULL) = 0
15601 gettimeofday({1417188439, 743102}, NULL) = 0
15601 gettimeofday({1417188439, 743148}, NULL) = 0
15601 access("/home/hw/zdesktop/profile/chrome/userContent.css", F_OK) = -1 ENOENT (No such file or
directory)
15601 access("/home/hw/zdesktop/profile/chrome/userChrome.css", F_OK) = -1 ENOENT (No such file or directory)
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/ua.css", {st_mode=S_IFREG|0664, st_size=6436,
...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/ua.css", O_RDONLY|O_LARGEFILE) = 25
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/ua.css", {st_mode=S_IFREG|0664, st_size=6436,
...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ***"... , 8192) = 6436
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/html.css", {st_mode=S_IFREG|0664, st_size=12063,
...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/html.css", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/html.css", {st_mode=S_IFREG|0664, st_size=12063,
...}) = 0
15601 read(26, "/* ***** BEGIN LICENSE BLOCK ***"... , 8192) = 8192
15601 read(26, ": gray;\n -moz-float-edge: margi"... , 8192) = 3871
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/css.properties",
{st_mode=S_IFREG|0664, st_size=7873, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/css.properties",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/css.properties",
{st_mode=S_IFREG|0664, st_size=7873, ...}) = 0
15601 read(27, "# ***** BEGIN LICENSE BLOCK *****"... , 8192) = 7873
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 read(26, "", 8192) = 0
15601 read(26, "", 8192) = 0
15601 read(26, "", 8192) = 0
15601 close(26) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/xul.css",
{st_mode=S_IFREG|0664, st_size=24947, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/xul.css", O_RDONLY|
O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/xul.css",
{st_mode=S_IFREG|0664, st_size=24947, ...}) = 0
15601 read(26, "/* this should only contain XUL"... , 8192) = 8192
```



```
15601 read(26, "dow: none;\n}\n\ntooltip {\n -moz-b"... , 8192) = 8192
15601 read(26, "istory-dropmarker\");\n}\n\ntooltip {\n -moz-b"... , 8192) = 8192
15601 read(26, ";\n}\n\ntooltip {\n -moz-b"... , 8192) = 371
15601 read(26, "", 8192) = 0
15601 read(26, "", 8192) = 0
15601 read(26, "", 8192) = 0
15601 close(26) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/quirk.css", {st_mode=S_IFREG|0664,
st_size=11356, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/quirk.css", O_RDONLY|O_LARGEFILE) = 25
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/quirk.css", {st_mode=S_IFREG|0664,
st_size=11356, ...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 8192
15601 read(25, "> p:-moz-only-whitespace:-moz-la"... , 8192) = 3164
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbars.css",
{st_mode=S_IFREG|0664, st_size=8258, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbars.css",
O_RDONLY|O_LARGEFILE) = 25
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbars.css",
{st_mode=S_IFREG|0664, st_size=8258, ...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 8192
15601 read(25, "-image: url(\"chrome://global/ski\""... , 8192) = 66
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/forms.css", {st_mode=S_IFREG|0664,
st_size=16134, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/forms.css", O_RDONLY|O_LARGEFILE) = 25
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/forms.css", {st_mode=S_IFREG|0664,
st_size=16134, ...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 8192
15601 read(25, "t-style: italic;\n font-weight: "... , 8192) = 7942
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginFinderBinding
.css", {st_mode=S_IFREG|0664, st_size=2288, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginFinderBinding.c
ss", O_RDONLY|O_LARGEFILE) = 25
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginFinderBinding
.css", {st_mode=S_IFREG|0664, st_size=2288, ...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 2288
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginProblemBindin
g.css", {st_mode=S_IFREG|0664, st_size=2315, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginProblemBinding.
css", O_RDONLY|O_LARGEFILE) = 25
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/mozapps/plugins/pluginProblemBindin
g.css", {st_mode=S_IFREG|0664, st_size=2315, ...}) = 0
15601 read(25, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 2315
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 read(25, "", 8192) = 0
15601 close(25) = 0
15601 mmap2(0xf0dea000, 4096, PROT_NONE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff2103000
15601 madvise(0xf0dea000, 4096, MADV_NORMAL) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
```



```
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8e2e4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 gettimeofday({1417188439, 768341}, NULL) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 86335206}) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=9, events=POLLIN|POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20,
events=POLLIN}], 8, 0) = 4 ([{fd=4, revents=POLLIN}, {fd=9, revents=POLLIN}, {fd=19, revents=POLLIN}, {fd=20,
revents=POLLIN}])
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\1\0\n\0\273\0@6d\2\0\0\234\377\234\377\n\0\n\0\0\0\2\0!\0\0\0\0\n\0\0"... , 576}, {NULL,
0}, {"", 0}], 3) = 576
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\220\2\273\0@6R\1\0\0&\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 416
15601 recvmsg(3, 0xffa8dff4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 read(9, "\1\3\0\1\1\0\0\0", 8) = 8
15601 read(9, "\1\0\0\0001014", 8) = 8
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 write(9, "\1\10\1\0\0\0\0\0", 8) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 recvmsg(19, {msg_name(0)=NULL,
msg_iov(1)=[{"\l\3\1\1\0\0\0\4\0\0\0m\0\0\0\6\1s\0\6\0\0\0:1.241\0\0"... , 2048}], msg_controllen=0,
msg_flags=MSG_CMSG_CLOEXEC}, MSG_CMSG_CLOEXEC) = 224
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 recvmsg(19, 0xffa8e058, MSG_CMSG_CLOEXEC) = -1 EAGAIN (Resource temporarily unavailable)
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 read(20, "\372", 1) = 1
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 gettimeofday({1417188439, 770677}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=9, events=POLLIN|POLLPRI}, {fd=19, events=POLLIN}, {fd=20,
events=POLLIN}], 8, 0) = 2 ([{fd=4, revents=POLLIN}, {fd=9, revents=POLLIN}])
15601 read(4, "\30\0\0\0\0\0\0\0", 16) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 read(9, "\1\22\0\1\0\0\0\0", 8) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 gettimeofday({1417188439, 771031}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 1 ([{fd=4, revents=POLLIN}])
15601 read(4, "\2\0\0\0\0\0\0\0", 16) = 8
15601 gettimeofday({1417188439, 771220}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
15601 read(4, 0xffa8e21c, 16) = -1 EAGAIN (Resource temporarily unavailable)
15601 gettimeofday({1417188439, 771488}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
15601 gettimeofday({1417188439, 771614}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
15601 gettimeofday({1417188439, 771737}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
15601 gettimeofday({1417188439, 771860}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
15601 gettimeofday({1417188439, 771997}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 0 (Timeout)
```



```
15601 read(26, "", 8192) = 0
15601 close(26) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.properties",
{st_mode=S_IFREG|0664, st_size=2924, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.properties",
O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.properties",
{st_mode=S_IFREG|0664, st_size=2924, ...}) = 0
15601 read(26, "# all.js\n#\n# Localization Note: "...", 8192) = 2924
15601 read(26, "", 8192) = 0
15601 close(26) = 0
15601 gettimeofday({1417188439, 789365}, NULL) = 0
15601 gettimeofday({1417188439, 789530}, NULL) = 0
15601 gettimeofday({1417188439, 789921}, NULL) = 0
15601 gettimeofday({1417188439, 790439}, NULL) = 0
15601 gettimeofday({1417188439, 790559}, NULL) = 0
15601 gettimeofday({1417188439, 790635}, NULL) = 0
15601 gettimeofday({1417188439, 790748}, NULL) = 0
15601 gettimeofday({1417188439, 790887}, NULL) = 0
15601 gettimeofday({1417188439, 790945}, NULL) = 0
15601 gettimeofday({1417188439, 790991}, NULL) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/scrollbar.xml",
{st_mode=S_IFREG|0664, st_size=1608, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/scrollbar.xml",
{st_mode=S_IFREG|0664, st_size=1608, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/scrollbar.xml",
O_RDONLY|O_LARGEFILE) = 26
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/scrollbar.xml",
{st_mode=S_IFREG|0664, st_size=1608, ...}) = 0
15601 lseek(26, 0, SEEK_CUR) = 0
15601 lseek(26, 0, SEEK_END) = 1608
15601 lseek(26, 0, SEEK_SET) = 0
15601 read(26, "<?xml version=\"1.0\"?>\n\n<bindings\"..., 1608) = 1608
15601 brk(0x9088000) = 0x9088000
15601 gettimeofday({1417188439, 792636}, NULL) = 0
15601 gettimeofday({1417188439, 793128}, NULL) = 0
15601 lseek(26, 0, SEEK_CUR) = 1608
15601 lseek(26, 0, SEEK_END) = 1608
15601 lseek(26, 1608, SEEK_SET) = 1608
15601 gettimeofday({1417188439, 793322}, NULL) = 0
15601 gettimeofday({1417188439, 793375}, NULL) = 0
15601 close(26) = 0
15601 gettimeofday({1417188439, 793681}, NULL) = 0
15601 gettimeofday({1417188439, 793735}, NULL) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbar/slider.gif",
{st_mode=S_IFREG|0664, st_size=44, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbar/slider.gif",
O_RDONLY|O_LARGEFILE) = 26
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/scrollbar/slider.gif",
{st_mode=S_IFREG|0664, st_size=44, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 4 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90631a0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90631a0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90631a0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(26, "GIF89a\2\0\2\200\0\0\377\377\377\300\300\300!\371\4\1\0\0\1\0,\0\0\0\0\"..., 4096) = 44
15613 read(26, "", 4052) = 0
15613 close(26) = 0
15613 gettimeofday({1417188439, 794388}, NULL) = 0
15613 gettimeofday({1417188439, 794433}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 5, {1417188499, 794433000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 794544}, NULL) = 0
```

```
15601 gettimeofday({1417188439, 794588}, NULL) = 0
15601 gettimeofday({1417188439, 794640}, NULL) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\1\30\17\0\275\0@\6d\2\0\0\0\0\0\0\310\0\310\0\0\0\1\0!\0\0\0\32.\0\0"... , 732}, {NULL,
0}, {"", 0}], 3) = 732
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\252\2\275\0@\6R\1\0\0A\\\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 484
15601 recvmsg(3, 0xffa8c804, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\0\6\0\275\0@\6c\1\0\0\4\0\0\0\0\0\0\0\377\377\377\177", 24}, {NULL, 0}, {"", 0}], 3) =
24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1
\276\2\1\0\0\0\4\0\0\0\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0, msg_flags=0},
0) = 36
15601 recvmsg(3, 0xffa8c804, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8c804, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891646871}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891694111}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891740222}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891786144}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891831997}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891891498}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891938125}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 891984108}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 892038627}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 892085469}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 892131301}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 892177089}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\22\0\7\0\275\0@\6\233\1\0\0\6\0\0\0\0\0\0\1\0\0\0\1\0\0\0\1\30\17\0"... , 760}, {NULL,
0}, {"", 0}], 3) = 760
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\277\2\275\0@\6\233\1\0\0D\\\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 516
15601 recvmsg(3, 0xffa8c814, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\0\6\0\300\0@\6c\1\0\0\4\0\0\0\0\0\0\0\377\377\377\177", 24}, {NULL, 0}, {"", 0}], 3) =
24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL, msg_iov(1)=[{"\1
\325\2\1\0\0\0\4\0\0\0\0\0\0\0\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0, msg_flags=0},
0) = 36
15601 recvmsg(3, 0xffa8c814, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8c814, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895075901}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895123166}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895169214}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895214806}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895260520}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895306127}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895351696}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895397854}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895443511}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895489659}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895535171}) = 0
15601 clock_gettime(CLOCK_MONOTONIC, {29645, 895580575}) = 0
15601 gettimeofday({1417188439, 801723}, NULL) = 0
15601 gettimeofday({1417188439, 801788}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
lft.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
lft.gif", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
lft.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_QUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 6 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x906f5a0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
```

```
15601 futex(0x906f5a0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x906f5a0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(26, "GIF89a\3\0\5\0\241\2\0\231\231\231\0\0\0\377\377\377\377\377\377!\371\4\1\0\0\2"... , 4096) =
54
15613 read(26, "", 4042) = 0
15613 close(26) = 0
15613 gettimeofday({1417188439, 802460}, NULL) = 0
15613 gettimeofday({1417188439, 802506}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 7, {1417188499, 802506000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 802617}, NULL) = 0
15601 gettimeofday({1417188439, 802911}, NULL) = 0
15601 gettimeofday({1417188439, 802963}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
rit.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
rit.gif", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
rit.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 8 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90702c0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90702c0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90702c0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(26, "GIF89a\3\0\5\0\241\2\0\231\231\231\0\0\0\377\377\377\377\377\377!\371\4\1\0\0\2"... , 4096) =
54
15613 read(26, "", 4042) = 0
15613 close(26) = 0
15613 gettimeofday({1417188439, 803618}, NULL) = 0
15613 gettimeofday({1417188439, 803663}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 9, {1417188499, 803663000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 803769}, NULL) = 0
15601 gettimeofday({1417188439, 804120}, NULL) = 0
15601 gettimeofday({1417188439, 804173}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
up.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
up.gif", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
up.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 10 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x9072120, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x9072120, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x9072120, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(26, "GIF89a\5\0\3\0\241\2\0\0\0\231\231\231\377\377\377\377\377\377!\371\4\1\0\0\2"... , 4096) =
54
15613 read(26, "", 4042) = 0
15613 close(26) = 0
15613 gettimeofday({1417188439, 804895}, NULL) = 0
15613 gettimeofday({1417188439, 804940}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 11, {1417188499, 804940000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 805048}, NULL) = 0
15601 gettimeofday({1417188439, 805269}, NULL) = 0
15601 gettimeofday({1417188439, 805322}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
dn.gif", {st_mode=S_IFREG|0664, st_size=53, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
dn.gif", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-
dn.gif", {st_mode=S_IFREG|0664, st_size=53, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 12 <unfinished ...>
15613 <... futex resumed> ) = 0
```



```
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x9072c18, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x9072c18, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x9072c18, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(26, "GIF89a\5\0\3\0\241\2\0\0\0\0\231\231\377\377\377\377\377\377!\371\4\1\0\0\2"... , 4096) =
53
15613 read(26, "", 4043) = 0
15613 close(26) = 0
15613 gettimeofday({1417188439, 805945}, NULL) = 0
15613 gettimeofday({1417188439, 805990}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 13, {1417188499, 805990000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 806115}, NULL) = 0
15601 gettimeofday({1417188439, 806462}, NULL) = 0
15601 gettimeofday({1417188439, 806509}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188439, 806606}, NULL) = 0
15612 gettimeofday({1417188439, 806651}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 7, {1417188440, 56651000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 806806}, NULL) = 0
15601 gettimeofday({1417188439, 806853}, NULL) = 0
15601 gettimeofday({1417188439, 806897}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188439, 806986}, NULL) = 0
15612 gettimeofday({1417188439, 807027}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 9, {1417188439, 911027000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 807188}, NULL) = 0
15601 gettimeofday({1417188439, 807243}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188439, 807337}, NULL) = 0
15612 gettimeofday({1417188439, 807378}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 11, {1417188440, 56378000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 807549}, NULL) = 0
15601 gettimeofday({1417188439, 807593}, NULL) = 0
15601 gettimeofday({1417188439, 807645}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}], {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=20, events=POLLIN}, {fd=9, events=POLLIN|
POLLPRI}], 8, 0) = 1 ([{fd=20, revents=POLLIN}])
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\22\0\7\0\300\0@\6\233\1\0\0\6\0\0\0 \0\0\0\1\0\0\0\1\0\0\0", 28}, {NULL, 0}, {"", 0}], 3)
= 28
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\326\2\300\0@\6\233\1\0\0M\\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}],
msg_controllen=0, msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8dff4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8dff4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 read(20, "\372", 1) = 1
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 access("/home/hw/zdesktop/profile/localstore.rdf", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/localstore.rdf", F_OK) = 0
15601 access("/home/hw/zdesktop/profile/localstore.rdf", W_OK) = 0
15601 access("/home/hw/zdesktop/profile/localstore.rdf", F_OK) = 0
15601 stat64("/home/hw/zdesktop/profile/localstore.rdf", {st_mode=S_IFREG|0644, st_size=169, ...}) = 0
15601 stat64("/home/hw/zdesktop/profile/localstore.rdf", {st_mode=S_IFREG|0644, st_size=169, ...}) = 0
15601 open("/home/hw/zdesktop/profile/localstore.rdf", O_RDONLY|O_LARGEFILE) = 26
15601 stat64("/home/hw/zdesktop/profile/localstore.rdf", {st_mode=S_IFREG|0644, st_size=169, ...}) = 0
```

```
15601 lseek(26, 0, SEEK_CUR) = 0
15601 lseek(26, 0, SEEK_END) = 169
15601 lseek(26, 0, SEEK_SET) = 0
15601 read(26, "<?xml version=\"1.0\"?>\n<RDF:RDF x\"..., 4096) = 169
15601 lseek(26, 0, SEEK_CUR) = 169
15601 lseek(26, 0, SEEK_END) = 169
15601 lseek(26, 169, SEEK_SET) = 169
15601 close(26) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/content/webrunner.xul", {st_mode=S_IFREG|0664, st_size=11805, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 access("/home/hw/zdesktop/profile/XUL.mfasl", F_OK) = 0
15601 open("/home/hw/zdesktop/profile/XUL.mfasl", O_RDONLY|O_LARGEFILE) = 26
15601 read(26, "XPCOM\nMozFASL\r\n32\311\245\40\252\314\3_u", 32) = 32
15601 _llseek(26, 0, [0], SEEK_SET) = 0
15601 read(26, "XPCOM\nMozFASL\r\n32", 16) = 16
15601 _llseek(26, 4, [20], SEEK_CUR) = 0
15601 read(26, "\0\0\0\5\0\3G\314\0\3_u\376\355\276\326\271s\300\252\0\0\0'/opt/zim\"..., 49132) = 49132
15601 read(26, "\0b\0a\0l\00\0v\0e\0r\0l\0a\0y\0.\0j\0s\0\0\0\0\0\0\"..., 49152) = 49152
15601 read(26, "\0r\0f\0a\0c\0e\0s\0\4\0\0\0\24\0\0\0n\0s\0I\0W\0e\0b\"..., 49152) = 49152
15601 read(26, "\0c\0|\0c\0o\0|\0d\0c\0|\0n\0d\0|\0m\0e\0|\0a\0l\"..., 49152) = 49152
15601 read(26, "\0i\0e\0s\0\4\0\0\0\6\0\0\0s\0t\0a\0t\0u\0s\0\4\0\0\0\10\"..., 49152) = 24437
15601 read(26, "", 49151) = 0
15601 _llseek(26, 32, [32], SEEK_SET) = 0
15601 _llseek(26, 0, [221045], SEEK_END) = 0
15601 _llseek(26, 0, [221045], SEEK_CUR) = 0
15601 read(26, "", 8192) = 0
15601 _llseek(26, 214988, [214988], SEEK_SET) = 0
15601 read(26, "\0\0\0\3\0\0\0\0\0\0\0\0\0\0006\336\224r\320\2004\21\323\223\231\0\20K\240\375@\"..., 8192) = 6057
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml", {st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml", {st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/content/webrunner.js", {st_mode=S_IFREG|0664, st_size=54574, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/webrunner.css", {st_mode=S_IFREG|0664, st_size=2167, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css", {st_mode=S_IFREG|0664, st_size=6048, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css", {st_mode=S_IFREG|0664, st_size=5327, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css", {st_mode=S_IFREG|0664, st_size=622, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css", {st_mode=S_IFREG|0664, st_size=51, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-platform/unix/platformKeys.properties", {st_mode=S_IFREG|0664, st_size=333, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css", {st_mode=S_IFREG|0664, st_size=159, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", {st_mode=S_IFREG|0664, st_size=874, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml", {st_mode=S_IFREG|0664, st_size=237, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml", {st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml", {st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/general.xml", {st_mode=S_IFREG|0664, st_size=16121, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/inlineSpellCheckUI.js", {st_mode=S_IFREG|0664, st_size=8768, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/autocomplete.css", {st_mode=S_IFREG|0664, st_size=5418, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml", {st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css", {st_mode=S_IFREG|0664, st_size=5371, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/browser.xml",
```

```
{st_mode=S_IFREG|0664, st_size=39033, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/global.css",
{st_mode=S_IFREG|0664, st_size=7494, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/globalOverlay.js",
{st_mode=S_IFREG|0664, st_size=5688, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
{st_mode=S_IFREG|0664, st_size=4005, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-rit-
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-up-
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
{st_mode=S_IFREG|0664, st_size=2885, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-dn-
dis.gif", {st_mode=S_IFREG|0664, st_size=53, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/textbox.xml",
{st_mode=S_IFREG|0664, st_size=28588, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
{st_mode=S_IFREG|0664, st_size=10627, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/tree.xml",
{st_mode=S_IFREG|0664, st_size=51599, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=962, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/toolbar.png", {st_mode=S_IFREG|0664,
st_size=11257, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/branding/brand.dtd", {st_mode=S_IFREG|0664,
st_size=1427, ...}) = 0
15601 stat64("/home/hw/zdesktop/profile/extensions/zimbradnd@zimbra.com/chrome/zimbradnd.jar",
{st_mode=S_IFREG|0664, st_size=4950, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/notification.dtd",
{st_mode=S_IFREG|0664, st_size=58, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/webrunner/content/contentAreaUtils.js",
{st_mode=S_IFREG|0664, st_size=38494, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/nsDragAndDrop.js",
{st_mode=S_IFREG|0664, st_size=21584, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/popup.xml",
{st_mode=S_IFREG|0664, st_size=11782, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/tree.dtd",
{st_mode=S_IFREG|0664, st_size=55, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/en-US/webrunner.dtd", {st_mode=S_IFREG|0664,
st_size=2659, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/printUtils.js",
{st_mode=S_IFREG|0664, st_size=11574, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
{st_mode=S_IFREG|0664, st_size=2318, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
{st_mode=S_IFREG|0664, st_size=2502, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css",
{st_mode=S_IFREG|0664, st_size=2629, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-lft-
dis.gif", {st_mode=S_IFREG|0664, st_size=47, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/textcontext.dtd",
{st_mode=S_IFREG|0664, st_size=745, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/en-US/browser/baseMenuOverlay.dtd", {st_mode=S_IFREG|
0664, st_size=1650, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/notification.xml",
{st_mode=S_IFREG|0664, st_size=17401, ...}) = 0
15601 _llseek(26, 32, [32], SEEK_SET) = 0
```

```
15601 read(26, "\376\355\276\326\271s\300\252\0\0\0'/opt/zimbra/zdesktop"... , 8192) = 8192
15601 _llseek(26, 42889, [42889], SEEK_SET) = 0
15601 read(26, "\0\0\344s\0\0\31Vj\t\346R\2367y\270\0\0\0\1\377\377\377\377\377\377\377\377\1\0\0\0"... ,
8192) = 8192
15601 _llseek(26, 290, [290], SEEK_SET) = 0
15601 read(26, "\2367y\272\0\0\0\6\0\0\0=\0h\0t\0t\0p\0:\0/\0/\0w\0w\0w"... , 8192) = 8192
15601 _llseek(26, 43089, [43089], SEEK_SET) = 0
15601 read(26, "\0\0\0?\0\0\0=\0h\0t\0t\0p\0:\0/\0/\0w\0w\0w\0.\0m"... , 8192) = 8192
15601 gettimeofday({1417188439, 817477}, NULL) = 0
15601 read(26, "\0C\5\303\0\0\261\260c\3c\6c\t\263c\3c\6c\0253\0\264\f\275,\261c\3c\6"... , 8192) = 8192
15601 read(26, "\0\0s\0e\0t\0P\0r\0i\0n\0t\0e\0r\0D\0e\0f\0a\0u\0"... , 8192) = 8192
15601 read(26, "\0\5\22\7\0\30A;\0\0045\0\0076\0\6Q;\0\4\270\0\10:\0\0QA\270\0\tT"... , 8192) = 8192
15601 read(26, " \0o\0f\0 \0\4\0\0\0\10\0\0\0 \0d\0e\0n\0i\0e\0d\0.\0"... , 8192) = 8192
15601 read(26, "i\0s\0t\0\0\0\0\0\1\0\0\300\0\0\0r\4\0\0\0\0\0\0p\0e\0r\0s\0"... , 8192) = 8192
15601 read(26, "M\00\0D\0E\0 \0F\0I\0L\0E\0O\0N\0L\0Y\0\0\0\4\0\0\0"... , 8192) = 8192
15601 read(26, "\0\0\0\0\2640\0\0\2\0\0\0\25\0\0\0\1\0\0\0\1\0\0\0\0\0\0\0\0\0"... , 8192) = 8192
15601 read(26, "\4\0\0\0\0\0\0\0\0\0m\0o\0z\0i\0l\0l\0a\0.\0o\0r\0g\0"... , 8192) = 8192
15601 brk(0x90a9000) = 0x90a9000
15601 read(26, "\0\0\0\0\0\0\0\0\0\0\0\0\10\300\0\0\t\0\255\336\6\0\0\0\0\0\0\0\2640\0\0"... , 8192) = 8192
15601 read(26, "\0\0\0\0\0\0\1\2367y\273\0\0\0\0\0\0012\354\0\0\0H\0\0\20\264\0\0\0034\t\0"... , 8192) = 8192
15601 read(26, "a\lc\4f\3c\6c\0203\0\264c\3\311\f\264\260\260c\3c\6v\263a\lc\4c"... , 8192) = 8192
15601 read(26, "://webrunner/content/webrunner.j"... , 8192) = 8192
15601 read(26, "\0e\0r\0|\0c\0z\0|\0l\0t\0|\0m\0i\0l\0|\0h\0r\0"... , 8192) = 8192
15601 read(26, "d\0\0\0.\0t\0n\0|\0m\0i\0l\0\0\0.\0b\0r\0|\0n\0e\0"... , 8192) = 8192
15601 read(26, "r\0o\0p\0e\0r\0t\0i\0e\0s\0\4\0\0\0\7\0\0\0i\0n\0c\0"... , 8192) = 8192
15601 read(26, "p\0S\0h\0o\0w\0i\0n\0g\0\0\0\4\0\0\0\t\0\0\0m\0e\0n\0"... , 8192) = 8192
15601 read(26, "\0\0\0\0\0\0\0\0\0\0\344;\0\0005\0\1\270\0\2;\0\0035\0\4:\0\1W\0\0"... , 8192) = 8192
15601 read(26, "\0\0\7\0\0\0f\0i\0n\0d\0b\0a\0r\0\0\0\4\0\0\0\r\0\0\0o\0"... , 8192) = 8192
15601 read(26, "nner/content/webrunner.js\0\220\4\0\0\n\0"... , 8192) = 8192
15601 read(26, "\0\0\0\2\0\0\0\16\0c\0m\0d\0 \0f\0u\0l\0l\0S\0c\0r\0e"... , 8192) = 8192
15601 gettimeofday({1417188439, 826237}, NULL) = 0
15601 gettimeofday({1417188439, 826452}, NULL) = 0
15601 gettimeofday({1417188439, 826630}, NULL) = 0
15601 gettimeofday({1417188439, 827536}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/global.css",
{st_mode=S_IFREG|0664, st_size=7494, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/global.css",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/global.css",
{st_mode=S_IFREG|0664, st_size=7494, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 14 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90a5098, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90a5098, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90a5098, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "/* ***** BEGIN LICENSE BLOCK ***"... , 4096) = 4096
15613 read(27, "anel {\n -moz-appearance: status"... , 4096) = 3398
15613 read(27, "", 698) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 830154}, NULL) = 0
15613 gettimeofday({1417188439, 830202}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 15, {1417188499, 830202000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 write(21, "\372", 1) = 1
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/webrunner.css", {st_mode=S_IFREG|0664,
st_size=2167, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/classic/webrunner.css", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/webrunner.css", {st_mode=S_IFREG|0664,
st_size=2167, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 16 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90a5af0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90a5af0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90a5af0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "/* toolbar -----"... , 4096) = 2167
15613 read(27, "", 1929) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 831841}, NULL) = 0
```



```

15601 close(29) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun...", 4096) = 4096
15601 read(29, "commented out if you do NOT have...", 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des...", 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/notification.dtd",
{st_mode=S_IFREG|0664, st_size=58, ...}) = 0
15601 brk(0x910d000) = 0x910d000
15601 read(28, "<!ENTITY closeNotification.toolt...", 8192) = 58
15601 read(28, "", 8192) = 0
15601 close(28) = 0
15601 gettimeofday({1417188439, 847110}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 17401
15601 lseek(27, 0, SEEK_END) = 17401
15601 lseek(27, 17401, SEEK_SET) = 17401
15601 gettimeofday({1417188439, 847309}, NULL) = 0
15601 gettimeofday({1417188439, 847362}, NULL) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 847567}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/browser.xml",
{st_mode=S_IFREG|0664, st_size=39033, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/browser.xml",
{st_mode=S_IFREG|0664, st_size=39033, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/browser.xml",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/browser.xml",
{st_mode=S_IFREG|0664, st_size=39033, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 39033
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version='1.0'?>\n\n<!-- *****...", 39033) = 39033
15601 gettimeofday({1417188439, 851120}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
O_RDONLY|O_LARGEFILE) = 28
15601 open("/home/hw/.mime.types", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mime.types", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# $Id: mime.types 145791 2008-01...", 4096) = 4096
15601 read(29, "ion/rss+xml\t\t\t\ttrss\napplication/r...", 4096) = 4096
15601 read(29, "lication/vnd.framemaker\t\t\t\ttfm fra...", 4096) = 4096
15601 read(29, "bk\t\t\t\tmbk\napplication/vnd.mobius."..., 4096) = 4096
15601 read(29, "on/vnd.oma.xcap-directory+xml\nap...", 4096) = 4096
15601 read(29, "ation/vnd.xara\t\t\t\ttxar\napplicatio...", 4096) = 4096
15601 close(29) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun...", 4096) = 4096
15601 read(29, "commented out if you do NOT have...", 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des...", 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun...", 4096) = 4096
15601 read(29, "commented out if you do NOT have...", 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des...", 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
15601 read(28, "<!-- LOCALIZATION NOTE : FILE Th...", 8192) = 735
15601 read(28, "", 8192) = 0
15601 close(28) = 0
15601 brk(0x912e000) = 0x912e000
15601 gettimeofday({1417188439, 856670}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 39033
15601 lseek(27, 0, SEEK_END) = 39033
15601 lseek(27, 39033, SEEK_SET) = 39033
15601 gettimeofday({1417188439, 856873}, NULL) = 0

```

```
15601 gettimeofday({1417188439, 856928}, NULL) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 857147}, NULL) = 0
15601 _llseek(26, 92, [92], SEEK_SET) = 0
15601 read(26, "\0\0\0\0\0\0\7]j\t\346j\2367y\270\0\0\0\1\377\377\377\377\377\377\377\1\0\0\0"... , 8192)
= 8192
15601 gettimeofday({1417188439, 862966}, NULL) = 0
15601 read(26, "\0i\0s\0t\0\0\0\t\0\255\336\30\0\0\0\0\0\0\264\0\0\0\3\0\0\0\n\0\0"... , 8192) = 8192
15601 read(26, "\0\10\300\0\0\3\0\0\0\6\0\0\0a\0E\0v\0e\0n\0t\0\21\0\0\0a\0D"... , 8192) = 8192
15601 _llseek(26, 1263, [1263], SEEK_SET) = 0
15601 read(26, "\0\0\0\0\0\0\0\2\0\0\0\3\0\0\0\2\0\0\0\4\0\0\0\30\0a\0p\0p\0l"... , 8192) = 8192
15601 _llseek(26, 19165, [19165], SEEK_SET) = 0
15601 read(26, "\0\0\0\0\0\0C\210\0\0\0\5\0\0\20\264\0\0\2\30\t\0\255\336\353\0\0\0\37\0\0\0"... , 8192) =
8192
15601 read(26, "a\0c\0e\0s\0\4\0\0\0\4\0\0\0d\0a\0t\0a\0\4\0\0\0\t\0\0\0"... , 8192) = 8192
15601 read(26, "\260\315\240\1[{\261\0\0\0\0\0)\0\0\0chrome://global/"... , 8192) = 8192
15601 _llseek(26, 1623, [1623], SEEK_SET) = 0
15601 read(26, "\0\0\0\0\0\0\0\2\0\0\0\3\0\0\0\2\0\0\0\4\0\0\0\30\0a\0p\0p\0l"... , 8192) = 8192
15601 _llseek(26, 36453, [36453], SEEK_SET) = 0
15601 read(26, "\0\0\0\0\0\0\31$\0\0\0\6\0\0\20\264\0\0\1\30\t\0\255\336z\0\0\0\n\0\0\0"... , 8192) = 8192
15601 gettimeofday({1417188439, 865121}, NULL) = 0
15601 recvmsg(3, 0xffa8e0a4, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=4, events=POLLIN}], {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=9, events=POLLIN|POLLPRI}, {fd=20,
events=POLLIN}], 8, 0) = 2 ([{fd=4, revents=POLLIN}, {fd=20, revents=POLLIN}])
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 read(20, "\372", 1) = 1
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 gettimeofday({1417188439, 865481}, NULL) = 0
15601 gettimeofday({1417188439, 865604}, NULL) = 0
15601 gettimeofday({1417188439, 865672}, NULL) = 0
15601 gettimeofday({1417188439, 865722}, NULL) = 0
15601 gettimeofday({1417188439, 865776}, NULL) = 0
15601 gettimeofday({1417188439, 865875}, NULL) = 0
15601 gettimeofday({1417188439, 865987}, NULL) = 0
15601 gettimeofday({1417188439, 866285}, NULL) = 0
15601 gettimeofday({1417188439, 866362}, NULL) = 0
15601 gettimeofday({1417188439, 866418}, NULL) = 0
15601 gettimeofday({1417188439, 866525}, NULL) = 0
15601 gettimeofday({1417188439, 866598}, NULL) = 0
15601 gettimeofday({1417188439, 866652}, NULL) = 0
15601 gettimeofday({1417188439, 866752}, NULL) = 0
15601 gettimeofday({1417188439, 866824}, NULL) = 0
15601 gettimeofday({1417188439, 866878}, NULL) = 0
15601 gettimeofday({1417188439, 866978}, NULL) = 0
15601 gettimeofday({1417188439, 867050}, NULL) = 0
15601 gettimeofday({1417188439, 867111}, NULL) = 0
15601 gettimeofday({1417188439, 867212}, NULL) = 0
15601 gettimeofday({1417188439, 867263}, NULL) = 0
15601 gettimeofday({1417188439, 867313}, NULL) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\22\0\6\0\240\0@6R\1\0\0\1\1\0\0\10\0\0\0\0\0\0\22\0\6\0\240\0@6"... , 1380}, {NULL, 0},
{"", 0}], 3) = 1380
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\327\2\240\0@6R\1\0\0\211\\\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0}, 0) = 160
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 gettimeofday({1417188439, 868646}, NULL) = 0
15601 readlink("/proc/self/exe", "/opt/zimbra/zdesktop/linux/prism"... , 4096) = 41
15601 time(NULL) = 1417188439
15601 time(NULL) = 1417188439
15601 open("/usr/share/fonts/TTF/dejavu/DejaVuSerif.ttf", O_RDONLY) = 27
15601 fcntl64(27, F_SETFD, FD_CLOEXEC) = 0
15601 fstat64(27, {st_mode=S_IFREG|0644, st_size=367260, ...}) = 0
15601 mmap2(NULL, 367260, PROT_READ, MAP_PRIVATE, 27, 0) = 0xffffffffef4ab000
15601 close(27) = 0
15601 write(21, "\372", 1) = 1
15601 gettimeofday({1417188439, 872293}, NULL) = 0
15601 gettimeofday({1417188439, 872351}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-up-
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-up-
dis.gif", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-up-
```

```
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 18 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90f5ef0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90f5ef0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90f5ef0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "GIF89a\5\0\3\0\241\2\0\314\314\314\231\231\231\377\377\377\377\377!\371\4\1\0\0\2"...,
4096) = 54
15613 read(27, "", 4042) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 873019}, NULL) = 0
15613 gettimeofday({1417188439, 873064}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 19, {1417188499, 873064000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 873195}, NULL) = 0
15601 gettimeofday({1417188439, 873355}, NULL) = 0
15601 gettimeofday({1417188439, 873407}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-rit-
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-rit-
dis.gif", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-rit-
dis.gif", {st_mode=S_IFREG|0664, st_size=54, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 20 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90f68c0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90f68c0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90f68c0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "GIF89a\3\0\5\0\241\2\0\314\314\314\231\231\231\377\377\377\377\377!\371\4\1\0\0\2"...,
4096) = 54
15613 read(27, "", 4042) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 874012}, NULL) = 0
15613 gettimeofday({1417188439, 874057}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 21, {1417188499, 874057000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 874180}, NULL) = 0
15601 gettimeofday({1417188439, 874330}, NULL) = 0
15601 gettimeofday({1417188439, 874382}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-dn-
dis.gif", {st_mode=S_IFREG|0664, st_size=53, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-dn-
dis.gif", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-dn-
dis.gif", {st_mode=S_IFREG|0664, st_size=53, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 22 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90f72c8, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90f72c8, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90f72c8, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "GIF89a\5\0\3\0\241\2\0\314\314\314\231\231\231\377\377\377\377\377!\371\4\1\0\0\2"...,
4096) = 53
15613 read(27, "", 4043) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 874994}, NULL) = 0
15613 gettimeofday({1417188439, 875035}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 23, {1417188499, 875035000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 875160}, NULL) = 0
15601 gettimeofday({1417188439, 875421}, NULL) = 0
15601 gettimeofday({1417188439, 875474}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-lft-
dis.gif", {st_mode=S_IFREG|0664, st_size=47, ...}) = 0
```



```
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-lft-
dis.gif", 0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/arrow/arrow-lft-
dis.gif", {st_mode=S_IFREG|0664, st_size=47, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 24 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90f7cb8, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90f7cb8, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90f7cb8, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "GIF89a\3\0\5\0\200\1\0\177\177\177\377\377\377!\371\4\1\0\0\1\0,\0\0\0\0"... , 4096) = 47
15613 read(27, "", 4049) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 876059}, NULL) = 0
15613 gettimeofday({1417188439, 876116}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 25, {1417188499, 876116000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188439, 876224}, NULL) = 0
15601 gettimeofday({1417188439, 876380}, NULL) = 0
15601 gettimeofday({1417188439, 876476}, NULL) = 0
15601 gettimeofday({1417188439, 876592}, NULL) = 0
15601 gettimeofday({1417188439, 876664}, NULL) = 0
15601 gettimeofday({1417188439, 876781}, NULL) = 0
15601 gettimeofday({1417188439, 876834}, NULL) = 0
15601 gettimeofday({1417188439, 876915}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css",
{st_mode=S_IFREG|0664, st_size=159, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css", 0_RDONLY|
0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/intl.css",
{st_mode=S_IFREG|0664, st_size=159, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 26 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x90f8a78, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x90f8a78, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x90f8a78, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "/*\n * This file contains all loc"... , 4096) = 159
15613 read(27, "", 3937) = 0
15613 close(27) = 0
15613 gettimeofday({1417188439, 877738}, NULL) = 0
15613 gettimeofday({1417188439, 877779}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 27, {1417188499, 877779000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/libimgicon.so", 0_RDONLY|0_CLOEXEC) = 27
15601 read(27, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\0\0\0\0\0004\0\0\0"... , 512) = 512
15601 fstat64(27, {st_mode=S_IFREG|0664, st_size=41568, ...}) = 0
15601 mmap2(NULL, 39628, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 27, 0) = 0xfffffffff1712000
15601 mmap2(0xf171b000, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 27, 0x9000) =
0xfffffffff171b000
15601 close(27) = 0
15601 gettimeofday({1417188439, 880536}, NULL) = 0
15601 gettimeofday({1417188439, 881036}, NULL) = 0
15601 gettimeofday({1417188439, 881100}, NULL) = 0
15601 gettimeofday({1417188439, 881157}, NULL) = 0
15601 gettimeofday({1417188439, 881206}, NULL) = 0
15601 gettimeofday({1417188439, 881259}, NULL) = 0
15601 gettimeofday({1417188439, 881307}, NULL) = 0
15601 gettimeofday({1417188439, 881360}, NULL) = 0
15601 gettimeofday({1417188439, 881424}, NULL) = 0
15601 gettimeofday({1417188439, 881475}, NULL) = 0
15601 gettimeofday({1417188439, 881525}, NULL) = 0
15601 gettimeofday({1417188439, 881619}, NULL) = 0
15601 gettimeofday({1417188439, 881682}, NULL) = 0
15601 gettimeofday({1417188439, 881829}, NULL) = 0
15601 gettimeofday({1417188439, 881902}, NULL) = 0
15601 gettimeofday({1417188439, 881957}, NULL) = 0
15601 gettimeofday({1417188439, 882060}, NULL) = 0
15601 gettimeofday({1417188439, 882142}, NULL) = 0
```

```
15601 gettimeofday({1417188439, 882196}, NULL) = 0
15601 gettimeofday({1417188439, 882299}, NULL) = 0
15601 gettimeofday({1417188439, 882371}, NULL) = 0
15601 gettimeofday({1417188439, 882425}, NULL) = 0
15601 gettimeofday({1417188439, 882544}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188439, 882661}, NULL) = 0
15612 gettimeofday({1417188439, 882707}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 13, {1417188440, 572707000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default.png", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default.png", R_OK) = -1 ENOENT (No such
file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default16.png", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default16.png", R_OK) = -1 ENOENT (No
such file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default32.png", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default32.png", R_OK) = -1 ENOENT (No
such file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default48.png", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default48.png", R_OK) = -1 ENOENT (No
such file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default.xpm", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default.xpm", R_OK) = -1 ENOENT (No such
file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/default16.xpm", R_OK) = -1 ENOENT (No such file
or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/default16.xpm", R_OK) = -1 ENOENT (No
such file or directory)
15601 gettimeofday({1417188439, 884850}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/popup.xml",
{st_mode=S_IFREG|0664, st_size=11782, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/popup.xml",
{st_mode=S_IFREG|0664, st_size=11782, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/popup.xml",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/popup.xml",
{st_mode=S_IFREG|0664, st_size=11782, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 11782
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version='1.0'>\n\n<bindings"... , 11782) = 11782
15601 gettimeofday({1417188439, 886107}, NULL) = 0
15601 gettimeofday({1417188439, 887145}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 11782
15601 lseek(27, 0, SEEK_END) = 11782
15601 lseek(27, 11782, SEEK_SET) = 11782
15601 gettimeofday({1417188439, 887339}, NULL) = 0
15601 gettimeofday({1417188439, 887392}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css",
{st_mode=S_IFREG|0664, st_size=2629, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/popup.css",
{st_mode=S_IFREG|0664, st_size=2629, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 2629
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 888395}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
```

```
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbar.xml",
{st_mode=S_IFREG|0664, st_size=19459, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 19459
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"..., 19459) = 19459
15601 brk(0x9156000) = 0x9156000
15601 gettimeofday({1417188439, 890404}, NULL) = 0
15601 gettimeofday({1417188439, 891580}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 19459
15601 lseek(27, 0, SEEK_END) = 19459
15601 lseek(27, 19459, SEEK_SET) = 19459
15601 gettimeofday({1417188439, 891774}, NULL) = 0
15601 gettimeofday({1417188439, 891827}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
{st_mode=S_IFREG|0664, st_size=4005, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbar.css",
{st_mode=S_IFREG|0664, st_size=4005, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ****", 8192) = 4005
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 892944}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/findbar.xml",
{st_mode=S_IFREG|0664, st_size=65241, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 65241
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<!-- *****", 65241) = 65241
15601 brk(0x9192000) = 0x9192000
15601 gettimeofday({1417188439, 894635}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
O_RDONLY|O_LARGEFILE) = 28
15601 open("/home/hw/.mime.types", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mime.types", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# $Id: mime.types 145791 2008-01", 4096) = 4096
15601 read(29, "ion/rss+xml\t\t\t\t\ttrss\napplication/r", 4096) = 4096
15601 read(29, "lication/vnd.framemaker\t\t\t\t\ttfm fra", 4096) = 4096
15601 read(29, "bk\t\t\t\t\tmbk\napplication/vnd.mobius.", 4096) = 4096
15601 read(29, "on/vnd.oma.xcap-directory+xml\nap", 4096) = 4096
15601 read(29, "ation/vnd.xara\t\t\t\t\ttxar\napplicatio", 4096) = 4096
15601 close(29) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun", 4096) = 4096
15601 read(29, "commented out if you do NOT have", 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des", 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 open("/home/hw/.mailcap", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", O_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun", 4096) = 4096
15601 read(29, "commented out if you do NOT have", 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des", 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
```

```
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/findbar.dtd",
{st_mode=S_IFREG|0664, st_size=735, ...}) = 0
15601 read(28, "<!-- LOCALIZATION NOTE : FILE Th"... , 8192) = 735
15601 read(28, "", 8192) = 0
15601 close(28) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/editor.xpt", {st_mode=S_IFREG|0664,
st_size=11483, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/editor.xpt", 0_RDONLY|0_LARGFILE) = 28
15601 read(28, "XPCOM\nTypeLib\r\n32\1\2\0)\0\0,\333\0\0\0"\0\0\4\235"... , 11483) = 11483
15601 close(28) = 0
15601 gettimeofday({1417188439, 900996}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 65241
15601 lseek(27, 0, SEEK_END) = 65241
15601 lseek(27, 65241, SEEK_SET) = 65241
15601 gettimeofday({1417188439, 901208}, NULL) = 0
15601 gettimeofday({1417188439, 901263}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
{st_mode=S_IFREG|0664, st_size=2318, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
0_RDONLY|0_LARGFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/findBar.css",
{st_mode=S_IFREG|0664, st_size=2318, ...}) = 0
15601 read(27, "@namespace url(\"http://www.mozil"... , 8192) = 2318
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 903925}, NULL) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
0_RDONLY|0_LARGFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/autocomplete.xml",
{st_mode=S_IFREG|0664, st_size=57037, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 57037
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n\n\n<binding"... , 57037) = 57037
15601 gettimeofday({1417188439, 921039}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/autocomplete.xpt", {st_mode=S_IFREG|0664,
st_size=3601, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/autocomplete.xpt", 0_RDONLY|0_LARGFILE) =
28
15601 read(28, "XPCOM\nTypeLib\r\n32\1\2\0)\20\0\0\16\21\0\0\0"\0\0\1\341"... , 3601) = 3601
15601 close(28) = 0
15601 brk(0x91b3000) = 0x91b3000
15601 gettimeofday({1417188439, 930080}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 57037
15601 lseek(27, 0, SEEK_END) = 57037
15601 lseek(27, 57037, SEEK_SET) = 57037
15601 gettimeofday({1417188439, 930316}, NULL) = 0
15601 gettimeofday({1417188439, 930375}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
{st_mode=S_IFREG|0664, st_size=10627, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
0_RDONLY|0_LARGFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/tree.css",
{st_mode=S_IFREG|0664, st_size=10627, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK *****"... , 8192) = 8192
15601 read(27, "/* ::::: column drag and drop st"... , 8192) = 2435
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601
```



```
15601 open("/etc/mime.types", 0_RDONLY|0_LARGEFILE) = 29
15601 read(29, "# $Id: mime.types 145791 2008-01"... , 4096) = 4096
15601 read(29, "ion/rss+xml\t\t\t\t\ttrss\napplication/r"... , 4096) = 4096
15601 read(29, "lication/vnd.framemaker\t\t\t\t\ttfm fra"... , 4096) = 4096
15601 read(29, "bk\t\t\t\t\tmbk\napplication/vnd.mobius."... , 4096) = 4096
15601 read(29, "on/vnd.oma.xcap-directory+xml\nap"... , 4096) = 4096
15601 read(29, "ation/vnd.xara\t\t\t\t\ttxar\napplicatio"... , 4096) = 4096
15601 close(29) = 0
15601 open("/home/hw/.mailcap", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", 0_RDONLY|0_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
15601 read(29, "commented out if you do NOT have"... , 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 open("/home/hw/.mailcap", 0_RDONLY|0_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", 0_RDONLY|0_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
15601 read(29, "commented out if you do NOT have"... , 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/tree.dtd",
{st_mode=S_IFREG|0664, st_size=55, ...}) = 0
15601 read(28, "<!ENTITY restoreNaturalOrder.lab"... , 8192) = 55
15601 read(28, "", 8192) = 0
15601 close(28) = 0
15601 gettimeofday({1417188439, 963022}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 51599
15601 lseek(27, 0, SEEK_END) = 51599
15601 lseek(27, 51599, SEEK_SET) = 51599
15601 gettimeofday({1417188439, 963254}, NULL) = 0
15601 gettimeofday({1417188439, 963312}, NULL) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 963986}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/text.xml",
{st_mode=S_IFREG|0664, st_size=13912, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 13912
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings"... , 13912) = 13912
15601 gettimeofday({1417188439, 977900}, NULL) = 0
15601 gettimeofday({1417188439, 978746}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 13912
15601 lseek(27, 0, SEEK_END) = 13912
15601 lseek(27, 13912, SEEK_SET) = 13912
15601 gettimeofday({1417188439, 978945}, NULL) = 0
15601 gettimeofday({1417188439, 979000}, NULL) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 979234}, NULL) = 0
15601 gettimeofday({1417188439, 983861}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/menu.xml",
{st_mode=S_IFREG|0664, st_size=10033, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 10033
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings"... , 10033) = 10033
15601 gettimeofday({1417188439, 985728}, NULL) = 0
15601 gettimeofday({1417188439, 987408}, NULL) = 0
```

```
15601 lseek(27, 0, SEEK_CUR) = 10033
15601 lseek(27, 0, SEEK_END) = 10033
15601 lseek(27, 10033, SEEK_SET) = 10033
15601 gettimeofday({1417188439, 987605}, NULL) = 0
15601 gettimeofday({1417188439, 987658}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css",
{st_mode=S_IFREG|0664, st_size=6048, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/menu.css",
{st_mode=S_IFREG|0664, st_size=6048, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 6048
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188439, 989974}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", {st_mode=S_IFREG|0664, st_size=333, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global-
platform/unix/platformKeys.properties", {st_mode=S_IFREG|0664, st_size=333, ...}) = 0
15601 read(27, "#default\n#this file defines the "... , 8192) = 333
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
O_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/toolbarbutton.xml",
{st_mode=S_IFREG|0664, st_size=3588, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 3588
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"... , 3588) = 3588
15601 gettimeofday({1417188439, 992533}, NULL) = 0
15601 gettimeofday({1417188439, 993432}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 3588
15601 lseek(27, 0, SEEK_END) = 3588
15601 lseek(27, 3588, SEEK_SET) = 3588
15601 gettimeofday({1417188439, 993628}, NULL) = 0
15601 gettimeofday({1417188439, 993680}, NULL) = 0
15601 close(27) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
{st_mode=S_IFREG|0664, st_size=5327, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
O_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/toolbarbutton.css",
{st_mode=S_IFREG|0664, st_size=5327, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ****"... , 8192) = 5327
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
{st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
{st_mode=S_IFREG|0664, st_size=14087, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/button.xml",
```

[illegible]


```
15601 read(29, "commented out if you do NOT have"... , 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 open("/home/hw/.mailcap", 0_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or directory)
15601 open("/etc/mailcap", 0_RDONLY|O_LARGEFILE) = 29
15601 read(29, "# Copyright (c) 1991 Bell Commun"... , 4096) = 4096
15601 read(29, "commented out if you do NOT have"... , 4096) = 4096
15601 read(29, "tion/x-inventor; examine %s; des"... , 4096) = 2704
15601 read(29, "", 4096) = 0
15601 close(29) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/en-US/locale/en-US/global/textcontext.dtd",
{st_mode=S_IFREG|0664, st_size=745, ...}) = 0
15601 brk(0x921c000) = 0x921c000
15601 read(28, "<!ENTITY cutCmd.label \"Cut\">\n<!E"... , 8192) = 745
15601 read(28, "", 8192) = 0
15601 close(28) = 0
15601 gettimeofday({1417188440, 8575}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 28588
15601 lseek(27, 0, SEEK_END) = 28588
15601 lseek(27, 28588, SEEK_SET) = 28588
15601 gettimeofday({1417188440, 8776}, NULL) = 0
15601 gettimeofday({1417188440, 8830}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=962, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css", 0_RDONLY|
O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=962, ...}) = 0
15601 read(27, "@namespace url(\"http://www.mozil"... , 8192) = 962
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=5371, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css",
0_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/textbox.css",
{st_mode=S_IFREG|0664, st_size=5371, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ***"... , 8192) = 5371
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188440, 14719}, NULL) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
0_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/platformHTMLBindings.xml",
{st_mode=S_IFREG|0664, st_size=6205, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 6205
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings"... , 6205) = 6205
15601 gettimeofday({1417188440, 21507}, NULL) = 0
15601 gettimeofday({1417188440, 23937}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 6205
15601 lseek(27, 0, SEEK_END) = 6205
15601 lseek(27, 6205, SEEK_SET) = 6205
15601 gettimeofday({1417188440, 24158}, NULL) = 0
15601 gettimeofday({1417188440, 24215}, NULL) = 0
15601 close(27) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
```

```
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
O_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/splitter.xml",
{st_mode=S_IFREG|0664, st_size=906, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 906
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"..., 906) = 906
15601 gettimeofday({1417188440, 25672}, NULL) = 0
15601 gettimeofday({1417188440, 25885}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 906
15601 lseek(27, 0, SEEK_END) = 906
15601 lseek(27, 906, SEEK_SET) = 906
15601 gettimeofday({1417188440, 26090}, NULL) = 0
15601 gettimeofday({1417188440, 26145}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
{st_mode=S_IFREG|0664, st_size=2502, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/splitter.css",
{st_mode=S_IFREG|0664, st_size=2502, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ***\"..., 8192) = 2502
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188440, 27320}, NULL) = 0
15601 gettimeofday({1417188440, 28185}, NULL) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
15601
open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
O_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/progressmeter.xml",
{st_mode=S_IFREG|0664, st_size=5249, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 5249
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings\"..., 5249) = 5249
15601 gettimeofday({1417188440, 29508}, NULL) = 0
15601 gettimeofday({1417188440, 30098}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 5249
15601 lseek(27, 0, SEEK_END) = 5249
15601 lseek(27, 5249, SEEK_SET) = 5249
15601 gettimeofday({1417188440, 30291}, NULL) = 0
15601 gettimeofday({1417188440, 30344}, NULL) = 0
15601 close(27) = 0
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
{st_mode=S_IFREG|0664, st_size=2885, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
O_RDONLY|O_LARGEFILE) = 27
15601
stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/progressmeter.css",
{st_mode=S_IFREG|0664, st_size=2885, ...}) = 0
15601 read(27, "/* ***** BEGIN LICENSE BLOCK ***\"..., 8192) = 2885
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188440, 31333}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
```

```
{st_mode=S_IFREG|0664, st_size=51, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/dropmarker.css",
{st_mode=S_IFREG|0664, st_size=51, ...}) = 0
15601 read(27, "dropmarker {\n  -moz-appearance: "..., 8192) = 51
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 gettimeofday({1417188440, 34688}, NULL) = 0
15601 gettimeofday({1417188440, 34746}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", {st_mode=S_IFREG|0664,
st_size=874, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", 0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/chrome/classic/images/gear.png", {st_mode=S_IFREG|0664,
st_size=874, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 30 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x91f3770, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x91f3770, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x91f3770, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "\211PNG\r\n\32\n\0\0\0\rIHDR\0\0\0\20\0\0\0\20\10\6\0\0\0\37\363\377"... , 4096) = 874
15613 read(27, "", 3222) = 0
15613 close(27) = 0
15613 gettimeofday({1417188440, 35389}, NULL) = 0
15613 gettimeofday({1417188440, 35434}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 31, {1417188500, 35434000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 35544}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/toolkit/content/global/bindings/resizer.xml",
{st_mode=S_IFREG|0664, st_size=237, ...}) = 0
15601 lseek(27, 0, SEEK_CUR) = 0
15601 lseek(27, 0, SEEK_END) = 237
15601 lseek(27, 0, SEEK_SET) = 0
15601 read(27, "<?xml version=\"1.0\"?>\n\n<bindings"... , 237) = 237
15601 gettimeofday({1417188440, 36536}, NULL) = 0
15601 gettimeofday({1417188440, 36692}, NULL) = 0
15601 lseek(27, 0, SEEK_CUR) = 237
15601 lseek(27, 0, SEEK_END) = 237
15601 lseek(27, 237, SEEK_SET) = 237
15601 gettimeofday({1417188440, 36882}, NULL) = 0
15601 gettimeofday({1417188440, 36934}, NULL) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css",
{st_mode=S_IFREG|0664, st_size=622, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css",
0_RDONLY|0_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/chrome/classic/skin/classic/global/resizer.css",
{st_mode=S_IFREG|0664, st_size=622, ...}) = 0
15601 read(27, "@namespace url(\"http://www.mozil"... , 8192) = 622
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 read(27, "", 8192) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/docshell.xpt", {st_mode=S_IFREG|0664,
st_size=10910, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/docshell.xpt", 0_RDONLY|0_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\0\0\0*\236\0\0\0\0\0\0\5E"... , 10910) = 10910
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/shistory.xpt", {st_mode=S_IFREG|0664,
st_size=2989, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/shistory.xpt", 0_RDONLY|0_LARGEFILE) = 27
```

```
15601 read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\20\0\0\v\255\0\0\0"\0\0\1\341"... , 2989) = 2989
15601 close(27) = 0
15601 brk(0x923d000) = 0x923d000
15601 mmap2(NULL, 65536, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xfffffffff1702000
15601 mprotect(0xf1702000, 65536, PROT_READ|PROT_WRITE|PROT_EXEC) = 0
15601 mmap2(NULL, 65536, PROT_READ|PROT_WRITE|PROT_EXEC, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) =
0xfffffffffef49b000
15601 mprotect(0xef49b000, 65536, PROT_READ|PROT_WRITE|PROT_EXEC) = 0
15601 gettimeofday({1417188440, 46130}, NULL) = 0
15601 gettimeofday({1417188440, 46191}, NULL) = 0
15601 gettimeofday({1417188440, 46236}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 46337}, NULL) = 0
15612 gettimeofday({1417188440, 46382}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 15, {1417188440, 56382000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 47196}, NULL) = 0
15601 gettimeofday({1417188440, 47244}, NULL) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 32 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x9224d90, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x9224d90, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x9224d90, FUTEX_WAKE_PRIVATE, 1) = 0
15613 gettimeofday({1417188440, 47653}, NULL) = 0
15613 gettimeofday({1417188440, 47699}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 33, {1417188500, 47699000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/splash.html", {st_mode=S_IFREG|0664, st_size=432, ...}) = 0
15601 open("/home/hw/zdesktop/zdesktop.webapp/splash.html", 0_RDONLY|O_LARGEFILE) = 27
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/splash.html", {st_mode=S_IFREG|0664, st_size=432, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 34 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x8e852a0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x8e852a0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8e852a0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "<!DOCTYPE HTML PUBLIC \"-//W3C//D\"... , 4096) = 432
15613 read(27, "", 3664) = 0
15613 close(27) = 0
15613 gettimeofday({1417188440, 48498}, NULL) = 0
15613 gettimeofday({1417188440, 48542}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 35, {1417188500, 48542000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 48666}, NULL) = 0
15601 gettimeofday({1417188440, 48773}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=9, events=POLLIN|POLLPRI}, {fd=20,
events=POLLIN}], 8, 0) = 2 ([{fd=4, revents=POLLIN}, {fd=20, revents=POLLIN}])
15601 read(4, "\4\0\0\0\0\0\0", 16) = 8
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 read(20, "\372", 1) = 1
15601 write(4, "\1\0\0\0\0\0\0", 8) = 8
15601 gettimeofday({1417188440, 49222}, NULL) = 0
15601 gettimeofday({1417188440, 49283}, NULL) = 0
15601 gettimeofday({1417188440, 49333}, NULL) = 0
15601 gettimeofday({1417188440, 49385}, NULL) = 0
15601 gettimeofday({1417188440, 49434}, NULL) = 0
15601 gettimeofday({1417188440, 49485}, NULL) = 0
15601 gettimeofday({1417188440, 49533}, NULL) = 0
15601 gettimeofday({1417188440, 49584}, NULL) = 0
15601 gettimeofday({1417188440, 49632}, NULL) = 0
15601 gettimeofday({1417188440, 49683}, NULL) = 0
15601 gettimeofday({1417188440, 49731}, NULL) = 0
```



```
15601 gettimeofday({1417188440, 68888}, NULL) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\214\4\6\0\364\0@6\363\0@6\340\1\0\0\0\1\0\0\1\0\0\0\214\10\t\0\1\0@6"... , 1388},
{NULL, 0}, {"", 0}], 3) = 1388
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\1u\3\0\0\0\27\0\240\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 gettimeofday({1417188440, 70263}, NULL) = 0
15601 time(NULL) = 1417188440
15601 time(NULL) = 1417188440
15601 open("/usr/share/fonts/TTF/dejavu/DejaVuSans.ttf", O_RDONLY) = 27
15601 fcntl64(27, F_SETFD, FD_CLOEXEC) = 0
15601 fstat64(27, {st_mode=S_IFREG|0644, st_size=741536, ...}) = 0
15601 mmap2(NULL, 741536, PROT_READ, MAP_PRIVATE, 27, 0) = 0xfffffffffef3e5000
15601 close(27) = 0
15601 gettimeofday({1417188440, 72588}, NULL) = 0
15601 gettimeofday({1417188440, 72637}, NULL) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"7\4\6\0\372\0@6L\0@6\4\0\1\0\331\334\337\0\0\0\0\0007\10\6\0\373\0@6"... , 788}, {NULL,
0}, {"", 0}], 3) = 788
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0~\3\1\1@6R\1\0\0X\}\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}], msg_controllen=0,
msg_flags=0}, 0) = 448
15601 recvmsg(3, 0xffa8cc54, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([{fd=3, revents=POLLOUT}])
15601 writev(3, [{"\24\0\6\0\1\1@6H\1\0\0\0\0\0\0\0\0\0\0\0\5\0\0\0", 24}, {NULL, 0}, {"", 0}], 3) = 24
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([{fd=3, revents=POLLIN}])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\1\0\216\3\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0", 4096}], msg_controllen=0,
msg_flags=0}, 0) = 32
15601 recvmsg(3, 0xffa8cc94, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 recvmsg(3, 0xffa8cc94, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 clock_gettime(CLOCK_MONOTONIC, {29646, 170985377}) = 0
15601 open("/home/hw/.icons/Adwaita/cursors/sb_h_double_arrow", O_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/home/hw/.icons/Adwaita/index.theme", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/icons/Adwaita/cursors/sb_h_double_arrow", O_RDONLY) = 27
15601 fstat64(27, {st_mode=S_IFREG|0644, st_size=15776, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2102000
15601 read(27, "Xcur\20\0\0\0\0\0\1\0\3\0\0\0\2\0\375\377\30\0\0\0004\0\0\0\2\0\375\377"... , 4096) = 4096
15601 _llseek(27, 0, [0], SEEK_SET) = 0
15601 read(27, "Xcur\20\0\0\0\0\0\1\0\3\0\0\0\2\0\375\377\30\0\0\0004\0\0\0\2\0\375\377"... , 4096) = 4096
15601 close(27) = 0
15601 munmap(0xf2102000, 4096) = 0
15601 open("/home/hw/.icons/Adwaita/cursors/bottom_right_corner", O_RDONLY) = -1 ENOENT (No such file or
directory)
15601 open("/home/hw/.icons/Adwaita/index.theme", O_RDONLY) = -1 ENOENT (No such file or directory)
15601 open("/usr/share/icons/Adwaita/cursors/bottom_right_corner", O_RDONLY) = 27
15601 fstat64(27, {st_mode=S_IFREG|0644, st_size=15776, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xfffffffff2102000
15601 read(27, "Xcur\20\0\0\0\0\0\1\0\3\0\0\0\2\0\375\377\30\0\0\0004\0\0\0\2\0\375\377"... , 4096) = 4096
15601 _llseek(27, 0, [0], SEEK_SET) = 0
15601 read(27, "Xcur\20\0\0\0\0\0\1\0\3\0\0\0\2\0\375\377\30\0\0\0004\0\0\0\2\0\375\377"... , 4096) = 4096
15601 close(27) = 0
15601 munmap(0xf2102000, 4096) = 0
15601 gettimeofday({1417188440, 82015}, NULL) = 0
15601 gettimeofday({1417188440, 82107}, NULL) = 0
15601 gettimeofday({1417188440, 82579}, NULL) = 0
15601 gettimeofday({1417188440, 82682}, NULL) = 0
15601 gettimeofday({1417188440, 82759}, NULL) = 0
15601 gettimeofday({1417188440, 82908}, NULL) = 0
15601 poll([{fd=4, events=POLLIN}, {fd=3, events=POLLIN}, {fd=7, events=POLLIN}, {fd=6, events=POLLIN|
POLLPRI}, {fd=10, events=POLLIN}, {fd=19, events=POLLIN}, {fd=9, events=POLLIN|POLLPRI}, {fd=20,
events=POLLIN}], 8, 0) = 2 ([{fd=4, revents=POLLIN}, {fd=20, revents=POLLIN}])
15601 read(4, "\2\0\0\0\0\0\0\0", 16) = 8
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 read(20, "\372", 1) = 1
15601 write(4, "\1\0\0\0\0\0\0\0", 8) = 8
15601 gettimeofday({1417188440, 83393}, NULL) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
```

```
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 gettimeofday({1417188440, 83822}, NULL) = 0
15601 gettimeofday({1417188440, 83946}, NULL) = 0
15601 gettimeofday({1417188440, 84095}, NULL) = 0
15601 gettimeofday({1417188440, 84470}, NULL) = 0
15601 gettimeofday({1417188440, 84518}, NULL) = 0
15601 gettimeofday({1417188440, 85238}, NULL) = 0
15601 gettimeofday({1417188440, 85353}, NULL) = 0
15601 gettimeofday({1417188440, 85429}, NULL) = 0
15601 gettimeofday({1417188440, 85515}, NULL) = 0
15601 write(21, "\372", 1) = 1
15601 gettimeofday({1417188440, 85690}, NULL) = 0
15601 gettimeofday({1417188440, 85747}, NULL) = 0
15601 gettimeofday({1417188440, 85793}, NULL) = 0
15601 gettimeofday({1417188440, 87276}, NULL) = 0
15601 gettimeofday({1417188440, 87325}, NULL) = 0
15601 gettimeofday({1417188440, 87380}, NULL) = 0
15601 gettimeofday({1417188440, 87428}, NULL) = 0
15601 gettimeofday({1417188440, 87472}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1})
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 87588}, NULL) = 0
15612 gettimeofday({1417188440, 87634}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 19, {1417188440, 205634000}, ffffffff)
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 87803}, NULL) = 0
15601 gettimeofday({1417188440, 87855}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1})
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 87952}, NULL) = 0
15612 gettimeofday({1417188440, 88108}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 21, {1417188440, 298108000}, ffffffff)
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 88307}, NULL) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/splash.html", {st_mode=S_IFREG|0664, st_size=432, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=2335, ...}) = 0
15601 gettimeofday({1417188440, 88906}, NULL) = 0
15601 gettimeofday({1417188440, 89043}, NULL) = 0
15601 brk(0x92a4000) = 0x92a4000
15601 gettimeofday({1417188440, 89497}, NULL) = 0
15601 gettimeofday({1417188440, 90223}, NULL) = 0
15601 gettimeofday({1417188440, 90352}, NULL) = 0
15601 gettimeofday({1417188440, 90420}, NULL) = 0
15601 gettimeofday({1417188440, 90530}, NULL) = 0
15601 gettimeofday({1417188440, 90646}, NULL) = 0
15601 gettimeofday({1417188440, 90825}, NULL) = 0
15601 gettimeofday({1417188440, 90984}, NULL) = 0
15601 gettimeofday({1417188440, 91042}, NULL) = 0
15601 gettimeofday({1417188440, 91099}, NULL) = 0
15601 gettimeofday({1417188440, 92498}, NULL) = 0
15601 gettimeofday({1417188440, 92546}, NULL) = 0
15601 gettimeofday({1417188440, 92616}, NULL) = 0
15601 gettimeofday({1417188440, 92745}, NULL) = 0
15601 gettimeofday({1417188440, 92798}, NULL) = 0
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/splash.gif", {st_mode=S_IFREG|0664, st_size=3339, ...}) = 0
15601 open("/home/hw/zdesktop/zdesktop.webapp/splash.gif", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/home/hw/zdesktop/zdesktop.webapp/splash.gif", {st_mode=S_IFREG|0664, st_size=3339, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 36 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x9299198, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x9299198, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x9299198, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "GIF89a2\0002\0\346Q\0\314\315\314\336Nf\313 /\372\310\316\340w\204\335\336\335\331"... , 4096)
= 3339
15613 read(27, "", 757) = 0
```

```
15613 close(27) = 0
15613 gettimeofday({1417188440, 93464}, NULL) = 0
15613 gettimeofday({1417188440, 93510}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 37, {1417188500, 93510000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 93618}, NULL) = 0
15601 gettimeofday({1417188440, 93692}, NULL) = 0
15601 gettimeofday({1417188440, 93741}, NULL) = 0
15601 gettimeofday({1417188440, 93792}, NULL) = 0
15601 gettimeofday({1417188440, 93839}, NULL) = 0
15601 gettimeofday({1417188440, 93883}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 93977}, NULL) = 0
15612 gettimeofday({1417188440, 94022}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 23, {1417188440, 211022000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 94203}, NULL) = 0
15601 gettimeofday({1417188440, 94255}, NULL) = 0
15601 gettimeofday({1417188440, 94445}, NULL) = 0
15601 gettimeofday({1417188440, 94492}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 94591}, NULL) = 0
15612 gettimeofday({1417188440, 94635}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 25, {1417188440, 297635000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 94810}, NULL) = 0
15601 gettimeofday({1417188440, 94856}, NULL) = 0
15601 gettimeofday({1417188440, 94906}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/fastfind.xpt", {st_mode=S_IFREG|0664,
st_size=599, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/fastfind.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\5\0\0\2W\0\0\0\0\0\0\255"... , 599) = 599
15601 close(27) = 0
15601 gettimeofday({1417188440, 96317}, NULL) = 0
15601 gettimeofday({1417188440, 96386}, NULL) = 0
15601 gettimeofday({1417188440, 96445}, NULL) = 0
15601 gettimeofday({1417188440, 96502}, NULL) = 0
15601 gettimeofday({1417188440, 96559}, NULL) = 0
15601 gettimeofday({1417188440, 96617}, NULL) = 0
15601 gettimeofday({1417188440, 96667}, NULL) = 0
15601 gettimeofday({1417188440, 96717}, NULL) = 0
15601 gettimeofday({1417188440, 96791}, NULL) = 0
15601 gettimeofday({1417188440, 96835}, NULL) = 0
15601 gettimeofday({1417188440, 96886}, NULL) = 0
15601 gettimeofday({1417188440, 96959}, NULL) = 0
15601 gettimeofday({1417188440, 97008}, NULL) = 0
15601 gettimeofday({1417188440, 97055}, NULL) = 0
15601 poll([{fd=3, events=POLLIN|POLLOUT}], 1, 4294967295) = 1 ([fd=3, revents=POLLOUT])
15601 writev(3, [{"\22\0\v\0\1\1@6H\1\0\0H\1\0\0 \0\0\0\5\0\0\0\2\0\0\0\0\0\0"... , 5116}, {NULL, 0}, {"",
0}], 3) = 5116
15601 poll([{fd=3, events=POLLIN}], 1, 4294967295) = 1 ([fd=3, revents=POLLIN])
15601 recvmsg(3, {msg_name(0)=NULL,
msg_iov(1)=[{"\34\0\217\3\1\1@6H\1\0\0o}\304\1\0\0\0\0\0\0\0\0\0\0\0\0\0\0\0"... , 4096}],
msg_controllen=0, msg_flags=0), 0) = 96
15601 recvmsg(3, 0xffa8de84, 0) = -1 EAGAIN (Resource temporarily unavailable)
15601 gettimeofday({1417188440, 97813}, NULL) = 0
15601 time(NULL) = 1417188440
15601 time(NULL) = 1417188440
15601 gettimeofday({1417188440, 100144}, NULL) = 0
15601 gettimeofday({1417188440, 100233}, NULL) = 0
15601 gettimeofday({1417188440, 100343}, NULL) = 0
15601 gettimeofday({1417188440, 100415}, NULL) = 0
15601 gettimeofday({1417188440, 100531}, NULL) = 0
15601 gettimeofday({1417188440, 100583}, NULL) = 0
15601 gettimeofday({1417188440, 100665}, NULL) = 0
15601 gettimeofday({1417188440, 100791}, NULL) = 0
```



```
/home/hw/ergebnisdatei.txt
```

```
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x929c6d0, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x929c6d0, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x929c6d0, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "\211PNG\r\n\32\n\0\0\0\rIHDR\0\0\0\20\0\0\0\20\10\6\0\0\0\37\363\377"..., 4096) = 268
15613 read(27, "", 3828) = 0
15613 close(27) = 0
15613 gettimeofday({1417188440, 108150}, NULL) = 0
15613 gettimeofday({1417188440, 108195}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 39, {1417188500, 108195000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 108321}, NULL) = 0
15601 gettimeofday({1417188440, 108413}, NULL) = 0
15601 gettimeofday({1417188440, 108463}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", {st_mode=S_IFREG|0664,
st_size=253, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", O_RDONLY|O_LARGEFILE) = 27
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/res/broken-image.png", {st_mode=S_IFREG|0664,
st_size=253, ...}) = 0
15601 futex(0x8ef5440, FUTEX_CMP_REQUEUE_PRIVATE, 1, 2147483647, 0x8ef547c, 40 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x8ef547c, FUTEX_WAKE_PRIVATE, 1) = 0
15613 futex(0x929d120, FUTEX_WAIT_PRIVATE, 2, NULL <unfinished ...>
15601 <... futex resumed> ) = 1
15601 futex(0x929d120, FUTEX_WAKE_PRIVATE, 1 <unfinished ...>
15613 <... futex resumed> ) = 0
15613 futex(0x929d120, FUTEX_WAKE_PRIVATE, 1) = 0
15613 read(27, "\211PNG\r\n\32\n\0\0\0\rIHDR\0\0\0\20\0\0\0\20\10\6\0\0\0\37\363\377"..., 4096) = 253
15613 read(27, "", 3843) = 0
15613 close(27) = 0
15613 gettimeofday({1417188440, 109058}, NULL) = 0
15613 gettimeofday({1417188440, 109134}, NULL) = 0
15613 futex(0x8ef5440, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 41, {1417188500, 109134000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 109240}, NULL) = 0
15601 gettimeofday({1417188440, 109311}, NULL) = 0
15601 gettimeofday({1417188440, 109362}, NULL) = 0
15601 gettimeofday({1417188440, 109447}, NULL) = 0
15601 gettimeofday({1417188440, 109511}, NULL) = 0
15601 gettimeofday({1417188440, 109562}, NULL) = 0
15601 gettimeofday({1417188440, 109612}, NULL) = 0
15601 gettimeofday({1417188440, 109676}, NULL) = 0
15601 gettimeofday({1417188440, 109723}, NULL) = 0
15601 gettimeofday({1417188440, 109792}, NULL) = 0
15601 gettimeofday({1417188440, 109937}, NULL) = 0
15601 gettimeofday({1417188440, 110000}, NULL) = 0
15601 gettimeofday({1417188440, 110166}, NULL) = 0
15601 gettimeofday({1417188440, 110278}, NULL) = 0
15601 gettimeofday({1417188440, 110408}, NULL) = 0
15601 gettimeofday({1417188440, 110453}, NULL) = 0
15601 gettimeofday({1417188440, 110517}, NULL) = 0
15601 gettimeofday({1417188440, 110644}, NULL) = 0
15601 gettimeofday({1417188440, 110739}, NULL) = 0
15601 gettimeofday({1417188440, 114789}, NULL) = 0
15601 gettimeofday({1417188440, 114848}, NULL) = 0
15601 gettimeofday({1417188440, 114967}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/satchel.xpt", {st_mode=S_IFREG|0664,
st_size=978, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/satchel.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n\32\1\2\0\v\0\0\3\322\0\0\0\0\0\0\0\0\1U"..., 978) = 978
15601 close(27) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 116007}, NULL) = 0
15612 gettimeofday({1417188440, 116056}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 31, {1417188440, 206056000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_dns.xpt", {st_mode=S_IFREG|0664,
```

```
st_size=1171, ...) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/necko_dns.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n32\1\2\0\n\0\0\4\223\0\0\0\n\0\0\019"... , 1171) = 1171
15601 close(27) = 0
15601 gettimeofday({1417188440, 122675}, NULL) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 uname({sys="Linux", node="localhost", ...}) = 0
15601 gettimeofday({1417188440, 123407}, NULL) = 0
15601 gettimeofday({1417188440, 123482}, NULL) = 0
15601 gettimeofday({1417188440, 123526}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/uriloader.xpt", {st_mode=S_IFREG|0664,
st_size=2713, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/uriloader.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n32\1\2\0\25\0\0\n\231\0\0\0\n\0\0\2m"... , 2713) = 2713
15601 close(27) = 0
15601 gettimeofday({1417188440, 125169}, NULL) = 0
15601 gettimeofday({1417188440, 125219}, NULL) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", {st_mode=S_IFREG|
0664, st_size=51240, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", O_RDONLY|O_LARGEFILE) =
27
15601 fstat64(27, {st_mode=S_IFREG|0664, st_size=51240, ...}) = 0
15601 mmap2(NULL, 51240, PROT_READ, MAP_PRIVATE, 27, 0) = 0xffffffffef3d8000
15601 brk(0x92fe000) = 0x92fe000
15601 brk(0x931f000) = 0x931f000
15601 munmap(0xef3d8000, 51240) = 0
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/nsLoginManager.js", {st_mode=S_IFREG|
0664, st_size=51240, ...}) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/loginmgr.xpt", {st_mode=S_IFREG|0664,
st_size=2107, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/loginmgr.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n32\1\2\0\16\0\0\10;\0\0\0\n\0\0\1\251"... , 2107) = 2107
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.xpt", {st_mode=S_IFREG|0664,
st_size=700, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/content_html.xpt", O_RDONLY|O_LARGEFILE) =
27
15601 read(27, "XPCOM\nTypeLib\r\n32\1\2\0\t\0\0\2\274\0\0\0\n\0\0\1\35"... , 700) = 700
15601 close(27) = 0
15601 stat64("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/embed_base.xpt", {st_mode=S_IFREG|0664,
st_size=530, ...}) = 0
15601 open("/opt/zimbra/zdesktop/linux/prism/xulrunner/components/embed_base.xpt", O_RDONLY|O_LARGEFILE) = 27
15601 read(27, "XPCOM\nTypeLib\r\n32\1\2\0\7\0\0\2\22\0\0\0\n\0\0\0\345"... , 530) = 530
15601 close(27) = 0
15601 gettimeofday({1417188440, 136359}, NULL) = 0
15601 gettimeofday({1417188440, 136414}, NULL) = 0
15601 gettimeofday({1417188440, 136459}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 136558}, NULL) = 0
15612 gettimeofday({1417188440, 136603}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 33, {1417188440, 146603000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 136768}, NULL) = 0
15601 futex(0x8c94160, FUTEX_WAKE_OP_PRIVATE, 1, 1, 0x8c9415c, {FUTEX_OP_SET, 0, FUTEX_OP_CMP_GT, 1}
<unfinished ...>
15612 <... futex resumed> ) = 0
15612 gettimeofday({1417188440, 136881}, NULL) = 0
15612 gettimeofday({1417188440, 136925}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 35, {1417188440, 146925000}, ffffffff
<unfinished ...>
15601 <... futex resumed> ) = 1
15601 gettimeofday({1417188440, 137403}, NULL) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher.png", R_OK) = 0
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher16.png", R_OK) = -1 ENOENT (No such
file or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher16.png", R_OK) = -1 ENOENT (No
such file or directory)
```

```
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher32.png", R_OK) = -1 ENOENT (No such
file or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher32.png", R_OK) = -1 ENOENT (No
such file or directory)
15601 access("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher48.png", R_OK) = -1 ENOENT (No such
file or directory)
15601 access("/opt/zimbra/zdesktop/linux/prism/chrome/icons/default/launcher48.png", R_OK) = -1 ENOENT (No
such file or directory)
15601 open("/home/hw/zdesktop/zdesktop.webapp/icons/default/launcher.png", O_RDONLY|O_LARGEFILE) = 27
15601 fstat64(27, {st_mode=S_IFREG|0664, st_size=2286, ...}) = 0
15601 mmap2(NULL, 4096, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_ANONYMOUS, -1, 0) = 0xffffffff2102000
15601 read(27, "\211PNG\r\n\32\n\0\0\0\rIHDR\0\0\000\0\0\000\10\6\0\0\0W\2\371"... , 4096) = 2286
15601 read(27, "", 4096) = 0
15601 stat64("/usr/lib/gdk-pixbuf-2.0/2.10.0/loaders/libpixbufloader-png.so", {st_mode=S_IFREG|0755,
st_size=19144, ...}) = 0
15601 open("/usr/lib/gdk-pixbuf-2.0/2.10.0/loaders/libpixbufloader-png.so", O_RDONLY|O_CLOEXEC) = 28
15601 read(28, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\3\0\3\0\1\0\0\0\260\24\0\0004\0\0\0"... , 512) = 512
15601 fstat64(28, {st_mode=S_IFREG|0755, st_size=19144, ...}) = 0
15601 mmap2(NULL, 20824, PROT_READ|PROT_EXEC, MAP_PRIVATE|MAP_DENYWRITE, 28, 0) = 0xffffffffef3df000
15601 mmap2(0xef3e3000, 8192, PROT_READ|PROT_WRITE, MAP_PRIVATE|MAP_FIXED|MAP_DENYWRITE, 28, 0x3000) =
0xffffffffef3e3000
15601 close(28) = 0
15601 mprotect(0xef3e3000, 4096, PROT_READ) = 0
15601 _llseek(27, 0, [0], SEEK_SET) = 0
15612 <... futex resumed> ) = -1 ETIMEDOUT (Connection timed out)
15612 gettimeofday({1417188440, 147115}, NULL) = 0
15612 futex(0x8c940f8, FUTEX_WAKE_PRIVATE, 1) = 0
15612 gettimeofday({1417188440, 147230}, NULL) = 0
15612 gettimeofday({1417188440, 147276}, NULL) = 0
15612 futex(0x8c94160, FUTEX_WAIT_BITSET_PRIVATE|FUTEX_CLOCK_REALTIME, 37, {1417188440, 206276000}, ffffffff
<unfinished ...>
15601 --- SIGSEGV {si_signo=SIGSEGV, si_code=SEGV_MAPERR, si_addr=0xff295ffc} ---
15601 --- SIGSEGV {si_signo=SIGSEGV, si_code=SI_KERNEL, si_addr=0} ---
15613 +++ killed by SIGSEGV +++
15612 +++ killed by SIGSEGV +++
15610 +++ killed by SIGSEGV +++
15609 +++ killed by SIGSEGV +++
15608 +++ killed by SIGSEGV +++
15607 +++ killed by SIGSEGV +++
15601 +++ killed by SIGSEGV +++
```